

検査項目別該当者 - 性年齢階級別, 人数, 割合 -

中部保健所

中部保健所
メタボリックシンドローム






表. メタボリックシンドローム判定 区分（市町村国保+協会けんぽ） - 人数、割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	4,439	5,834	5,550	4,554	4,604	5,196	6,097	4,405	40,679	36,240	25,738	10,502
	非該当 (人)	3,081	3,650	3,160	2,409	2,287	2,457	2,644	1,924	21,612	18,531	13,963	4,568
	(%)	69.4	62.6	56.9	52.9	49.7	47.3	43.4	43.7	53.1	51.1	54.3	43.5
	予備群 (人)	844	1,202	1,198	921	934	1,065	1,240	891	8,295	7,451	5,320	2,131
	(%)	19.0	20.6	21.6	20.2	20.3	20.5	20.3	20.2	20.4	20.6	20.7	20.3
	該当 (人)	514	982	1,192	1,224	1,383	1,674	2,213	1,590	10,772	10,258	6,455	3,803
	(%)	11.6	16.8	21.5	26.9	30.0	32.2	36.3	36.1	26.5	28.3	25.1	36.2
女性	(再掲)該当+予備群 (人)	1,358	2,184	2,390	2,145	2,317	2,739	3,453	2,481	19,067	17,709	11,775	5,934
	(%)	30.6	37.4	43.1	47.1	50.3	52.7	56.6	56.3	46.9	48.9	45.7	56.5
	総数	3,492	4,702	4,862	4,131	4,611	5,300	6,589	5,172	38,859	35,367	23,606	11,761
	非該当 (人)	3,266	4,225	4,265	3,537	3,806	4,186	4,918	3,607	31,810	28,544	20,019	8,525
	(%)	93.5	89.9	87.7	85.6	82.5	79.0	74.6	69.7	81.9	80.7	84.8	72.5
	予備群 (人)	164	324	372	330	386	472	635	565	3,248	3,084	1,884	1,200
	(%)	4.7	6.9	7.7	8.0	8.4	8.9	9.6	10.9	8.4	8.7	8.0	10.2
	該当 (人)	62	153	225	264	419	642	1,036	1,000	3,801	3,739	1,703	2,036
	(%)	1.8	3.3	4.6	6.4	9.1	12.1	15.7	19.3	9.8	10.6	7.2	17.3
	(再掲)該当+予備群 (人)	226	477	597	594	805	1,114	1,671	1,565	7,049	6,823	3,587	3,236
	(%)	6.5	10.1	12.3	14.4	17.5	21.0	25.4	30.3	18.1	19.3	15.2	27.5

腹囲





表. 腹囲 区分（市町村国保+協会けんぽ） - 人数，割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	4,769	6,186	5,879	4,754	4,820	5,566	6,371	4,509	42,854	38,085	27,205	10,880
	85.0未満	(人) 2,596	3,002	2,630	2,052	2,003	2,222	2,373	1,722	18,600	16,004	11,909	4,095
		(%) 54.4	48.5	44.7	43.2	41.6	39.9	37.2	38.2	43.4	42.0	43.8	37.6
	85.0以上90.0未満	(人) 824	1,142	1,141	955	1,028	1,256	1,437	1,084	8,867	8,043	5,522	2,521
		(%) 17.3	18.5	19.4	20.1	21.3	22.6	22.6	24.0	20.7	21.1	20.3	23.2
	90.0以上	(人) 1,349	2,042	2,108	1,747	1,789	2,088	2,561	1,703	15,387	14,038	9,774	4,264
		(%) 28.3	33.0	35.9	36.7	37.1	37.5	40.2	37.8	35.9	36.9	35.9	39.2
女性	(再掲)85以上	(人) 2,173	3,184	3,249	2,702	2,817	3,344	3,998	2,787	24,254	22,081	15,296	6,785
		(%) 45.6	51.5	55.3	56.8	58.4	60.1	62.8	61.8	56.6	58.0	56.2	62.4
	総数	3,750	5,063	5,215	4,426	4,873	5,637	6,760	5,288	41,012	37,262	25,214	12,048
	85.0未満	(人) 2,931	3,604	3,525	2,880	3,010	3,181	3,385	2,414	24,930	21,999	16,200	5,799
		(%) 78.2	71.2	67.6	65.1	61.8	56.4	50.1	45.7	60.8	59.0	64.3	48.1
	85.0以上90.0未満	(人) 363	578	728	685	798	1,057	1,433	1,141	6,783	6,420	3,846	2,574
		(%) 9.7	11.4	14.0	15.5	16.4	18.8	21.2	21.6	16.5	17.2	15.3	21.4
	90.0以上	(人) 456	881	962	861	1,065	1,399	1,942	1,733	9,299	8,843	5,168	3,675
		(%) 12.2	17.4	18.4	19.5	21.9	24.8	28.7	32.8	22.7	23.7	20.5	30.5
	(再掲)85以上	(人) 819	1,459	1,690	1,546	1,863	2,456	3,375	2,874	16,082	15,263	9,014	6,249
		(%) 21.8	28.8	32.4	34.9	38.2	43.6	49.9	54.3	39.2	41.0	35.7	51.9

BMI








表. BMI 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	4,769	6,185	5,881	4,757	4,821	5,566	6,370	4,509	42,858	38,089	27,210	10,879
	18.5未満 (人)	153	127	87	81	88	101	103	73	813	660	484	176
	(%)	3.2	2.1	1.5	1.7	1.8	1.8	1.6	1.6	1.9	1.7	1.8	1.6
	18.5以上20.0未満 (人)	292	288	259	172	189	213	232	185	1,830	1,538	1,121	417
	(%)	6.1	4.7	4.4	3.6	3.9	3.8	3.6	4.1	4.3	4.0	4.1	3.8
	20.0以上25.0未満 (人)	2,456	2,991	2,697	2,276	2,257	2,712	3,117	2,239	20,745	18,289	12,933	5,356
	(%)	51.5	48.4	45.9	47.8	46.8	48.7	48.9	49.7	48.4	48.0	47.5	49.2
	25.0以上30.0未満 (人)	1,410	2,028	2,092	1,711	1,853	2,116	2,447	1,744	15,401	13,991	9,800	4,191
	(%)	29.6	32.8	35.6	36.0	38.4	38.0	38.4	38.7	35.9	36.7	36.0	38.5
	30.0以上35.0未満 (人)	346	545	586	440	383	374	421	236	3,331	2,985	2,328	657
	(%)	7.3	8.8	10.0	9.2	7.9	6.7	6.6	5.2	7.8	7.8	8.6	6.0
	35.0以上 (人)	112	206	160	77	51	50	50	32	738	626	544	82
	(%)	2.3	3.3	2.7	1.6	1.1	0.9	0.8	0.7	1.7	1.6	2.0	0.8
女性	(再掲)18.5以上25未満 (人)	2,748	3,279	2,956	2,448	2,446	2,925	3,349	2,424	22,575	19,827	14,054	5,773
	(%)	57.6	53.0	50.3	51.5	50.7	52.6	52.6	53.8	52.7	52.1	51.7	53.1
	(再掲)25以上 (人)	1,868	2,779	2,838	2,228	2,287	2,540	2,918	2,012	19,470	17,602	12,672	4,930
	(%)	39.2	44.9	48.3	46.8	47.4	45.6	45.8	44.6	45.4	46.2	46.6	45.3
	(再掲)30以上 (人)	458	751	746	517	434	424	471	268	4,069	3,611	2,872	739
	(%)	9.6	12.1	12.7	10.9	9.0	7.6	7.4	5.9	9.5	9.5	10.6	6.8
	総数	3,810	5,085	5,215	4,428	4,873	5,639	6,760	5,288	41,098	37,288	25,240	12,048
	18.5未満 (人)	528	459	413	297	321	264	283	186	2,751	2,223	1,754	469
	(%)	13.9	9.0	7.9	6.7	6.6	4.7	4.2	3.5	6.7	6.0	6.9	3.9
	18.5以上20.0未満 (人)	731	776	695	560	535	553	508	345	4,703	3,972	3,119	853
	(%)	19.2	15.3	13.3	12.6	11.0	9.8	7.5	6.5	11.4	10.7	12.4	7.1
	20.0以上25.0未満 (人)	1,771	2,488	2,602	2,309	2,548	2,968	3,435	2,634	20,755	18,984	12,915	6,069
	(%)	46.5	48.9	49.9	52.1	52.3	52.6	50.8	49.8	50.5	50.9	51.2	50.4
	25.0以上30.0未満 (人)	539	923	1,072	951	1,113	1,448	1,956	1,679	9,681	9,142	5,507	3,635
	(%)	14.1	18.2	20.6	21.5	22.8	25.7	28.9	31.8	23.6	24.5	21.8	30.2
	30.0以上35.0未満 (人)	167	331	321	247	289	320	465	373	2,513	2,346	1,508	838
	(%)	4.4	6.5	6.2	5.6	5.9	5.7	6.9	7.1	6.1	6.3	6.0	7.0
	35.0以上 (人)	74	108	112	64	67	86	113	71	695	621	437	184
	(%)	1.9	2.1	2.1	1.4	1.4	1.5	1.7	1.3	1.7	1.7	1.7	1.5
	(再掲)18.5以上25未満 (人)	2,502	3,264	3,297	2,869	3,083	3,521	3,943	2,979	25,458	22,956	16,034	6,922
	(%)	65.7	64.2	63.2	64.8	63.3	62.4	58.3	56.3	61.9	61.6	63.5	57.5
	(再掲)25以上 (人)	780	1,362	1,505	1,262	1,469	1,854	2,534	2,123	12,889	12,109	7,452	4,657
	(%)	20.5	26.8	28.9	28.5	30.1	32.9	37.5	40.1	31.4	32.5	29.5	38.7
	(再掲)30以上 (人)	241	439	433	311	356	406	578	444	3,208	2,967	1,945	1,022
	(%)	6.3	8.6	8.3	7.0	7.3	7.2	8.6	8.4	7.8	8.0	7.7	8.5

高血圧




		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	4,768	6,186	5,881	4,757	4,821	5,566	6,371	4,509	42,859	38,091	27,211	10,880
	高血圧有病者*1 (人)	606	1,328	1,803	1,874	2,337	2,966	3,895	3,004	17,813	17,207	10,308	6,899
	(%)	12.7	21.5	30.7	39.4	48.5	53.3	61.1	66.6	41.6	45.2	37.9	63.4
	服薬あり*2 (人)	125	453	811	1,052	1,484	2,096	2,961	2,443	11,425	11,300	5,896	5,404
	(%)	2.6	7.3	13.8	22.1	30.8	37.7	46.5	54.2	26.7	29.7	21.7	49.7
女性	総数	3,810	5,084	5,215	4,428	4,873	5,639	6,759	5,288	41,096	37,286	25,239	12,047
	高血圧有病者*1 (人)	213	510	918	1,061	1,549	2,247	3,376	3,166	13,040	12,827	6,285	6,542
	(%)	5.6	10.0	17.6	24.0	31.8	39.8	49.9	59.9	31.7	34.4	24.9	54.3
	服薬あり*2 (人)	50	182	412	633	1,005	1,514	2,488	2,502	8,786	8,736	3,746	4,990
	(%)	1.3	3.6	7.9	14.3	20.6	26.8	36.8	47.3	21.4	23.4	14.8	41.4
	治療率*2 (%)	23.5	35.7	44.9	59.7	64.9	67.4	73.7	79.0	67.4	68.1	59.6	76.3

*1 高血圧有病者 : 収縮期血圧140mmHg以上または拡張期血圧90mmHg以上、もしくは血圧を下げる薬を服薬する者



*2 服薬あり : 血圧を下げる薬を服薬する者

*3 治療率 : 高血圧有病者のうち、血圧を下げる薬を服薬する者の割合

「血圧を下げる薬」服薬の有無別：正常高値血圧以上（性年齢階級別，人数）





「血圧を下げる薬」服薬の有無別：血圧（男性）



男性		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲)40-74歳	(再掲)40-64歳	(再掲)65-74歳
服薬あり	総数	125	453	811	1,052	1,484	2,096	2,961	2,443	11,425	11,300	5,896	5,404
	正常血圧 (人)	16	87	178	197	250	337	496	346	1,907	1,891	1,049	842
	(%)	12.8	19.2	21.9	18.7	16.8	16.1	16.8	14.2	16.7	16.7	17.8	15.6
	正常高値血圧 (人)	13	44	106	131	233	352	469	410	1,758	1,745	866	879
	(%)	10.4	9.7	13.1	12.5	15.7	16.8	15.8	16.8	15.4	15.4	14.7	16.3
	高値血圧 (人)	43	159	263	397	571	732	982	821	3,968	3,925	2,122	1,803
	(%)	34.4	35.1	32.4	37.7	38.5	34.9	33.2	33.6	34.7	34.7	36.0	33.4
	I度高血圧 (人)	33	123	211	249	366	552	847	697	3,078	3,045	1,501	1,544
	(%)	26.4	27.2	26.0	23.7	24.7	26.3	28.6	28.5	26.9	26.9	25.5	28.6
	Ⅱ度高血圧 (人)	-	-	-	64	52	105	148	143	-	587	296	291
	(%)	-	-	-	6.1	3.5	5.0	5.0	5.9	-	5.2	5.0	5.4
服薬なし	Ⅲ度高血圧 (人)	-	-	-	14	12	18	19	26	-	107	62	45
	(%)	-	-	-	1.3	0.8	0.9	0.6	1.1	-	0.9	1.1	0.8
	(再掲)高血圧 (人)	53	163	264	327	430	675	1,014	866	3,792	3,739	1,859	1,880
	(%)	42.4	36.0	32.6	31.1	29.0	32.2	34.2	35.4	33.2	33.1	31.5	34.8
	(再掲)収縮期高血圧 (人)	-	29	55	79	171	327	673	638	-	1,972	661	1,311
	(%)	-	6.4	6.8	7.5	11.5	15.6	22.7	26.1	-	17.5	11.2	24.3
	総数	4,644	5,733	5,070	3,705	3,337	3,470	3,410	2,066	31,435	26,791	21,315	5,476
	正常血圧 (人)	2,294	2,561	2,006	1,330	1,099	1,017	940	560	11,807	9,513	8,013	1,500
	(%)	49.4	44.7	39.6	35.9	32.9	29.3	27.6	27.1	37.6	35.5	37.6	27.4
	正常高値血圧 (人)	773	897	716	510	447	554	604	403	4,904	4,131	3,124	1,007
	(%)	16.6	15.6	14.1	13.8	13.4	16.0	17.7	19.5	15.6	15.4	14.7	18.4
服薬なし	高値血圧 (人)	1,095	1,400	1,356	1,043	938	1,029	932	542	8,335	7,240	5,766	1,474
	(%)	23.6	24.4	26.7	28.2	28.1	29.7	27.3	26.2	26.5	27.0	27.1	26.9
	I度高血圧 (人)	373	675	731	617	655	658	723	441	4,873	4,500	3,336	1,164
	(%)	8.0	11.8	14.4	16.7	19.6	19.0	21.2	21.3	15.5	16.8	15.7	21.3
	Ⅱ度高血圧 (人)	84	149	187	164	161	166	180	101	1,192	1,108	827	281
	(%)	1.8	2.6	3.7	4.4	4.8	4.8	5.3	4.9	3.8	4.1	3.9	5.1
	Ⅲ度高血圧 (人)	25	51	74	41	37	46	31	19	324	299	249	50
	(%)	0.5	0.9	1.5	1.1	1.1	1.3	0.9	0.9	1.0	1.1	1.2	0.9
	(再掲)高血圧 (人)	482	875	992	822	853	870	934	561	6,389	5,907	4,412	1,495
	(%)	10.4	15.3	19.6	22.2	25.6	25.1	27.4	27.2	20.3	22.0	20.7	27.3
	(再掲)収縮期高血圧 (人)	91	172	183	157	244	396	536	378	2,157	2,066	1,152	914
	(%)	2.0	3.0	3.6	4.2	7.3	11.4	15.7	18.3	6.9	7.7	5.4	16.7

「血圧を下げる薬」服薬の有無別：血圧（女性）



女性		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
服薬あり	総数	50	182	412	633	1,005	1,514	2,488	2,502	8,786	8,736	3,746	4,990
	正常血圧 (人)	13	44	77	142	232	308	405	371	1,592	1,579	803	776
	(%)	26.0	24.2	18.7	22.4	23.1	20.3	16.3	14.8	18.1	18.1	21.4	15.6
	正常高値血圧 (人)	-	20	56	96	160	324	476	491	-	1,623	656	967
	(%)	-	11.0	13.6	15.2	15.9	21.4	19.1	19.6	-	18.6	17.5	19.4
	高値血圧 (人)	-	61	158	205	338	470	780	783	-	2,795	1,232	1,563
	(%)	-	33.5	38.3	32.4	33.6	31.0	31.4	31.3	-	32.0	32.9	31.3
	I度高血圧 (人)	-	41	96	151	212	342	679	711	-	2,232	842	1,390
	(%)	-	22.5	23.3	23.9	21.1	22.6	27.3	28.4	-	25.5	22.5	27.9
	Ⅱ度高血圧 (人)	-	-	-	-	50	-	125	131	-	433	177	256
	(%)	-	-	-	-	5.0	-	5.0	5.2	-	5.0	4.7	5.1
服薬なし	Ⅲ度高血圧 (人)	-	-	-	-	13	-	23	15	-	74	36	38
	(%)	-	-	-	-	1.3	-	0.9	0.6	-	0.8	1.0	0.8
	(再掲)高血圧 (人)	16	57	121	190	275	412	827	857	2,755	2,739	1,055	1,684
	(%)	32.0	31.3	29.4	30.0	27.4	27.2	33.2	34.3	31.4	31.4	28.2	33.7
	(再掲)収縮期高血圧 (人)	-	11	37	71	137	259	613	707	-	1,835	515	1,320
	(%)	-	6.0	9.0	11.2	13.6	17.1	24.6	28.3	-	21.0	13.7	26.5
	総数	3,760	4,903	4,803	3,795	3,868	4,125	4,271	2,786	32,311	28,551	21,494	7,057
	正常血圧 (人)	2,980	3,390	2,944	2,150	1,934	1,792	1,630	876	17,696	14,716	12,210	2,506
	(%)	79.3	69.1	61.3	56.7	50.0	43.4	38.2	31.4	54.8	51.5	56.8	35.5
	正常高値血圧 (人)	274	523	546	509	616	724	802	595	4,589	4,315	2,918	1,397
	(%)	7.3	10.7	11.4	13.4	15.9	17.6	18.8	21.4	14.2	15.1	13.6	19.8
服薬なし	高値血圧 (人)	343	661	807	708	774	876	951	651	5,771	5,428	3,826	1,602
	(%)	9.1	13.5	16.8	18.7	20.0	21.2	22.3	23.4	17.9	19.0	17.8	22.7
	I度高血圧 (人)	121	252	394	346	431	582	721	543	3,390	3,269	2,005	1,264
	(%)	3.2	5.1	8.2	9.1	11.1	14.1	16.9	19.5	10.5	11.4	9.3	17.9
	Ⅱ度高血圧 (人)	-	62	-	-	93	125	146	99	-	688	443	245
	(%)	-	1.3	-	-	2.4	3.0	3.4	3.6	-	2.4	2.1	3.5
	Ⅲ度高血圧 (人)	-	15	-	-	20	26	21	22	-	135	92	43
	(%)	-	0.3	-	-	0.5	0.6	0.5	0.8	-	0.5	0.4	0.6
	(再掲)高血圧 (人)	163	329	506	428	544	733	888	664	4,255	4,092	2,540	1,552
	(%)	4.3	6.7	10.5	11.3	14.1	17.8	20.8	23.8	13.2	14.3	11.8	22.0
服薬なし	(再掲)収縮期高血圧 (人)	39	82	155	161	240	443	615	516	2,251	2,212	1,081	1,131
	(%)	1.0	1.7	3.2	4.2	6.2	10.7	14.4	18.5	7.0	7.7	5.0	16.0

収縮期血圧






表. 収縮期血圧 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	4,769	6,186	5,881	4,757	4,821	5,566	6,371	4,509	42,860	38,091	27,211	10,880
	120未満 (人)	2,473	2,862	2,417	1,715	1,496	1,465	1,516	949	14,893	12,420	9,955	2,465
	(%)	51.9	46.3	41.1	36.1	31.0	26.3	23.8	21.0	34.7	32.6	36.6	22.7
	120以上130未満 (人)	1,230	1,636	1,568	1,275	1,229	1,429	1,495	1,031	10,893	9,663	7,137	2,526
	(%)	25.8	26.4	26.7	26.8	25.5	25.7	23.5	22.9	25.4	25.4	26.2	23.2
	130以上140未満 (人)	714	968	1,010	940	1,080	1,322	1,544	1,153	8,731	8,017	5,320	2,697
	(%)	15.0	15.6	17.2	19.8	22.4	23.8	24.2	25.6	20.4	21.0	19.6	24.8
	140以上160未満 (人)	305	619	745	680	852	1,091	1,504	1,112	6,908	6,603	3,987	2,616
	(%)	6.4	10.0	12.7	14.3	17.7	19.6	23.6	24.7	16.1	17.3	14.7	24.0
	160以上180未満 (人)	-	85	107	129	141	211	272	225	-	1,170	673	497
	(%)	-	1.4	1.8	2.7	2.9	3.8	4.3	5.0	-	3.1	2.5	4.6
女性	180以上 (人)	-	16	34	18	23	48	40	39	-	218	139	79
	(%)	-	0.3	0.6	0.4	0.5	0.9	0.6	0.9	-	0.6	0.5	0.7
	(再掲)130以上 (人)	1,066	1,688	1,896	1,767	2,096	2,672	3,360	2,529	17,074	16,008	10,119	5,889
	(%)	22.4	27.3	32.2	37.1	43.5	48.0	52.7	56.1	39.8	42.0	37.2	54.1
	(再掲)140以上 (人)	352	720	886	827	1,016	1,350	1,816	1,376	8,343	7,991	4,799	3,192
	(%)	7.4	11.6	15.1	17.4	21.1	24.3	28.5	30.5	19.5	21.0	17.6	29.3
	総数	3,810	5,085	5,215	4,428	4,873	5,639	6,760	5,288	41,098	37,288	25,240	12,048
	120未満 (人)	3,087	3,549	3,148	2,390	2,256	2,176	2,108	1,286	20,000	16,913	13,519	3,394
	(%)	81.0	69.8	60.4	54.0	46.3	38.6	31.2	24.3	48.7	45.4	53.6	28.2
	120以上130未満 (人)	422	862	971	930	1,113	1,363	1,577	1,270	8,508	8,086	5,239	2,847
	(%)	11.1	17.0	18.6	21.0	22.8	24.2	23.3	24.0	20.7	21.7	20.8	23.6
	130以上140未満 (人)	189	398	614	578	787	1,039	1,429	1,249	6,283	6,094	3,416	2,678
	(%)	5.0	7.8	11.8	13.1	16.2	18.4	21.1	23.6	15.3	16.3	13.5	22.2
	140以上160未満 (人)	90	231	398	454	582	868	1,352	1,234	5,209	5,119	2,533	2,586
	(%)	2.4	4.5	7.6	10.3	11.9	15.4	20.0	23.3	12.7	13.7	10.0	21.5
	160以上180未満 (人)	-	-	70	-	110	166	255	214	-	919	450	469
	(%)	-	-	1.3	-	2.3	2.9	3.8	4.0	-	2.5	1.8	3.9
	180以上 (人)	-	-	14	-	25	27	39	35	-	157	83	74
	(%)	-	-	0.3	-	0.5	0.5	0.6	0.7	-	0.4	0.3	0.6
	(再掲)130以上 (人)	301	674	1,096	1,108	1,504	2,100	3,075	2,732	12,590	12,289	6,482	5,807
	(%)	7.9	13.3	21.0	25.0	30.9	37.2	45.5	51.7	30.6	33.0	25.7	48.2
	(再掲)140以上 (人)	112	276	482	530	717	1,061	1,646	1,483	6,307	6,195	3,066	3,129
	(%)	2.9	5.4	9.2	12.0	14.7	18.8	24.3	28.0	15.3	16.6	12.1	26.0

収縮期血圧 -「血圧を下げる薬」服薬ありの者-






表. 収縮期血圧_服薬あり 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	125	453	811	1,052	1,484	2,096	2,961	2,443	11,425	11,300	5,896	5,404
	120未満 (人)	22	110	213	239	289	378	524	369	2,144	2,122	1,229	893
	(%)	17.6	24.3	26.3	22.7	19.5	18.0	17.7	15.1	18.8	18.8	20.8	16.5
	120以上130未満 (人)	33	109	229	304	431	556	681	529	2,872	2,839	1,629	1,210
	(%)	26.4	24.1	28.2	28.9	29.0	26.5	23.0	21.7	25.1	25.1	27.6	22.4
	130以上140未満 (人)	33	118	198	280	425	582	808	712	3,156	3,123	1,603	1,520
	(%)	26.4	26.0	24.4	26.6	28.6	27.8	27.3	29.1	27.6	27.6	27.2	28.1
	140以上160未満 (人)	-	101	155	191	299	479	807	678	-	2,710	1,225	1,485
	(%)	-	22.3	19.1	18.2	20.1	22.9	27.3	27.8	-	24.0	20.8	27.5
	160以上180未満 (人)	-	-	-	-	-	88	125	133	-	441	183	258
	(%)	-	-	-	-	-	4.2	4.2	5.4	-	3.9	3.1	4.8
女性	180以上 (人)	-	-	-	-	-	13	16	22	-	65	27	38
	(%)	-	-	-	-	-	0.6	0.5	0.9	-	0.6	0.5	0.7
	(再掲)130以上 (人)	70	234	369	509	764	1,162	1,756	1,545	6,409	6,339	3,038	3,301
	(%)	56.0	51.7	45.5	48.4	51.5	55.4	59.3	63.2	56.1	56.1	51.5	61.1
	(再掲)140以上 (人)	37	116	171	229	339	580	948	833	3,253	3,216	1,435	1,781
	(%)	29.6	25.6	21.1	21.8	22.8	27.7	32.0	34.1	28.5	28.5	24.3	33.0
	総数	50	182	412	633	1,005	1,514	2,488	2,502	8,786	8,736	3,746	4,990
	120未満 (人)	15	52	91	160	255	329	429	386	1,717	1,702	887	815
	(%)	30.0	28.6	22.1	25.3	25.4	21.7	17.2	15.4	19.5	19.5	23.7	16.3
	120以上130未満 (人)	12	46	128	171	252	436	587	584	2,216	2,204	1,033	1,171
	(%)	24.0	25.3	31.1	27.0	25.1	28.8	23.6	23.3	25.2	25.2	27.6	23.5
	130以上140未満 (人)	12	44	105	144	255	374	682	696	2,312	2,300	922	1,378
	(%)	24.0	24.2	25.5	22.7	25.4	24.7	27.4	27.8	26.3	26.3	24.6	27.6
	140以上160未満 (人)	-	-	-	133	194	314	655	698	-	2,100	747	1,353
	(%)	-	-	-	21.0	19.3	20.7	26.3	27.9	-	24.0	19.9	27.1
	160以上180未満 (人)	-	-	-	-	39	-	115	124	-	373	134	239
	(%)	-	-	-	-	3.9	-	4.6	5.0	-	4.3	3.6	4.8
	180以上 (人)	-	-	-	-	10	-	20	14	-	57	23	34
	(%)	-	-	-	-	1.0	-	0.8	0.6	-	0.7	0.6	0.7
	(再掲)130以上 (人)	23	84	193	302	498	749	1,472	1,532	4,853	4,830	1,826	3,004
	(%)	46.0	46.2	46.8	47.7	49.6	49.5	59.2	61.2	55.2	55.3	48.7	60.2
	(再掲)140以上 (人)	11	40	88	158	243	375	790	836	2,541	2,530	904	1,626
	(%)	22.0	22.0	21.4	25.0	24.2	24.8	31.8	33.4	28.9	29.0	24.1	32.6

収縮期血圧 -「血圧を下げる薬」服薬なしの者-






表. 収縮期血圧_服薬なし 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	4,644	5,733	5,070	3,705	3,337	3,470	3,410	2,066	31,435	26,791	21,315	5,476
	120未満 (人)	2,451	2,752	2,204	1,476	1,207	1,087	992	580	12,749	10,298	8,726	1,572
	(%)	52.8	48.0	43.5	39.8	36.2	31.3	29.1	28.1	40.6	38.4	40.9	28.7
	120以上130未満 (人)	1,197	1,527	1,339	971	798	873	814	502	8,021	6,824	5,508	1,316
	(%)	25.8	26.6	26.4	26.2	23.9	25.2	23.9	24.3	25.5	25.5	25.8	24.0
	130以上140未満 (人)	681	850	812	660	655	740	736	441	5,575	4,894	3,717	1,177
	(%)	14.7	14.8	16.0	17.8	19.6	21.3	21.6	21.3	17.7	18.3	17.4	21.5
	140以上160未満 (人)	276	518	590	489	553	612	697	434	4,169	3,893	2,762	1,131
	(%)	5.9	9.0	11.6	13.2	16.6	17.6	20.4	21.0	13.3	14.5	13.0	20.7
	160以上180未満 (人)	-	72	92	96	107	123	147	92	-	729	490	239
	(%)	-	1.3	1.8	2.6	3.2	3.5	4.3	4.5	-	2.7	2.3	4.4
女性	180以上 (人)	-	14	33	13	17	35	24	17	-	153	112	41
	(%)	-	0.2	0.7	0.4	0.5	1.0	0.7	0.8	-	0.6	0.5	0.7
	(再掲)130以上 (人)	996	1,454	1,527	1,258	1,332	1,510	1,604	984	10,665	9,669	7,081	2,588
	(%)	21.4	25.4	30.1	34.0	39.9	43.5	47.0	47.6	33.9	36.1	33.2	47.3
	(再掲)140以上 (人)	315	604	715	598	677	770	868	543	5,090	4,775	3,364	1,411
	(%)	6.8	10.5	14.1	16.1	20.3	22.2	25.5	26.3	16.2	17.8	15.8	25.8
	総数	3,760	4,903	4,803	3,795	3,868	4,125	4,271	2,786	32,311	28,551	21,494	7,057
	120未満 (人)	3,072	3,497	3,057	2,230	2,001	1,847	1,679	900	18,283	15,211	12,632	2,579
	(%)	81.7	71.3	63.6	58.8	51.7	44.8	39.3	32.3	56.6	53.3	58.8	36.5
	120以上130未満 (人)	410	816	843	759	861	927	989	686	6,291	5,881	4,206	1,675
	(%)	10.9	16.6	17.6	20.0	22.3	22.5	23.2	24.6	19.5	20.6	19.6	23.7
	130以上140未満 (人)	177	354	509	434	532	665	747	553	3,971	3,794	2,494	1,300
	(%)	4.7	7.2	10.6	11.4	13.8	16.1	17.5	19.8	12.3	13.3	11.6	18.4
	140以上160未満 (人)	82	199	324	321	388	554	697	536	3,101	3,019	1,786	1,233
	(%)	2.2	4.1	6.7	8.5	10.0	13.4	16.3	19.2	9.6	10.6	8.3	17.5
	160以上180未満 (人)	-	-	59	-	71	111	140	90	-	546	316	230
	(%)	-	-	1.2	-	1.8	2.7	3.3	3.2	-	1.9	1.5	3.3
	180以上 (人)	-	-	11	-	15	21	19	21	-	100	60	40
	(%)	-	-	0.2	-	0.4	0.5	0.4	0.8	-	0.4	0.3	0.6
	(再掲)130以上 (人)	278	590	903	806	1,006	1,351	1,603	1,200	7,737	7,459	4,656	2,803
	(%)	7.4	12.0	18.8	21.2	26.0	32.8	37.5	43.1	23.9	26.1	21.7	39.7
	(再掲)140以上 (人)	101	236	394	372	474	686	856	647	3,766	3,665	2,162	1,503
	(%)	2.7	4.8	8.2	9.8	12.3	16.6	20.0	23.2	11.7	12.8	10.1	21.3

拡張期血圧





表. 拡張期血圧 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	4,769	6,186	5,881	4,757	4,821	5,566	6,371	4,509	42,860	38,091	27,211	10,880
	80未満	(人) 3,304	(人) 3,829	(人) 3,210	(人) 2,349	(人) 2,364	(人) 2,936	(人) 3,700	(人) 2,938	(人) 24,630	(人) 21,326	(人) 14,688	(人) 6,638
		(%) 69.3	(%) 61.9	(%) 54.6	(%) 49.4	(%) 49.0	(%) 52.7	(%) 58.1	(%) 65.2	(%) 57.5	(%) 56.0	(%) 54.0	(%) 61.0
	80以上85未満	(人) 670	(人) 958	(人) 1,027	(人) 914	(人) 944	(人) 1,129	(人) 1,275	(人) 810	(人) 7,727	(人) 7,057	(人) 4,972	(人) 2,085
		(%) 14.0	(%) 15.5	(%) 17.5	(%) 19.2	(%) 19.6	(%) 20.3	(%) 20.0	(%) 18.0	(%) 18.0	(%) 18.5	(%) 18.3	(%) 19.2
	85以上90未満	(人) 358	(人) 562	(人) 626	(人) 581	(人) 645	(人) 679	(人) 657	(人) 350	(人) 4,458	(人) 4,100	(人) 3,093	(人) 1,007
		(%) 7.5	(%) 9.1	(%) 10.6	(%) 12.2	(%) 13.4	(%) 12.2	(%) 10.3	(%) 7.8	(%) 10.4	(%) 10.8	(%) 11.4	(%) 9.3
	90以上100未満	(人) 321	(人) 617	(人) 742	(人) 680	(人) 682	(人) 657	(人) 598	(人) 338	(人) 4,635	(人) 4,314	(人) 3,378	(人) 936
		(%) 6.7	(%) 10.0	(%) 12.6	(%) 14.3	(%) 14.1	(%) 11.8	(%) 9.4	(%) 7.5	(%) 10.8	(%) 11.3	(%) 12.4	(%) 8.6
	100以上110未満	(人) 91	(人) 165	(人) 198	(人) 181	(人) 151	(人) 133	(人) 123	(人) 58	(人) 1,100	(人) 1,009	(人) 828	(人) 181
		(%) 1.9	(%) 2.7	(%) 3.4	(%) 3.8	(%) 3.1	(%) 2.4	(%) 1.9	(%) 1.3	(%) 2.6	(%) 2.6	(%) 3.0	(%) 1.7
女性	110以上	(人) 25	(人) 55	(人) 78	(人) 52	(人) 35	(人) 32	(人) 18	(人) 15	(人) 310	(人) 285	(人) 252	(人) 33
		(%) 0.5	(%) 0.9	(%) 1.3	(%) 1.1	(%) 0.7	(%) 0.6	(%) 0.3	(%) 0.3	(%) 0.7	(%) 0.7	(%) 0.9	(%) 0.3
	(再掲)85以上	(人) 795	(人) 1,399	(人) 1,644	(人) 1,494	(人) 1,513	(人) 1,501	(人) 1,396	(人) 761	(人) 10,503	(人) 9,708	(人) 7,551	(人) 2,157
		(%) 16.7	(%) 22.6	(%) 28.0	(%) 31.4	(%) 31.4	(%) 27.0	(%) 21.9	(%) 16.9	(%) 24.5	(%) 25.5	(%) 27.7	(%) 19.8
	(再掲)90以上	(人) 437	(人) 837	(人) 1,018	(人) 913	(人) 868	(人) 822	(人) 739	(人) 411	(人) 6,045	(人) 5,608	(人) 4,458	(人) 1,150
		(%) 9.2	(%) 13.5	(%) 17.3	(%) 19.2	(%) 18.0	(%) 14.8	(%) 11.6	(%) 9.1	(%) 14.1	(%) 14.7	(%) 16.4	(%) 10.6
	総数	3,810	5,085	5,215	4,428	4,873	5,639	6,760	5,288	41,098	37,288	25,240	12,048
	80未満	(人) 3,333	(人) 4,111	(人) 3,820	(人) 3,146	(人) 3,308	(人) 3,905	(人) 4,607	(人) 3,818	(人) 30,048	(人) 26,715	(人) 18,290	(人) 8,425
		(%) 87.5	(%) 80.8	(%) 73.3	(%) 71.0	(%) 67.9	(%) 69.2	(%) 68.2	(%) 72.2	(%) 73.1	(%) 71.6	(%) 72.5	(%) 69.9
	80以上85未満	(人) 233	(人) 429	(人) 591	(人) 586	(人) 697	(人) 847	(人) 1,124	(人) 789	(人) 5,296	(人) 5,063	(人) 3,150	(人) 1,913
		(%) 6.1	(%) 8.4	(%) 11.3	(%) 13.2	(%) 14.3	(%) 15.0	(%) 16.6	(%) 14.9	(%) 12.9	(%) 13.6	(%) 12.5	(%) 15.9
	85以上90未満	(人) 106	(人) 252	(人) 369	(人) 310	(人) 426	(人) 444	(人) 542	(人) 383	(人) 2,832	(人) 2,726	(人) 1,801	(人) 925
		(%) 2.8	(%) 5.0	(%) 7.1	(%) 7.0	(%) 8.7	(%) 7.9	(%) 8.0	(%) 7.2	(%) 6.9	(%) 7.3	(%) 7.1	(%) 7.7
	90以上100未満	(人) 98	(人) 219	(人) 336	(人) 309	(人) 350	(人) 366	(人) 417	(人) 241	(人) 2,336	(人) 2,238	(人) 1,580	(人) 658
		(%) 2.6	(%) 4.3	(%) 6.4	(%) 7.0	(%) 7.2	(%) 6.5	(%) 6.2	(%) 4.6	(%) 5.7	(%) 6.0	(%) 6.3	(%) 5.5
	100以上110未満	(人) -	(人) 59	(人) -	(人) -	(人) 78	(人) 64	(人) -	(人) -	(人) -	(人) 452	(人) 347	(人) 105
		(%) -	(%) 1.2	(%) -	(%) -	(%) 1.6	(%) 1.1	(%) -	(%) -	(%) -	(%) 1.2	(%) 1.4	(%) 0.9
	110以上	(人) -	(人) 15	(人) -	(人) -	(人) 14	(人) 13	(人) -	(人) -	(人) -	(人) 94	(人) 72	(人) 22
		(%) -	(%) 0.3	(%) -	(%) -	(%) 0.3	(%) 0.2	(%) -	(%) -	(%) -	(%) 0.3	(%) 0.3	(%) 0.2
	(再掲)85以上	(人) 244	(人) 545	(人) 804	(人) 696	(人) 868	(人) 887	(人) 1,029	(人) 681	(人) 5,754	(人) 5,510	(人) 3,800	(人) 1,710
		(%) 6.4	(%) 10.7	(%) 15.4	(%) 15.7	(%) 17.8	(%) 15.7	(%) 15.2	(%) 12.9	(%) 14.0	(%) 14.8	(%) 15.1	(%) 14.2
	(再掲)90以上	(人) 138	(人) 293	(人) 435	(人) 386	(人) 442	(人) 443	(人) 487	(人) 298	(人) 2,922	(人) 2,784	(人) 1,999	(人) 785
		(%) 3.6	(%) 5.8	(%) 8.3	(%) 8.7	(%) 9.1	(%) 7.9	(%) 7.2	(%) 5.6	(%) 7.1	(%) 7.5	(%) 7.9	(%) 6.5

拡張期血圧 -「血圧を下げる薬」服薬ありの者-






表. 拡張期血圧_服薬あり 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	125	453	811	1,052	1,484	2,096	2,961	2,443	11,425	11,300	5,896	5,404
	80未満 (人)	35	158	321	387	636	980	1,651	1,552	5,720	5,685	2,482	3,203
	(%)	28.0	34.9	39.6	36.8	42.9	46.8	55.8	63.5	50.1	50.3	42.1	59.3
	80以上85未満 (人)	25	94	169	238	337	487	642	475	2,467	2,442	1,325	1,117
	(%)	20.0	20.8	20.8	22.6	22.7	23.2	21.7	19.4	21.6	21.6	22.5	20.7
	85以上90未満 (人)	19	67	112	179	252	281	327	188	1,425	1,406	891	515
	(%)	15.2	14.8	13.8	17.0	17.0	13.4	11.0	7.7	12.5	12.4	15.1	9.5
	90以上100未満 (人)	26	98	163	187	218	298	292	189	1,471	1,445	964	481
	(%)	20.8	21.6	20.1	17.8	14.7	14.2	9.9	7.7	12.9	12.8	16.4	8.9
	100以上110未満 (人)	-	-	36	49	-	-	-	-	-	266	192	74
女性	(%)	-	-	4.4	4.7	-	-	-	-	-	2.4	3.3	1.4
	110以上 (人)	-	-	10	12	-	-	-	-	-	56	42	14
	(%)	-	-	1.2	1.1	-	-	-	-	-	0.5	0.7	0.3
	(再掲)85以上 (人)	65	201	321	427	511	629	668	416	3,238	3,173	2,089	1,084
	(%)	52.0	44.4	39.6	40.6	34.4	30.0	22.6	17.0	28.3	28.1	35.4	20.1
	(再掲)90以上 (人)	46	134	209	248	259	348	341	228	1,813	1,767	1,198	569
	(%)	36.8	29.6	25.8	23.6	17.5	16.6	11.5	9.3	15.9	15.6	20.3	10.5
	総数	50	182	412	633	1,005	1,514	2,488	2,502	8,786	8,736	3,746	4,990
	80未満 (人)	-	79	160	299	506	914	1,526	1,740	-	5,224	1,958	3,266
	(%)	-	43.4	38.8	47.2	50.3	60.4	61.3	69.5	-	59.8	52.3	65.5
	80以上85未満 (人)	-	33	84	132	213	297	503	408	-	1,670	759	911
	(%)	-	18.1	20.4	20.9	21.2	19.6	20.2	16.3	-	19.1	20.3	18.3
	85以上90未満 (人)	-	24	84	83	148	150	245	204	-	938	489	449
	(%)	-	13.2	20.4	13.1	14.7	9.9	9.8	8.2	-	10.7	13.1	9.0
	90以上100未満 (人)	-	33	67	95	104	134	182	124	-	739	433	306
	(%)	-	18.1	16.3	15.0	10.3	8.9	7.3	5.0	-	8.5	11.6	6.1
	100以上110未満 (人)	-	-	-	-	-	-	-	-	-	137	-	-
	(%)	-	-	-	-	-	-	-	-	-	1.6	-	-
	110以上 (人)	-	-	-	-	-	-	-	-	-	28	-	-
	(%)	-	-	-	-	-	-	-	-	-	0.3	-	-
	(再掲)85以上 (人)	21	70	168	202	286	303	459	354	1,863	1,842	1,029	813
	(%)	42.0	38.5	40.8	31.9	28.5	20.0	18.4	14.1	21.2	21.1	27.5	16.3
	(再掲)90以上 (人)	-	46	84	119	138	153	214	150	-	904	540	364
	(%)	-	25.3	20.4	18.8	13.7	10.1	8.6	6.0	-	10.3	14.4	7.3

拡張期血圧 -「血圧を下げる薬」服薬なしの者-








表. 拡張期血圧_服薬なし 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	4,644	5,733	5,070	3,705	3,337	3,470	3,410	2,066	31,435	26,791	21,315	5,476
	80未満	(人) 3,269	(人) 3,671	(人) 2,889	(人) 1,962	(人) 1,728	(人) 1,956	(人) 2,049	(人) 1,386	(人) 18,910	(人) 15,641	(人) 12,206	(人) 3,435
		(%) 70.4	(%) 64.0	(%) 57.0	(%) 53.0	(%) 51.8	(%) 56.4	(%) 60.1	(%) 67.1	(%) 60.2	(%) 58.4	(%) 57.3	(%) 62.7
	80以上85未満	(人) 645	(人) 864	(人) 858	(人) 676	(人) 607	(人) 642	(人) 633	(人) 335	(人) 5,260	(人) 4,615	(人) 3,647	(人) 968
		(%) 13.9	(%) 15.1	(%) 16.9	(%) 18.2	(%) 18.2	(%) 18.5	(%) 18.6	(%) 16.2	(%) 16.7	(%) 17.2	(%) 17.1	(%) 17.7
	85以上90未満	(人) 339	(人) 495	(人) 514	(人) 402	(人) 393	(人) 398	(人) 330	(人) 162	(人) 3,033	(人) 2,694	(人) 2,202	(人) 492
		(%) 7.3	(%) 8.6	(%) 10.1	(%) 10.9	(%) 11.8	(%) 11.5	(%) 9.7	(%) 7.8	(%) 9.6	(%) 10.1	(%) 10.3	(%) 9.0
	90以上100未満	(人) 295	(人) 519	(人) 579	(人) 493	(人) 464	(人) 359	(人) 306	(人) 149	(人) 3,164	(人) 2,869	(人) 2,414	(人) 455
		(%) 6.4	(%) 9.1	(%) 11.4	(%) 13.3	(%) 13.9	(%) 10.3	(%) 9.0	(%) 7.2	(%) 10.1	(%) 10.7	(%) 11.3	(%) 8.3
	100以上110未満	(人) 73	(人) 135	(人) 162	(人) 132	(人) 116	(人) 91	(人) -	(人) -	(人) 816	(人) 743	(人) 636	(人) 107
		(%) 1.6	(%) 2.4	(%) 3.2	(%) 3.6	(%) 3.5	(%) 2.6	(%) -	(%) -	(%) 2.6	(%) 2.8	(%) 3.0	(%) 2.0
女性	110以上	(人) 23	(人) 49	(人) 68	(人) 40	(人) 29	(人) 24	(人) -	(人) -	(人) 252	(人) 229	(人) 210	(人) 19
		(%) 0.5	(%) 0.9	(%) 1.3	(%) 1.1	(%) 0.9	(%) 0.7	(%) -	(%) -	(%) 0.8	(%) 0.9	(%) 1.0	(%) 0.3
	(再掲)85以上	(人) 730	(人) 1,198	(人) 1,323	(人) 1,067	(人) 1,002	(人) 872	(人) 728	(人) 345	(人) 7,265	(人) 6,535	(人) 5,462	(人) 1,073
		(%) 15.7	(%) 20.9	(%) 26.1	(%) 28.8	(%) 30.0	(%) 25.1	(%) 21.3	(%) 16.7	(%) 23.1	(%) 24.4	(%) 25.6	(%) 19.6
	(再掲)90以上	(人) 391	(人) 703	(人) 809	(人) 665	(人) 609	(人) 474	(人) 398	(人) 183	(人) 4,232	(人) 3,841	(人) 3,260	(人) 581
		(%) 8.4	(%) 12.3	(%) 16.0	(%) 17.9	(%) 18.2	(%) 13.7	(%) 11.7	(%) 8.9	(%) 13.5	(%) 14.3	(%) 15.3	(%) 10.6
	総数	3,760	4,903	4,803	3,795	3,868	4,125	4,271	2,786	32,311	28,551	21,494	7,057
	80未満	(人) 3,315	(人) 4,032	(人) 3,660	(人) 2,847	(人) 2,802	(人) 2,991	(人) 3,080	(人) 2,078	(人) 24,805	(人) 21,490	(人) 16,332	(人) 5,158
		(%) 88.2	(%) 82.2	(%) 76.2	(%) 75.0	(%) 72.4	(%) 72.5	(%) 72.1	(%) 74.6	(%) 76.8	(%) 75.3	(%) 76.0	(%) 73.1
	80以上85未満	(人) 222	(人) 396	(人) 507	(人) 454	(人) 484	(人) 550	(人) 621	(人) 381	(人) 3,615	(人) 3,393	(人) 2,391	(人) 1,002
		(%) 5.9	(%) 8.1	(%) 10.6	(%) 12.0	(%) 12.5	(%) 13.3	(%) 14.5	(%) 13.7	(%) 11.2	(%) 11.9	(%) 11.1	(%) 14.2
	85以上90未満	(人) 99	(人) 228	(人) 285	(人) 227	(人) 278	(人) 294	(人) 297	(人) 179	(人) 1,887	(人) 1,788	(人) 1,312	(人) 476
		(%) 2.6	(%) 4.7	(%) 5.9	(%) 6.0	(%) 7.2	(%) 7.1	(%) 7.0	(%) 6.4	(%) 5.8	(%) 6.3	(%) 6.1	(%) 6.7
	90以上100未満	(人) 86	(人) 186	(人) 269	(人) 214	(人) 246	(人) 232	(人) 235	(人) 117	(人) 1,585	(人) 1,499	(人) 1,147	(人) 352
		(%) 2.3	(%) 3.8	(%) 5.6	(%) 5.6	(%) 6.4	(%) 5.6	(%) 5.5	(%) 4.2	(%) 4.9	(%) 5.3	(%) 5.3	(%) 5.0
	100以上110未満	(人) -	(人) 50	(人) -	(人) -	(人) 48	(人) 48	(人) -	(人) -	(人) -	(人) 315	(人) 259	(人) 56
		(%) -	(%) 1.0	(%) -	(%) -	(%) 1.2	(%) 1.2	(%) -	(%) -	(%) -	(%) 1.1	(%) 1.2	(%) 0.8
	110以上	(人) -	(人) 11	(人) -	(人) -	(人) 10	(人) 10	(人) -	(人) -	(人) -	(人) 66	(人) 53	(人) 13
		(%) -	(%) 0.2	(%) -	(%) -	(%) 0.3	(%) 0.2	(%) -	(%) -	(%) -	(%) 0.2	(%) 0.2	(%) 0.2
	(再掲)85以上	(人) 223	(人) 475	(人) 636	(人) 494	(人) 582	(人) 584	(人) 570	(人) 327	(人) 3,891	(人) 3,668	(人) 2,771	(人) 897
		(%) 5.9	(%) 9.7	(%) 13.2	(%) 13.0	(%) 15.0	(%) 14.2	(%) 13.3	(%) 11.7	(%) 12.0	(%) 12.8	(%) 12.9	(%) 12.7
	(再掲)90以上	(人) 124	(人) 247	(人) 351	(人) 267	(人) 304	(人) 290	(人) 273	(人) 148	(人) 2,004	(人) 1,880	(人) 1,459	(人) 421
		(%) 3.3	(%) 5.0	(%) 7.3	(%) 7.0	(%) 7.9	(%) 7.0	(%) 6.4	(%) 5.3	(%) 6.2	(%) 6.6	(%) 6.8	(%) 6.0

糖尿病有病者



		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	4,769	6,186	5,881	4,757	4,819	5,566	6,371	4,509	42,858	38,089	27,209	10,880
	糖尿病有病者*1 (人)	118	298	461	557	692	965	1,293	1,002	5,386	5,268	2,973	2,295
	(%)	2.5	4.8	7.8	11.7	14.4	17.3	20.3	22.2	12.6	13.8	10.9	21.1
	服薬あり*2 (人)	32	124	227	297	392	603	881	722	3,278	3,246	1,643	1,603
	(%)	0.7	2.0	3.9	6.2	8.1	10.8	13.8	16.0	7.6	8.5	6.0	14.7
女性	治療率*3 (%)	27.1	41.6	49.2	53.3	56.6	62.5	68.1	72.1	60.9	61.6	55.3	69.8
	総数	3,810	5,084	5,213	4,428	4,873	5,638	6,758	5,288	41,092	37,282	25,236	12,046
	糖尿病有病者*1 (人)	48	106	156	163	319	531	883	800	3,006	2,958	1,275	1,683
	(%)	1.3	2.1	3.0	3.7	6.5	9.4	13.1	15.1	7.3	7.9	5.1	14.0
	服薬あり*2 (人)	25	53	97	103	204	343	598	551	1,974	1,949	800	1,149
	(%)	0.7	1.0	1.9	2.3	4.2	6.1	8.8	10.4	4.8	5.2	3.2	9.5
	治療率*3 (%)	52.1	50.0	62.2	63.2	63.9	64.6	67.7	68.9	65.7	65.9	62.7	68.3

*1 糖尿病有病者 : 空腹時血糖126mg/dl以上、またはHbA1c6.5%以上、もしくはインスリン注射または血糖を下げる薬を服薬する者

*2 服薬あり : インスリン注射または血糖を下げる薬を服薬する者

*3 治療率 : 糖尿病有病者のうち、インスリン注射または血糖を下げる薬を服薬する者の割合

空腹時血糖








表. 空腹時血糖 区分（市町村国保+協会けんぽ） - 人数，割合 -




		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	3,959	5,770	5,498	4,401	4,369	4,872	5,432	3,784	38,085	34,126	24,910	9,216
	100未満	(人) 2,835	(人) 3,802	(人) 3,238	(人) 2,308	(人) 2,103	(人) 2,315	(人) 2,605	(人) 1,781	(人) 20,987	(人) 18,152	(人) 13,766	(人) 4,386
		(%) 71.6	(%) 65.9	(%) 58.9	(%) 52.4	(%) 48.1	(%) 47.5	(%) 48.0	(%) 47.1	(%) 55.1	(%) 53.2	(%) 55.3	(%) 47.6
	100以上110未満	(人) 859	(人) 1,355	(人) 1,394	(人) 1,183	(人) 1,154	(人) 1,211	(人) 1,333	(人) 911	(人) 9,400	(人) 8,541	(人) 6,297	(人) 2,244
		(%) 21.7	(%) 23.5	(%) 25.4	(%) 26.9	(%) 26.4	(%) 24.9	(%) 24.5	(%) 24.1	(%) 24.7	(%) 25.0	(%) 25.3	(%) 24.3
	110以上126未満	(人) 180	(人) 382	(人) 526	(人) 507	(人) 614	(人) 713	(人) 781	(人) 552	(人) 4,255	(人) 4,075	(人) 2,742	(人) 1,333
		(%) 4.5	(%) 6.6	(%) 9.6	(%) 11.5	(%) 14.1	(%) 14.6	(%) 14.4	(%) 14.6	(%) 11.2	(%) 11.9	(%) 11.0	(%) 14.5
女性	126以上	(人) 85	(人) 231	(人) 340	(人) 403	(人) 498	(人) 633	(人) 713	(人) 540	(人) 3,443	(人) 3,358	(人) 2,105	(人) 1,253
		(%) 2.1	(%) 4.0	(%) 6.2	(%) 9.2	(%) 11.4	(%) 13.0	(%) 13.1	(%) 14.3	(%) 9.0	(%) 9.8	(%) 8.5	(%) 13.6
	(再掲)100以上	(人) 1,124	(人) 1,968	(人) 2,260	(人) 2,093	(人) 2,266	(人) 2,557	(人) 2,827	(人) 2,003	(人) 17,098	(人) 15,974	(人) 11,144	(人) 4,830
		(%) 28.4	(%) 34.1	(%) 41.1	(%) 47.6	(%) 51.9	(%) 52.5	(%) 52.0	(%) 52.9	(%) 44.9	(%) 46.8	(%) 44.7	(%) 52.4
	総数	2,498	4,646	4,777	4,012	4,372	4,951	5,897	4,565	35,718	33,220	22,758	10,462
	100未満	(人) 2,231	(人) 4,039	(人) 3,994	(人) 3,146	(人) 3,134	(人) 3,408	(人) 3,918	(人) 3,025	(人) 26,895	(人) 24,664	(人) 17,721	(人) 6,943
		(%) 89.3	(%) 86.9	(%) 83.6	(%) 78.4	(%) 71.7	(%) 68.8	(%) 66.4	(%) 66.3	(%) 75.3	(%) 74.2	(%) 77.9	(%) 66.4
女性	100以上110未満	(人) 202	(人) 453	(人) 541	(人) 588	(人) 783	(人) 909	(人) 1,053	(人) 839	(人) 5,368	(人) 5,166	(人) 3,274	(人) 1,892
		(%) 8.1	(%) 9.8	(%) 11.3	(%) 14.7	(%) 17.9	(%) 18.4	(%) 17.9	(%) 18.4	(%) 15.0	(%) 15.6	(%) 14.4	(%) 18.1
	110以上126未満	(人) 40	(人) 90	(人) 149	(人) 181	(人) 268	(人) 351	(人) 495	(人) 365	(人) 1,939	(人) 1,899	(人) 1,039	(人) 860
		(%) 1.6	(%) 1.9	(%) 3.1	(%) 4.5	(%) 6.1	(%) 7.1	(%) 8.4	(%) 8.0	(%) 5.4	(%) 5.7	(%) 4.6	(%) 8.2
	126以上	(人) 25	(人) 64	(人) 93	(人) 97	(人) 187	(人) 283	(人) 431	(人) 336	(人) 1,516	(人) 1,491	(人) 724	(人) 767
		(%) 1.0	(%) 1.4	(%) 1.9	(%) 2.4	(%) 4.3	(%) 5.7	(%) 7.3	(%) 7.4	(%) 4.2	(%) 4.5	(%) 3.2	(%) 7.3
	(再掲)100以上	(人) 267	(人) 607	(人) 783	(人) 866	(人) 1,238	(人) 1,543	(人) 1,979	(人) 1,540	(人) 8,823	(人) 8,556	(人) 5,037	(人) 3,519
		(%) 10.7	(%) 13.1	(%) 16.4	(%) 21.6	(%) 28.3	(%) 31.2	(%) 33.6	(%) 33.7	(%) 24.7	(%) 25.8	(%) 22.1	(%) 33.6

—

「インスリン注射または血糖を下げる薬」服薬の有無別：空腹時血糖 保健指導判定区分（100mg/dl）以上






「インスリン注射または血糖を下げる薬」服薬の有無別：空腹時血糖（男性）



男性		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
服薬あり	総数	27	103	201	259	333	505	704	568	2,700	2,673	1,401	1,272
	100未満 (人)	-	-	-	16	10	31	54	40	-	171	77	94
	(%)	-	-	-	6.2	3.0	6.1	7.7	7.0	-	6.4	5.5	7.4
	100以上110未満 (人)	-	-	-	17	19	23	71	51	-	192	70	122
	(%)	-	-	-	6.6	5.7	4.6	10.1	9.0	-	7.2	5.0	9.6
	110以上126未満 (人)	-	-	-	40	60	102	144	115	-	515	256	259
	(%)	-	-	-	15.4	18.0	20.2	20.5	20.2	-	19.3	18.3	20.4
服薬なし	126以上 (人)	17	81	138	186	244	349	435	362	1,812	1,795	998	797
	(%)	63.0	78.6	68.7	71.8	73.3	69.1	61.8	63.7	67.1	67.2	71.2	62.7
	(再掲)100以上 (人)	-	-	-	243	323	474	650	528	-	2,502	1,324	1,178
	(%)	-	-	-	93.8	97.0	93.9	92.3	93.0	-	93.6	94.5	92.6
	総数	3,932	5,667	5,297	4,142	4,036	4,367	4,728	3,216	35,385	31,453	23,509	7,944
	100未満 (人)	2,833	3,795	3,225	2,292	2,093	2,284	2,551	1,741	20,814	17,981	13,689	4,292
	(%)	72.0	67.0	60.9	55.3	51.9	52.3	54.0	54.1	58.8	57.2	58.2	54.0
服薬あり	100以上110未満 (人)	854	1,351	1,387	1,166	1,135	1,188	1,262	860	9,203	8,349	6,227	2,122
	(%)	21.7	23.8	26.2	28.2	28.1	27.2	26.7	26.7	26.0	26.5	26.5	26.7
	110以上126未満 (人)	177	371	483	467	554	611	637	437	3,737	3,560	2,486	1,074
	(%)	4.5	6.5	9.1	11.3	13.7	14.0	13.5	13.6	10.6	11.3	10.6	13.5
	126以上 (人)	68	150	202	217	254	284	278	178	1,631	1,563	1,107	456
	(%)	1.7	2.6	3.8	5.2	6.3	6.5	5.9	5.5	4.6	5.0	4.7	5.7
	(再掲)100以上 (人)	1,099	1,872	2,072	1,850	1,943	2,083	2,177	1,475	14,571	13,472	9,820	3,652
	(%)	28.0	33.0	39.1	44.7	48.1	47.7	46.0	45.9	41.2	42.8	41.8	46.0

「インスリン注射または血糖を下げる薬」服薬の有無別：空腹時血糖（女性）



女性		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲)40-74歳	(再掲)40-64歳	(再掲)65-74歳
服薬あり	総数	21	44	87	83	169	279	481	434	1,598	1,577	662	915
	100未満 (人)	-	-	11	-	12	19	33	57	-	146	56	90
	(%)	-	-	12.6	-	7.1	6.8	6.9	13.1	-	9.3	8.5	9.8
	100以上110未満 (人)	-	-	-	-	19	31	48	54	-	174	72	102
	(%)	-	-	-	-	11.2	11.1	10.0	12.4	-	11.0	10.9	11.1
	110以上126未満 (人)	-	-	-	17	33	56	119	100	-	351	132	219
	(%)	-	-	-	20.5	19.5	20.1	24.7	23.0	-	22.3	19.9	23.9
服薬なし	126以上 (人)	10	24	49	51	105	173	281	223	916	906	402	504
	(%)	47.6	54.5	56.3	61.4	62.1	62.0	58.4	51.4	57.3	57.5	60.7	55.1
	(再掲)100以上 (人)	-	-	76	-	157	260	448	377	-	1,431	606	825
	(%)	-	-	87.4	-	92.9	93.2	93.1	86.9	-	90.7	91.5	90.2
	総数	2,477	4,602	4,690	3,929	4,203	4,672	5,416	4,131	34,120	31,643	22,096	9,547
	100未満 (人)	2,227	4,032	3,983	3,139	3,122	3,389	3,885	2,968	26,745	24,518	17,665	6,853
	(%)	89.9	87.6	84.9	79.9	74.3	72.5	71.7	71.8	78.4	77.5	79.9	71.8
服薬あり	100以上110未満 (人)	201	447	533	580	764	878	1,005	785	5,193	4,992	3,202	1,790
	(%)	8.1	9.7	11.4	14.8	18.2	18.8	18.6	19.0	15.2	15.8	14.5	18.7
	110以上126未満 (人)	34	83	130	164	235	295	376	265	1,582	1,548	907	641
	(%)	1.4	1.8	2.8	4.2	5.6	6.3	6.9	6.4	4.6	4.9	4.1	6.7
	126以上 (人)	15	40	44	46	82	110	150	113	600	585	322	263
	(%)	0.6	0.9	0.9	1.2	2.0	2.4	2.8	2.7	1.8	1.8	1.5	2.8
	(再掲)100以上 (人)	250	570	707	790	1,081	1,283	1,531	1,163	7,375	7,125	4,431	2,694
	(%)	10.1	12.4	15.1	20.1	25.7	27.5	28.3	28.2	21.6	22.5	20.1	28.2

HbA1c








表. HbA1c 区分 (市町村国保+協会けんぽ) - 人数, 割合 -




		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	1,496	2,252	2,300	2,060	2,340	3,381	5,080	4,113	23,022	21,526	12,333	9,193
	5.6未満 (人)	1,069	1,430	1,325	996	1,056	1,367	1,782	1,352	10,377	9,308	6,174	3,134
	(%)	71.5	63.5	57.6	48.3	45.1	40.4	35.1	32.9	45.1	43.2	50.1	34.1
	5.6以上6.0未満 (人)	345	598	655	657	743	1,146	1,771	1,399	7,314	6,969	3,799	3,170
	(%)	23.1	26.6	28.5	31.9	31.8	33.9	34.9	34.0	31.8	32.4	30.8	34.5
	6.0以上6.5未満 (人)	44	116	170	201	267	444	784	678	2,704	2,660	1,198	1,462
	(%)	2.9	5.2	7.4	9.8	11.4	13.1	15.4	16.5	11.7	12.4	9.7	15.9
	6.5以上8.0未満 (人)	-	-	-	138	209	313	601	570	-	1,990	819	1,171
	(%)	-	-	-	6.7	8.9	9.3	11.8	13.9	-	9.2	6.6	12.7
	8.0以上8.4未満 (人)	-	-	-	14	10	27	43	46	-	158	69	89
	(%)	-	-	-	0.7	0.4	0.8	0.8	1.1	-	0.7	0.6	1.0
女性	8.4以上 (人)	14	40	41	54	55	84	99	68	455	441	274	167
	(%)	0.9	1.8	1.8	2.6	2.4	2.5	1.9	1.7	2.0	2.0	2.2	1.8
	(再掲)5.6以上 (人)	427	822	975	1,064	1,284	2,014	3,298	2,761	12,645	12,218	6,159	6,059
	(%)	28.5	36.5	42.4	51.7	54.9	59.6	64.9	67.1	54.9	56.8	49.9	65.9
	(再掲)6.5以上 (人)	38	108	150	206	274	424	743	684	2,627	2,589	1,162	1,427
	(%)	2.5	4.8	6.5	10.0	11.7	12.5	14.6	16.6	11.4	12.0	9.4	15.5
	総数	1,728	2,415	2,518	2,287	2,875	4,295	6,166	5,156	27,440	25,712	14,390	11,322
	5.6未満 (人)	1,392	1,766	1,680	1,245	1,290	1,522	1,868	1,459	12,222	10,830	7,503	3,327
	(%)	80.6	73.1	66.7	54.4	44.9	35.4	30.3	28.3	44.5	42.1	52.1	29.4
	5.6以上6.0未満 (人)	286	513	639	813	1,129	1,880	2,620	2,163	10,043	9,757	4,974	4,783
	(%)	16.6	21.2	25.4	35.5	39.3	43.8	42.5	42.0	36.6	37.9	34.6	42.2
	6.0以上6.5未満 (人)	36	86	137	146	310	562	1,013	931	3,221	3,185	1,241	1,944
	(%)	2.1	3.6	5.4	6.4	10.8	13.1	16.4	18.1	11.7	12.4	8.6	17.2
	6.5以上8.0未満 (人)	-	-	-	-	109	257	558	513	-	1,563	492	1,071
	(%)	-	-	-	-	3.8	6.0	9.0	9.9	-	6.1	3.4	9.5
	8.0以上8.4未満 (人)	-	-	-	-	12	24	31	34	-	119	54	65
	(%)	-	-	-	-	0.4	0.6	0.5	0.7	-	0.5	0.4	0.6
	8.4以上 (人)	-	11	15	25	25	50	76	56	-	258	126	132
	(%)	-	0.5	0.6	1.1	0.9	1.2	1.2	1.1	-	1.0	0.9	1.2
	(再掲)5.6以上 (人)	336	649	838	1,042	1,585	2,773	4,298	3,697	15,218	14,882	6,887	7,995
	(%)	19.4	26.9	33.3	45.6	55.1	64.6	69.7	71.7	55.5	57.9	47.9	70.6
	(再掲)6.5以上 (人)	14	50	62	83	146	331	665	603	1,954	1,940	672	1,268
	(%)	0.8	2.1	2.5	3.6	5.1	7.7	10.8	11.7	7.1	7.5	4.7	11.2

—

「インスリン注射または血糖を下げる薬」服薬の有無別：HbA1c 保健指導判定区分（5.6％）以上（性年齢階級別，人数）






「インスリン注射または血糖を下げる薬」服薬の有無別：HbA1c（男性）



男性		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
服薬あり	総数	—	60	94	143	212	359	720	666	—	2,254	868	1,386
	5.6未満 (人)	—	—	—	—	—	7	11	16	—	47	20	27
	(%)	—	—	—	—	—	1.9	1.5	2.4	—	2.1	2.3	1.9
	5.6以上6.0未満 (人)	—	—	—	—	—	21	65	41	—	151	45	106
	(%)	—	—	—	—	—	5.8	9.0	6.2	—	6.7	5.2	7.6
	6.0以上6.5未満 (人)	—	—	—	—	36	67	143	129	—	424	152	272
	(%)	—	—	—	—	17.0	18.7	19.9	19.4	—	18.8	17.5	19.6
	6.5以上8.0未満 (人)	—	26	49	67	115	191	405	386	—	1,239	448	791
	(%)	—	43.3	52.1	46.9	54.2	53.2	56.3	58.0	—	55.0	51.6	57.1
	8.0以上8.4未満 (人)	—	—	—	11	—	21	34	36	—	118	48	70
服薬なし	(%)	—	—	—	7.7	—	5.8	4.7	5.4	—	5.2	5.5	5.1
	8.4以上 (人)	—	—	—	28	—	52	62	58	—	275	155	120
	(%)	—	—	—	19.6	—	14.5	8.6	8.7	—	12.2	17.9	8.7
	(再掲)5.6以上 (人)	—	—	—	—	—	709	650	—	—	2,207	848	1,359
	(%)	—	—	—	—	—	98.5	97.6	—	—	97.9	97.7	98.1
	(再掲)6.5以上 (人)	—	52	75	106	154	264	501	480	—	1,632	651	981
	(%)	—	86.7	79.8	74.1	72.6	73.5	69.6	72.1	—	72.4	75.0	70.8
	総数	1,488	2,192	2,206	1,917	2,128	3,022	4,360	3,447	20,760	19,272	11,465	7,807
	5.6未満 (人)	1,068	1,430	1,323	993	1,048	1,360	1,771	1,336	10,329	9,261	6,154	3,107
	(%)	71.8	65.2	60.0	51.8	49.2	45.0	40.6	38.8	49.8	48.1	53.7	39.8
	5.6以上6.0未満 (人)	345	594	652	654	729	1,125	1,706	1,358	7,163	6,818	3,754	3,064




「インスリン注射または血糖を下げる薬」服薬の有無別：HbA1c（女性）



女性		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
服薬あり	総数	—	33	48	69	121	263	559	541	—	1,634	534	1,100
	5.6未満 (人)	—	—	—	—	—	—	—	13	—	26	10	16
	(%)	—	—	—	—	—	—	—	2.4	—	1.6	1.9	1.5
	5.6以上6.0未満 (人)	—	—	—	—	—	—	—	31	—	89	28	61
	(%)	—	—	—	—	—	—	—	5.7	—	5.4	5.2	5.5
	6.0以上6.5未満 (人)	—	—	—	—	—	42	91	103	—	275	81	194
	(%)	—	—	—	—	—	16.0	16.3	19.0	—	16.8	15.2	17.6
	6.5以上8.0未満 (人)	—	—	—	30	71	153	348	321	—	960	291	669
	(%)	—	—	—	43.5	58.7	58.2	62.3	59.3	—	58.8	54.5	60.8
	8.0以上8.4未満 (人)	—	—	—	—	—	20	25	28	—	92	39	53
	(%)	—	—	—	—	—	7.6	4.5	5.2	—	5.6	7.3	4.8
服薬なし	8.4以上 (人)	—	—	—	—	—	32	62	45	—	192	85	107
	(%)	—	—	—	—	—	12.2	11.1	8.3	—	11.8	15.9	9.7
	(再掲)5.6以上 (人)	—	—	—	68	121	258	556	528	—	1,608	524	1,084
	(%)	—	—	—	98.6	100.0	98.1	99.5	97.6	—	98.4	98.1	98.5
	(再掲)6.5以上 (人)	—	23	36	55	96	205	435	394	—	1,244	415	829
	(%)	—	69.7	75.0	79.7	79.3	77.9	77.8	72.8	—	76.1	77.7	75.4
	総数	1,722	2,382	2,470	2,218	2,754	4,032	5,607	4,615	25,800	24,078	13,856	10,222
	5.6未満 (人)	1,391	1,763	1,679	1,244	1,290	1,517	1,865	1,446	12,195	10,804	7,493	3,311
	(%)	80.8	74.0	68.0	56.1	46.8	37.6	33.3	31.3	47.3	44.9	54.1	32.4
	5.6以上6.0未満 (人)	286	512	635	806	1,124	1,869	2,590	2,132	9,954	9,668	4,946	4,722
	(%)	16.6	21.5	25.7	36.3	40.8	46.4	46.2	46.2	38.6	40.2	35.7	46.2
服薬なし	6.0以上6.5未満 (人)	35	80	130	140	290	520	922	828	2,945	2,910	1,160	1,750
	(%)	2.0	3.4	5.3	6.3	10.5	12.9	16.4	17.9	11.4	12.1	8.4	17.1
	6.5以上8.0未満 (人)	—	—	—	—	38	104	210	192	—	603	201	402
	(%)	—	—	—	—	1.4	2.6	3.7	4.2	—	2.5	1.5	3.9
	8.0以上8.4未満 (人)	—	—	—	—	—	—	—	—	—	27	15	12
	(%)	—	—	—	—	—	—	—	—	—	0.1	0.1	0.1
	8.4以上 (人)	—	—	—	—	—	—	—	—	—	66	41	25
	(%)	—	—	—	—	—	—	—	—	—	0.3	0.3	0.2
	(再掲)5.6以上 (人)	331	619	791	974	1,464	2,515	3,742	3,169	13,605	13,274	6,363	6,911
	(%)	19.2	26.0	32.0	43.9	53.2	62.4	66.7	68.7	52.7	55.1	45.9	67.6
服薬なし	(再掲)6.5以上 (人)	10	27	26	28	50	126	230	209	706	696	257	439
	(%)	0.6	1.1	1.1	1.3	1.8	3.1	4.1	4.5	2.7	2.9	1.9	4.3

-

脂質異常症有病者



		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	4,769	6,186	5,881	4,757	4,820	5,566	6,371	4,509	42,859	38,090	27,210	10,880
	脂質異常症有病者* (人)	2,283	3,379	3,388	2,870	2,824	3,177	3,798	2,599	24,318	22,035	15,638	6,397
	(%)	47.9	54.6	57.6	60.3	58.6	57.1	59.6	57.6	56.7	57.8	57.5	58.8
	高LDLコレステロール血症* (人)	1,331	2,003	2,091	1,868	1,936	2,243	2,717	1,944	16,133	14,802	10,141	4,661
	(%)	27.9	32.4	35.6	39.3	40.2	40.3	42.6	43.1	37.6	38.9	37.3	42.8
	服薬あり*3 (人)	66	174	338	498	719	970	1,389	1,164	5,318	5,252	2,699	2,553
女性	(%)	1.4	2.8	5.7	10.5	14.9	17.4	21.8	25.8	12.4	13.8	9.9	23.5
	治療率*4 (%)	5.0	8.7	16.2	26.7	37.1	43.2	51.1	59.9	33.0	35.5	26.6	54.8
	総数	3,810	5,085	5,215	4,428	4,873	5,639	6,759	5,288	41,097	37,287	25,240	12,047
	脂質異常症有病者* (人)	632	1,128	1,568	1,846	2,526	3,309	4,238	3,496	18,743	18,111	10,377	7,734
	(%)	16.6	22.2	30.1	41.7	51.8	58.7	62.7	66.1	45.6	48.6	41.1	64.2
	高LDLコレステロール血症* (人)	416	768	1,185	1,550	2,249	2,960	3,843	3,168	16,139	15,723	8,712	7,011
	(%)	10.9	15.1	22.7	35.0	46.2	52.5	56.9	59.9	39.3	42.2	34.5	58.2
	服薬あり*3 (人)	12	48	144	266	636	1,095	1,909	1,919	6,029	6,017	2,189	3,828
	(%)	0.3	0.9	2.8	6.0	13.1	19.4	28.2	36.3	14.7	16.1	8.7	31.8
	治療率*4 (%)	2.9	6.3	12.2	17.2	28.3	37.0	49.7	60.6	37.4	38.3	25.1	54.6

*1 脂質異常症有病者：中性脂肪150mg/dl以上、またはHDLコレステロール40mg/dl未満、またはLDLコレステロール140mg/dl以上、もしくはコレステロールを下げる薬を服薬する者

*2 高LDLコレステロール血症：LDLコレステロール140mg/dl以上、もしくはコレステロールを下げる薬を服薬する者

*3 服薬あり：コレステロールを下げる薬を服薬する者

*4 治療率：高LDLコレステロール血症のうち、コレステロールを下げる薬の服用する者の割合

LDLコレステロール








表. LDLコレステロール 区分 (市町村国保+協会けんぽ) - 人数, 割合 -



		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	4,769	6,186	5,880	4,757	4,820	5,566	6,371	4,509	42,858	38,089	27,209	10,880
	100未満	(人) 1,174	(人) 1,380	(人) 1,214	(人) 994	(人) 1,101	(人) 1,297	(人) 1,590	(人) 1,319	(人) 10,069	(人) 8,895	(人) 5,986	(人) 2,909
		(%) 24.6	(%) 22.3	(%) 20.6	(%) 20.9	(%) 22.8	(%) 23.3	(%) 25.0	(%) 29.3	(%) 23.5	(%) 23.4	(%) 22.0	(%) 26.7
	100以上120未満	(人) 1,147	(人) 1,445	(人) 1,407	(人) 1,120	(人) 1,190	(人) 1,435	(人) 1,694	(人) 1,222	(人) 10,660	(人) 9,513	(人) 6,597	(人) 2,916
		(%) 24.1	(%) 23.4	(%) 23.9	(%) 23.5	(%) 24.7	(%) 25.8	(%) 26.6	(%) 27.1	(%) 24.9	(%) 25.0	(%) 24.2	(%) 26.8
	120以上140未満	(人) 1,171	(人) 1,497	(人) 1,437	(人) 1,181	(人) 1,217	(人) 1,414	(人) 1,590	(人) 1,081	(人) 10,588	(人) 9,417	(人) 6,746	(人) 2,671
		(%) 24.6	(%) 24.2	(%) 24.4	(%) 24.8	(%) 25.2	(%) 25.4	(%) 25.0	(%) 24.0	(%) 24.7	(%) 24.7	(%) 24.8	(%) 24.5
	140以上160未満	(人) 722	(人) 1,037	(人) 995	(人) 812	(人) 790	(人) 869	(人) 929	(人) 593	(人) 6,747	(人) 6,025	(人) 4,503	(人) 1,522
		(%) 15.1	(%) 16.8	(%) 16.9	(%) 17.1	(%) 16.4	(%) 15.6	(%) 14.6	(%) 13.2	(%) 15.7	(%) 15.8	(%) 16.5	(%) 14.0
	160以上180未満	(人) 361	(人) 538	(人) 497	(人) 384	(人) 354	(人) 374	(人) 413	(人) 205	(人) 3,126	(人) 2,765	(人) 2,147	(人) 618
		(%) 7.6	(%) 8.7	(%) 8.5	(%) 8.1	(%) 7.3	(%) 6.7	(%) 6.5	(%) 4.5	(%) 7.3	(%) 7.3	(%) 7.9	(%) 5.7
女性	180以上	(人) 194	(人) 289	(人) 330	(人) 266	(人) 168	(人) 177	(人) 155	(人) 89	(人) 1,668	(人) 1,474	(人) 1,230	(人) 244
		(%) 4.1	(%) 4.7	(%) 5.6	(%) 5.6	(%) 3.5	(%) 3.2	(%) 2.4	(%) 2.0	(%) 3.9	(%) 3.9	(%) 4.5	(%) 2.2
	(再掲)120以上	(人) 2,448	(人) 3,361	(人) 3,259	(人) 2,643	(人) 2,529	(人) 2,834	(人) 3,087	(人) 1,968	(人) 22,129	(人) 19,681	(人) 14,626	(人) 5,055
		(%) 51.3	(%) 54.3	(%) 55.4	(%) 55.6	(%) 52.5	(%) 50.9	(%) 48.5	(%) 43.6	(%) 51.6	(%) 51.7	(%) 53.8	(%) 46.5
	(再掲)140以上	(人) 1,277	(人) 1,864	(人) 1,822	(人) 1,462	(人) 1,312	(人) 1,420	(人) 1,497	(人) 887	(人) 11,541	(人) 10,264	(人) 7,880	(人) 2,384
		(%) 26.8	(%) 30.1	(%) 31.0	(%) 30.7	(%) 27.2	(%) 25.5	(%) 23.5	(%) 19.7	(%) 26.9	(%) 26.9	(%) 29.0	(%) 21.9
	総数	3,810	5,085	5,215	4,428	4,873	5,639	6,760	5,288	41,098	37,288	25,240	12,048
	100未満	(人) 1,764	(人) 2,093	(人) 1,603	(人) 885	(人) 752	(人) 848	(人) 1,103	(人) 1,019	(人) 10,067	(人) 8,303	(人) 6,181	(人) 2,122
		(%) 46.3	(%) 41.2	(%) 30.7	(%) 20.0	(%) 15.4	(%) 15.0	(%) 16.3	(%) 19.3	(%) 24.5	(%) 22.3	(%) 24.5	(%) 17.6
	100以上120未満	(人) 1,021	(人) 1,377	(人) 1,430	(人) 1,111	(人) 1,062	(人) 1,250	(人) 1,567	(人) 1,395	(人) 10,213	(人) 9,192	(人) 6,230	(人) 2,962
		(%) 26.8	(%) 27.1	(%) 27.4	(%) 25.1	(%) 21.8	(%) 22.2	(%) 23.2	(%) 26.4	(%) 24.9	(%) 24.7	(%) 24.7	(%) 24.6
	120以上140未満	(人) 617	(人) 885	(人) 1,109	(人) 1,093	(人) 1,315	(人) 1,479	(人) 1,876	(人) 1,369	(人) 9,743	(人) 9,126	(人) 5,881	(人) 3,245
		(%) 16.2	(%) 17.4	(%) 21.3	(%) 24.7	(%) 27.0	(%) 26.2	(%) 27.8	(%) 25.9	(%) 23.7	(%) 24.5	(%) 23.3	(%) 26.9
	140以上160未満	(人) 259	(人) 469	(人) 670	(人) 728	(人) 906	(人) 1,110	(人) 1,215	(人) 897	(人) 6,254	(人) 5,995	(人) 3,883	(人) 2,112
		(%) 6.8	(%) 9.2	(%) 12.8	(%) 16.4	(%) 18.6	(%) 19.7	(%) 18.0	(%) 17.0	(%) 15.2	(%) 16.1	(%) 15.4	(%) 17.5
	160以上180未満	(人) 99	(人) 182	(人) 261	(人) 397	(人) 499	(人) 605	(人) 647	(人) 414	(人) 3,104	(人) 3,005	(人) 1,944	(人) 1,061
		(%) 2.6	(%) 3.6	(%) 5.0	(%) 9.0	(%) 10.2	(%) 10.7	(%) 9.6	(%) 7.8	(%) 7.6	(%) 8.1	(%) 7.7	(%) 8.8
	180以上	(人) 50	(人) 79	(人) 142	(人) 214	(人) 339	(人) 347	(人) 352	(人) 194	(人) 1,717	(人) 1,667	(人) 1,121	(人) 546
		(%) 1.3	(%) 1.6	(%) 2.7	(%) 4.8	(%) 7.0	(%) 6.2	(%) 5.2	(%) 3.7	(%) 4.2	(%) 4.5	(%) 4.4	(%) 4.5
	(再掲)120以上	(人) 1,025	(人) 1,615	(人) 2,182	(人) 2,432	(人) 3,059	(人) 3,541	(人) 4,090	(人) 2,874	(人) 20,818	(人) 19,793	(人) 12,829	(人) 6,964
		(%) 26.9	(%) 31.8	(%) 41.8	(%) 54.9	(%) 62.8	(%) 62.8	(%) 60.5	(%) 54.3	(%) 50.7	(%) 53.1	(%) 50.8	(%) 57.8
	(再掲)140以上	(人) 408	(人) 730	(人) 1,073	(人) 1,339	(人) 1,744	(人) 2,062	(人) 2,214	(人) 1,505	(人) 11,075	(人) 10,667	(人) 6,948	(人) 3,719
		(%) 10.7	(%) 14.4	(%) 20.6	(%) 30.2	(%) 35.8	(%) 36.6	(%) 32.8	(%) 28.5	(%) 26.9	(%) 28.6	(%) 27.5	(%) 30.9

-

「コレステロールを下げる薬」の服薬の有無別：LDLコレステロール 保健指導判定区分（120mg/dl）以上（性年齢階級別，人数）





「コレステロールを下げる薬」の服薬の有無別：LDLコレステロール（男性）



男性		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
服薬あり	総数	66	174	338	498	719	970	1,389	1,164	5,318	5,252	2,699	2,553
	100未満 (人)	21	41	109	155	246	334	507	520	1,933	1,912	885	1,027
	(%)	31.8	23.6	32.2	31.1	34.2	34.4	36.5	44.7	36.3	36.4	32.8	40.2
	100以上120未満 (人)	18	49	89	143	231	308	427	323	1,588	1,570	820	750
	(%)	27.3	28.2	26.3	28.7	32.1	31.8	30.7	27.7	29.9	29.9	30.4	29.4
	120以上140未満 (人)	15	49	71	108	147	181	286	214	1,071	1,056	556	500
	(%)	22.7	28.2	21.0	21.7	20.4	18.7	20.6	18.4	20.1	20.1	20.6	19.6
	140以上160未満 (人)	-	20	34	62	62	98	110	70	-	456	276	180
	(%)	-	11.5	10.1	12.4	8.6	10.1	7.9	6.0	-	8.7	10.2	7.1
	160以上180未満 (人)	-	-	-	20	20	39	42	23	-	173	108	65
	(%)	-	-	-	4.0	2.8	4.0	3.0	2.0	-	3.3	4.0	2.5
服薬なし	180以上 (人)	-	-	-	10	13	10	17	14	-	85	54	31
	(%)	-	-	-	2.0	1.8	1.0	1.2	1.2	-	1.6	2.0	1.2
	(再掲) 120以上 (人)	27	84	140	200	242	328	455	321	1,797	1,770	994	776
	(%)	40.9	48.3	41.4	40.2	33.7	33.8	32.8	27.6	33.8	33.7	36.8	30.4
	(再掲) 140以上 (人)	12	35	69	92	95	147	169	107	726	714	438	276
	(%)	18.2	20.1	20.4	18.5	13.2	15.2	12.2	9.2	13.7	13.6	16.2	10.8
	総数	4,703	6,012	5,542	4,259	4,101	4,596	4,982	3,345	37,540	32,837	24,510	8,327
	100未満 (人)	1,153	1,339	1,105	839	855	963	1,083	799	8,136	6,983	5,101	1,882
	(%)	24.5	22.3	19.9	19.7	20.8	21.0	21.7	23.9	21.7	21.3	20.8	22.6
	100以上120未満 (人)	1,129	1,396	1,318	977	959	1,127	1,267	899	9,072	7,943	5,777	2,166
	(%)	24.0	23.2	23.8	22.9	23.4	24.5	25.4	26.9	24.2	24.2	23.6	26.0
	120以上140未満 (人)	1,156	1,448	1,366	1,073	1,070	1,233	1,304	867	9,517	8,361	6,190	2,171
	(%)	24.6	24.1	24.6	25.2	26.1	26.8	26.2	25.9	25.4	25.5	25.3	26.1
	140以上160未満 (人)	714	1,017	961	750	728	771	819	523	6,283	5,569	4,227	1,342
	(%)	15.2	16.9	17.3	17.6	17.8	16.8	16.4	15.6	16.7	17.0	17.2	16.1
	160以上180未満 (人)	357	527	479	364	334	335	371	182	2,949	2,592	2,039	553
	(%)	7.6	8.8	8.6	8.5	8.1	7.3	7.4	5.4	7.9	7.9	8.3	6.6
	180以上 (人)	194	285	313	256	155	167	138	75	1,583	1,389	1,176	213
	(%)	4.1	4.7	5.6	6.0	3.8	3.6	2.8	2.2	4.2	4.2	4.8	2.6
	(再掲) 120以上 (人)	2,421	3,277	3,119	2,443	2,287	2,506	2,632	1,647	20,332	17,911	13,632	4,279
	(%)	51.5	54.5	56.3	57.4	55.8	54.5	52.8	49.2	54.2	54.5	55.6	51.4
	(再掲) 140以上 (人)	1,265	1,829	1,753	1,370	1,217	1,273	1,328	780	10,815	9,550	7,442	2,108
	(%)	26.9	30.4	31.6	32.2	29.7	27.7	26.7	23.3	28.8	29.1	30.4	25.3

「コレステロールを下げる薬」の服薬の有無別： LDLコレステロール（女性）



女性		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
服薬あり	総数	12	48	144	266	636	1,095	1,909	1,919	6,029	6,017	2,189	3,828
	100未満 (人)	-	12	37	83	165	309	561	610	-	1,777	606	1,171
	(%)	-	25.0	25.7	31.2	25.9	28.2	29.4	31.8	-	29.5	27.7	30.6
	100以上120未満 (人)	-	11	52	65	174	333	609	619	-	1,863	635	1,228
	(%)	-	22.9	36.1	24.4	27.4	30.4	31.9	32.3	-	31.0	29.0	32.1
	120以上140未満 (人)	-	15	23	63	166	256	460	434	-	1,417	523	894
	(%)	-	31.3	16.0	23.7	26.1	23.4	24.1	22.6	-	23.5	23.9	23.4
	140以上160未満 (人)	-	-	-	32	73	119	166	171	-	586	249	337
	(%)	-	-	-	12.0	11.5	10.9	8.7	8.9	-	9.7	11.4	8.8
	160以上180未満 (人)	-	-	-	11	39	50	72	52	-	232	108	124
	(%)	-	-	-	4.1	6.1	4.6	3.8	2.7	-	3.9	4.9	3.2
服薬なし	180以上 (人)	-	-	-	12	19	28	41	33	-	142	68	74
	(%)	-	-	-	4.5	3.0	2.6	2.1	1.7	-	2.4	3.1	1.9
	(再掲) 120以上 (人)	-	25	55	118	297	453	739	690	-	2,377	948	1,429
	(%)	-	52.1	38.2	44.4	46.7	41.4	38.7	36.0	-	39.5	43.3	37.3
	(再掲) 140以上 (人)	-	-	-	55	131	197	279	256	-	960	425	535
	(%)	-	-	-	20.7	20.6	18.0	14.6	13.3	-	16.0	19.4	14.0
	総数	3,798	5,037	5,071	4,162	4,237	4,544	4,850	3,369	35,068	31,270	23,051	8,219
	100未満 (人)	1,759	2,081	1,566	802	587	539	542	409	8,285	6,526	5,575	951
	(%)	46.3	41.3	30.9	19.3	13.9	11.9	11.2	12.1	23.6	20.9	24.2	11.6
	100以上120未満 (人)	1,020	1,366	1,378	1,046	888	917	958	776	8,349	7,329	5,595	1,734
	(%)	26.9	27.1	27.2	25.1	21.0	20.2	19.8	23.0	23.8	23.4	24.3	21.1
	120以上140未満 (人)	615	870	1,086	1,030	1,149	1,223	1,416	935	8,324	7,709	5,358	2,351
	(%)	16.2	17.3	21.4	24.7	27.1	26.9	29.2	27.8	23.7	24.7	23.2	28.6
	140以上160未満 (人)	258	466	648	696	833	991	1,049	726	5,667	5,409	3,634	1,775
	(%)	6.8	9.3	12.8	16.7	19.7	21.8	21.6	21.5	16.2	17.3	15.8	21.6
	160以上180未満 (人)	98	179	256	386	460	555	574	362	2,870	2,772	1,836	936
	(%)	2.6	3.6	5.0	9.3	10.9	12.2	11.8	10.7	8.2	8.9	8.0	11.4
	180以上 (人)	48	75	137	202	320	319	311	161	1,573	1,525	1,053	472
	(%)	1.3	1.5	2.7	4.9	7.6	7.0	6.4	4.8	4.5	4.9	4.6	5.7
	(再掲) 120以上 (人)	1,019	1,590	2,127	2,314	2,762	3,088	3,350	2,184	18,434	17,415	11,881	5,534
	(%)	26.8	31.6	41.9	55.6	65.2	68.0	69.1	64.8	52.6	55.7	51.5	67.3
	(再掲) 140以上 (人)	404	720	1,041	1,284	1,613	1,865	1,934	1,249	10,110	9,706	6,523	3,183
	(%)	10.6	14.3	20.5	30.9	38.1	41.0	39.9	37.1	28.8	31.0	28.3	38.7

HDLコレステロール





表. HDLコレステロール 区分（市町村国保+協会けんぽ） - 人数，割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	4,769	6,186	5,881	4,757	4,820	5,566	6,371	4,509	42,859	38,090	27,210	10,880
	40以上	(人) 4,345	(人) 5,643	(人) 5,349	(人) 4,373	(人) 4,487	(人) 5,160	(人) 5,773	(人) 4,145	(人) 39,275	(人) 34,930	(人) 25,012	(人) 9,918
		(%) 91.1	(%) 91.2	(%) 91.0	(%) 91.9	(%) 93.1	(%) 92.7	(%) 90.6	(%) 91.9	(%) 91.6	(%) 91.7	(%) 91.9	(%) 91.2
	35以上40未満	(人) 293	(人) 401	(人) 370	(人) 271	(人) 243	(人) 297	(人) 425	(人) 252	(人) 2,552	(人) 2,259	(人) 1,582	(人) 677
		(%) 6.1	(%) 6.5	(%) 6.3	(%) 5.7	(%) 5.0	(%) 5.3	(%) 6.7	(%) 5.6	(%) 6.0	(%) 5.9	(%) 5.8	(%) 6.2
	35未満	(人) 131	(人) 142	(人) 162	(人) 113	(人) 90	(人) 109	(人) 173	(人) 112	(人) 1,032	(人) 901	(人) 616	(人) 285
女性		(%) 2.7	(%) 2.3	(%) 2.8	(%) 2.4	(%) 1.9	(%) 2.0	(%) 2.7	(%) 2.5	(%) 2.4	(%) 2.4	(%) 2.3	(%) 2.6
	(再掲)40未満	(人) 424	(人) 543	(人) 532	(人) 384	(人) 333	(人) 406	(人) 598	(人) 364	(人) 3,584	(人) 3,160	(人) 2,198	(人) 962
		(%) 8.9	(%) 8.8	(%) 9.0	(%) 8.1	(%) 6.9	(%) 7.3	(%) 9.4	(%) 8.1	(%) 8.4	(%) 8.3	(%) 8.1	(%) 8.8
	総数	3,810	5,085	5,215	4,428	4,873	5,639	6,760	5,288	41,098	37,288	25,240	12,048
	40以上	(人) 3,744	(人) 4,981	(人) 5,125	(人) 4,366	(人) 4,800	(人) 5,538	(人) 6,632	(人) 5,177	(人) 40,363	(人) 36,619	(人) 24,810	(人) 11,809
		(%) 98.3	(%) 98.0	(%) 98.3	(%) 98.6	(%) 98.5	(%) 98.2	(%) 98.1	(%) 97.9	(%) 98.2	(%) 98.2	(%) 98.3	(%) 98.0
	35以上40未満	(人) 50	(人) 83	(人) 70	(人) 43	(人) 60	(人) 88	(人) 94	(人) 85	(人) 573	(人) 523	(人) 344	(人) 179
		(%) 1.3	(%) 1.6	(%) 1.3	(%) 1.0	(%) 1.2	(%) 1.6	(%) 1.4	(%) 1.6	(%) 1.4	(%) 1.4	(%) 1.4	(%) 1.5
	35未満	(人) 16	(人) 21	(人) 20	(人) 19	(人) 13	(人) 13	(人) 34	(人) 26	(人) 162	(人) 146	(人) 86	(人) 60
		(%) 0.4	(%) 0.4	(%) 0.4	(%) 0.4	(%) 0.3	(%) 0.2	(%) 0.5	(%) 0.5	(%) 0.4	(%) 0.4	(%) 0.3	(%) 0.5
	(再掲)40未満	(人) 66	(人) 104	(人) 90	(人) 62	(人) 73	(人) 101	(人) 128	(人) 111	(人) 735	(人) 669	(人) 430	(人) 239
		(%) 1.7	(%) 2.0	(%) 1.7	(%) 1.4	(%) 1.5	(%) 1.8	(%) 1.9	(%) 2.1	(%) 1.8	(%) 1.8	(%) 1.7	(%) 2.0

中性脂肪





表. 中性脂肪 区分（市町村国保+協会けんぽ） - 人数，割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	4,769	6,186	5,881	4,757	4,820	5,566	6,371	4,509	42,859	38,090	27,210	10,880
	150未満 (人)	3,363	4,083	3,793	3,024	3,214	3,898	4,546	3,379	29,300	25,937	18,012	7,925
	(%)	70.5	66.0	64.5	63.6	66.7	70.0	71.4	74.9	68.4	68.1	66.2	72.8
	150以上300未満 (人)	1,089	1,575	1,544	1,327	1,290	1,367	1,531	1,006	10,729	9,640	7,103	2,537
	(%)	22.8	25.5	26.3	27.9	26.8	24.6	24.0	22.3	25.0	25.3	26.1	23.3
	300以上 (人)	317	528	544	406	316	301	294	124	2,830	2,513	2,095	418
女性	(%)	6.6	8.5	9.3	8.5	6.6	5.4	4.6	2.8	6.6	6.6	7.7	3.8
	(再掲)150以上 (人)	1,406	2,103	2,088	1,733	1,606	1,668	1,825	1,130	13,559	12,153	9,198	2,955
	(%)	29.5	34.0	35.5	36.4	33.3	30.0	28.6	25.1	31.6	31.9	33.8	27.2
	総数	3,810	5,085	5,215	4,428	4,873	5,639	6,760	5,288	41,098	37,288	25,240	12,048
	150未満 (人)	3,527	4,584	4,557	3,768	4,102	4,591	5,486	4,305	34,920	31,393	21,602	9,791
	(%)	92.6	90.1	87.4	85.1	84.2	81.4	81.2	81.4	85.0	84.2	85.6	81.3

GOT(AST)





表. GOT (AST) 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	4,769	6,186	5,881	4,757	4,820	5,566	6,371	4,509	42,859	38,090	27,210	10,880
	30以下 (人)	3,824	4,924	4,714	3,871	4,002	4,681	5,380	3,906	35,302	31,478	22,192	9,286
	(%)	80.2	79.6	80.2	81.4	83.0	84.1	84.4	86.6	82.4	82.6	81.6	85.3
	31以上50以下 (人)	724	1,009	908	655	651	688	787	502	5,924	5,200	3,911	1,289
	(%)	15.2	16.3	15.4	13.8	13.5	12.4	12.4	11.1	13.8	13.7	14.4	11.8
	51以上 (人)	221	253	259	231	167	197	204	101	1,633	1,412	1,107	305
女性	(%)	4.6	4.1	4.4	4.9	3.5	3.5	3.2	2.2	3.8	3.7	4.1	2.8
	(再掲)31以上 (人)	945	1,262	1,167	886	818	885	991	603	7,557	6,612	5,018	1,594
	(%)	19.8	20.4	19.8	18.6	17.0	15.9	15.6	13.4	17.6	17.4	18.4	14.7
	総数	3,810	5,085	5,215	4,428	4,873	5,639	6,760	5,288	41,098	37,288	25,240	12,048
	30以下 (人)	3,641	4,846	4,873	4,007	4,377	5,109	6,095	4,738	37,686	34,045	23,212	10,833
	(%)	95.6	95.3	93.4	90.5	89.8	90.6	90.2	89.6	91.7	91.3	92.0	89.9
	31以上50以下 (人)	129	179	271	337	411	442	546	471	2,786	2,657	1,640	1,017
	(%)	3.4	3.5	5.2	7.6	8.4	7.8	8.1	8.9	6.8	7.1	6.5	8.4
	51以上 (人)	40	60	71	84	85	88	119	79	626	586	388	198
	(%)	1.0	1.2	1.4	1.9	1.7	1.6	1.8	1.5	1.5	1.6	1.5	1.6
	(再掲)31以上 (人)	169	239	342	421	496	530	665	550	3,412	3,243	2,028	1,215
	(%)	4.4	4.7	6.6	9.5	10.2	9.4	9.8	10.4	8.3	8.7	8.0	10.1

GPT(ALT)





表. GPT（ALT）区分（市町村国保+協会けんぽ） - 人数，割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	4,769	6,186	5,881	4,757	4,820	5,566	6,371	4,509	42,859	38,090	27,210	10,880
	30以下 (人)	2,851	3,692	3,650	3,158	3,467	4,318	5,140	3,839	30,115	27,264	18,285	8,979
	(%)	59.8	59.7	62.1	66.4	71.9	77.6	80.7	85.1	70.3	71.6	67.2	82.5
	31以上50以下 (人)	1,178	1,575	1,507	1,112	1,000	921	926	525	8,744	7,566	6,115	1,451
	(%)	24.7	25.5	25.6	23.4	20.7	16.5	14.5	11.6	20.4	19.9	22.5	13.3
	51以上 (人)	740	919	724	487	353	327	305	145	4,000	3,260	2,810	450
女性	(%)	15.5	14.9	12.3	10.2	7.3	5.9	4.8	3.2	9.3	8.6	10.3	4.1
	(再掲)31以上 (人)	1,918	2,494	2,231	1,599	1,353	1,248	1,231	670	12,744	10,826	8,925	1,901
	(%)	40.2	40.3	37.9	33.6	28.1	22.4	19.3	14.9	29.7	28.4	32.8	17.5
	総数	3,810	5,085	5,215	4,428	4,873	5,639	6,760	5,288	41,098	37,288	25,240	12,048
	30以下 (人)	3,547	4,683	4,723	3,823	4,143	4,913	6,003	4,792	36,627	33,080	22,285	10,795
	(%)	93.1	92.1	90.6	86.3	85.0	87.1	88.8	90.6	89.1	88.7	88.3	89.6
女性	31以上50以下 (人)	175	282	343	423	540	534	570	386	3,253	3,078	2,122	956
	(%)	4.6	5.5	6.6	9.6	11.1	9.5	8.4	7.3	7.9	8.3	8.4	7.9
	51以上 (人)	88	120	149	182	190	192	187	110	1,218	1,130	833	297
	(%)	2.3	2.4	2.9	4.1	3.9	3.4	2.8	2.1	3.0	3.0	3.3	2.5
	(再掲)31以上 (人)	263	402	492	605	730	726	757	496	4,471	4,208	2,955	1,253
	(%)	6.9	7.9	9.4	13.7	15.0	12.9	11.2	9.4	10.9	11.3	11.7	10.4

γ-GT(γ-GTP)





表. γ-GT (γ-GTP) 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	4,768	6,186	5,881	4,757	4,820	5,566	6,371	4,509	42,858	38,090	27,210	10,880
	50以下 (人)	3,118	3,798	3,561	2,877	3,113	3,952	4,930	3,698	29,047	25,929	17,301	8,628
	(%)	65.4	61.4	60.6	60.5	64.6	71.0	77.4	82.0	67.8	68.1	63.6	79.3
	51以上100以下 (人)	1,066	1,518	1,397	1,148	1,118	1,085	1,003	578	8,913	7,847	6,266	1,581
	(%)	22.4	24.5	23.8	24.1	23.2	19.5	15.7	12.8	20.8	20.6	23.0	14.5
	101以上 (人)	584	870	923	732	589	529	438	233	4,898	4,314	3,643	671
女性	(%)	12.2	14.1	15.7	15.4	12.2	9.5	6.9	5.2	11.4	11.3	13.4	6.2
	(再掲)51以上 (人)	1,650	2,388	2,320	1,880	1,707	1,614	1,441	811	13,811	12,161	9,909	2,252
	(%)	34.6	38.6	39.4	39.5	35.4	29.0	22.6	18.0	32.2	31.9	36.4	20.7
	総数	3,810	5,085	5,215	4,428	4,873	5,639	6,760	5,288	41,098	37,288	25,240	12,048
	50以下 (人)	3,600	4,694	4,628	3,785	4,207	4,996	6,162	4,910	36,982	33,382	22,310	11,072
	(%)	94.5	92.3	88.7	85.5	86.3	88.6	91.2	92.9	90.0	89.5	88.4	91.9
女性	51以上100以下 (人)	162	289	423	471	480	491	461	309	3,086	2,924	2,154	770
	(%)	4.3	5.7	8.1	10.6	9.9	8.7	6.8	5.8	7.5	7.8	8.5	6.4
	101以上 (人)	48	102	164	172	186	152	137	69	1,030	982	776	206
	(%)	1.3	2.0	3.1	3.9	3.8	2.7	2.0	1.3	2.5	2.6	3.1	1.7
	(再掲)51以上 (人)	210	391	587	643	666	643	598	378	4,116	3,906	2,930	976
	(%)	5.5	7.7	11.3	14.5	13.7	11.4	8.8	7.1	10.0	10.5	11.6	8.1