

検査項目別該当者 - 性年齢階級別, 人数, 割合 -

宮古保健所





宮古保健所  
メタボリックシンドローム






表. メタボリックシンドローム判定 区分（市町村国保+協会けんぽ） - 人数、割合 -

|    |                | 35-39歳 | 40-44歳 | 45-49歳 | 50-54歳 | 55-59歳 | 60-64歳 | 65-69歳 | 70-74歳 | 計     | (再掲)40-74歳 | (再掲)40-64歳 | (再掲)65-74歳 |
|----|----------------|--------|--------|--------|--------|--------|--------|--------|--------|-------|------------|------------|------------|
| 男性 | 総数             | 390    | 457    | 425    | 442    | 605    | 774    | 795    | 528    | 4,416 | 4,026      | 2,703      | 1,323      |
|    | 非該当 (人)        | 261    | 254    | 193    | 204    | 279    | 330    | 299    | 225    | 2,045 | 1,784      | 1,260      | 524        |
|    | (%)            | 66.9   | 55.6   | 45.4   | 46.2   | 46.1   | 42.6   | 37.6   | 42.6   | 46.3  | 44.3       | 46.6       | 39.6       |
|    | 予備群 (人)        | 68     | 103    | 102    | 92     | 149    | 181    | 202    | 155    | 1,052 | 984        | 627        | 357        |
|    | (%)            | 17.4   | 22.5   | 24.0   | 20.8   | 24.6   | 23.4   | 25.4   | 29.4   | 23.8  | 24.4       | 23.2       | 27.0       |
|    | 該当 (人)         | 61     | 100    | 130    | 146    | 177    | 263    | 294    | 148    | 1,319 | 1,258      | 816        | 442        |
|    | (%)            | 15.6   | 21.9   | 30.6   | 33.0   | 29.3   | 34.0   | 37.0   | 28.0   | 29.9  | 31.2       | 30.2       | 33.4       |
| 女性 | (再掲)該当+予備群 (人) | 129    | 203    | 232    | 238    | 326    | 444    | 496    | 303    | 2,371 | 2,242      | 1,443      | 799        |
|    | (%)            | 33.1   | 44.4   | 54.6   | 53.8   | 53.9   | 57.4   | 62.4   | 57.4   | 53.7  | 55.7       | 53.4       | 60.4       |
|    | 総数             | 334    | 382    | 368    | 435    | 614    | 731    | 819    | 570    | 4,253 | 3,919      | 2,530      | 1,389      |
|    | 非該当 (人)        | 315    | 342    | 324    | 366    | 523    | 605    | 658    | 432    | 3,565 | 3,250      | 2,160      | 1,090      |
|    | (%)            | 94.3   | 89.5   | 88.0   | 84.1   | 85.2   | 82.8   | 80.3   | 75.8   | 83.8  | 82.9       | 85.4       | 78.5       |
|    | 予備群 (人)        | -      | 28     | 27     | 37     | 47     | 47     | 69     | 54     | -     | 309        | 186        | 123        |
|    | (%)            | -      | 7.3    | 7.3    | 8.5    | 7.7    | 6.4    | 8.4    | 9.5    | -     | 7.9        | 7.4        | 8.9        |
|    | 該当 (人)         | -      | 12     | 17     | 32     | 44     | 79     | 92     | 84     | -     | 360        | 184        | 176        |
|    | (%)            | -      | 3.1    | 4.6    | 7.4    | 7.2    | 10.8   | 11.2   | 14.7   | -     | 9.2        | 7.3        | 12.7       |
|    | (再掲)該当+予備群 (人) | 19     | 40     | 44     | 69     | 91     | 126    | 161    | 138    | 688   | 669        | 370        | 299        |
|    | (%)            | 5.7    | 10.5   | 12.0   | 15.9   | 14.8   | 17.2   | 19.7   | 24.2   | 16.2  | 17.1       | 14.6       | 21.5       |

## 腹囲





表. 腹囲 区分（市町村国保+協会けんぽ） - 人数，割合 -

|    |              | 35-39歳   | 40-44歳   | 45-49歳   | 50-54歳   | 55-59歳   | 60-64歳   | 65-69歳   | 70-74歳   | 計         | (再掲)<br>40-74歳 | (再掲)<br>40-64歳 | (再掲)<br>65-74歳 |
|----|--------------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|----------------|----------------|----------------|
| 男性 | 総数           | 414      | 492      | 451      | 473      | 623      | 810      | 811      | 534      | 4,608     | 4,194          | 2,849          | 1,345          |
|    | 85.0未満       | (人) 204  | (人) 218  | (人) 165  | (人) 180  | (人) 241  | (人) 291  | (人) 257  | (人) 188  | (人) 1,744 | (人) 1,540      | (人) 1,095      | (人) 445        |
|    |              | (%) 49.3 | (%) 44.3 | (%) 36.6 | (%) 38.1 | (%) 38.7 | (%) 35.9 | (%) 31.7 | (%) 35.2 | (%) 37.8  | (%) 36.7       | (%) 38.4       | (%) 33.1       |
|    | 85.0以上90.0未満 | (人) 68   | (人) 88   | (人) 80   | (人) 102  | (人) 131  | (人) 164  | (人) 197  | (人) 130  | (人) 960   | (人) 892        | (人) 565        | (人) 327        |
|    |              | (%) 16.4 | (%) 17.9 | (%) 17.7 | (%) 21.6 | (%) 21.0 | (%) 20.2 | (%) 24.3 | (%) 24.3 | (%) 20.8  | (%) 21.3       | (%) 19.8       | (%) 24.3       |
|    | 90.0以上       | (人) 142  | (人) 186  | (人) 206  | (人) 191  | (人) 251  | (人) 355  | (人) 357  | (人) 216  | (人) 1,904 | (人) 1,762      | (人) 1,189      | (人) 573        |
| 女性 |              | (%) 34.3 | (%) 37.8 | (%) 45.7 | (%) 40.4 | (%) 40.3 | (%) 43.8 | (%) 44.0 | (%) 40.4 | (%) 41.3  | (%) 42.0       | (%) 41.7       | (%) 42.6       |
|    | (再掲)85以上     | (人) 210  | (人) 274  | (人) 286  | (人) 293  | (人) 382  | (人) 519  | (人) 554  | (人) 346  | (人) 2,864 | (人) 2,654      | (人) 1,754      | (人) 900        |
|    |              | (%) 50.7 | (%) 55.7 | (%) 63.4 | (%) 61.9 | (%) 61.3 | (%) 64.1 | (%) 68.3 | (%) 64.8 | (%) 62.2  | (%) 63.3       | (%) 61.6       | (%) 66.9       |
|    | 総数           | 372      | 414      | 405      | 464      | 641      | 770      | 828      | 577      | 4,471     | 4,099          | 2,694          | 1,405          |
|    | 85.0未満       | (人) 299  | (人) 307  | (人) 291  | (人) 322  | (人) 429  | (人) 464  | (人) 455  | (人) 273  | (人) 2,840 | (人) 2,541      | (人) 1,813      | (人) 728        |
|    |              | (%) 80.4 | (%) 74.2 | (%) 71.9 | (%) 69.4 | (%) 66.9 | (%) 60.3 | (%) 55.0 | (%) 47.3 | (%) 63.5  | (%) 62.0       | (%) 67.3       | (%) 51.8       |

## BMI








表. BMI 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

|    |                    | 35-39歳 | 40-44歳 | 45-49歳 | 50-54歳 | 55-59歳 | 60-64歳 | 65-69歳 | 70-74歳 | 計     | (再掲)<br>40-74歳 | (再掲)<br>40-64歳 | (再掲)<br>65-74歳 |
|----|--------------------|--------|--------|--------|--------|--------|--------|--------|--------|-------|----------------|----------------|----------------|
| 男性 | 総数                 | 414    | 492    | 451    | 473    | 623    | 810    | 810    | 534    | 4,607 | 4,193          | 2,849          | 1,344          |
|    | 18.5未満 (人)         | -      | -      | -      | -      | 14     | 14     | -      | -      | -     | 67             | 54             | 13             |
|    | (%)                | -      | -      | -      | -      | 2.2    | 1.7    | -      | -      | -     | 1.6            | 1.9            | 1.0            |
|    | 18.5以上20.0未満 (人)   | -      | -      | -      | -      | 22     | 26     | -      | -      | -     | 139            | 89             | 50             |
|    | (%)                | -      | -      | -      | -      | 3.5    | 3.2    | -      | -      | -     | 3.3            | 3.1            | 3.7            |
|    | 20.0以上25.0未満 (人)   | 184    | 203    | 164    | 189    | 244    | 349    | 343    | 265    | 1,941 | 1,757          | 1,149          | 608            |
|    | (%)                | 44.4   | 41.3   | 36.4   | 40.0   | 39.2   | 43.1   | 42.3   | 49.6   | 42.1  | 41.9           | 40.3           | 45.2           |
|    | 25.0以上30.0未満 (人)   | 145    | 173    | 173    | 210    | 285    | 343    | 341    | 214    | 1,884 | 1,739          | 1,184          | 555            |
|    | (%)                | 35.0   | 35.2   | 38.4   | 44.4   | 45.7   | 42.3   | 42.1   | 40.1   | 40.9  | 41.5           | 41.6           | 41.3           |
|    | 30.0以上35.0未満 (人)   | 51     | 57     | 72     | 44     | -      | -      | -      | -      | 449   | 398            | 295            | 103            |
|    | (%)                | 12.3   | 11.6   | 16.0   | 9.3    | -      | -      | -      | -      | 9.7   | 9.5            | 10.4           | 7.7            |
|    | 35.0以上 (人)         | 10     | 31     | 23     | 10     | -      | -      | -      | -      | 103   | 93             | 78             | 15             |
|    | (%)                | 2.4    | 6.3    | 5.1    | 2.1    | -      | -      | -      | -      | 2.2   | 2.2            | 2.7            | 1.1            |
| 女性 | (再掲)18.5以上25未満 (人) | 202    | 222    | 175    | 200    | 266    | 375    | 370    | 288    | 2,098 | 1,896          | 1,238          | 658            |
|    | (%)                | 48.8   | 45.1   | 38.8   | 42.3   | 42.7   | 46.3   | 45.7   | 53.9   | 45.5  | 45.2           | 43.5           | 49.0           |
|    | (再掲)25以上 (人)       | 206    | 261    | 268    | 264    | 343    | 421    | 430    | 243    | 2,436 | 2,230          | 1,557          | 673            |
|    | (%)                | 49.8   | 53.0   | 59.4   | 55.8   | 55.1   | 52.0   | 53.1   | 45.5   | 52.9  | 53.2           | 54.7           | 50.1           |
|    | (再掲)30以上 (人)       | 61     | 88     | 95     | 54     | 58     | 78     | 89     | 29     | 552   | 491            | 373            | 118            |
|    | (%)                | 14.7   | 17.9   | 21.1   | 11.4   | 9.3    | 9.6    | 11.0   | 5.4    | 12.0  | 11.7           | 13.1           | 8.8            |
|    | 総数                 | 375    | 415    | 405    | 464    | 641    | 771    | 828    | 577    | 4,476 | 4,101          | 2,696          | 1,405          |
|    | 18.5未満 (人)         | 46     | 26     | 32     | 32     | 34     | 31     | 34     | 26     | 261   | 215            | 155            | 60             |
|    | (%)                | 12.3   | 6.3    | 7.9    | 6.9    | 5.3    | 4.0    | 4.1    | 4.5    | 5.8   | 5.2            | 5.7            | 4.3            |
|    | 18.5以上20.0未満 (人)   | 73     | 64     | 44     | 62     | 76     | 56     | 48     | 28     | 451   | 378            | 302            | 76             |
|    | (%)                | 19.5   | 15.4   | 10.9   | 13.4   | 11.9   | 7.3    | 5.8    | 4.9    | 10.1  | 9.2            | 11.2           | 5.4            |
|    | 20.0以上25.0未満 (人)   | 167    | 200    | 202    | 217    | 303    | 382    | 436    | 296    | 2,203 | 2,036          | 1,304          | 732            |
|    | (%)                | 44.5   | 48.2   | 49.9   | 46.8   | 47.3   | 49.5   | 52.7   | 51.3   | 49.2  | 49.6           | 48.4           | 52.1           |
|    | 25.0以上30.0未満 (人)   | 60     | 85     | 83     | 100    | 176    | 242    | 233    | 174    | 1,153 | 1,093          | 686            | 407            |
|    | (%)                | 16.0   | 20.5   | 20.5   | 21.6   | 27.5   | 31.4   | 28.1   | 30.2   | 25.8  | 26.7           | 25.4           | 29.0           |
|    | 30.0以上35.0未満 (人)   | -      | 29     | 28     | 39     | 39     | 48     | -      | -      | -     | -              | 183            | -              |
|    | (%)                | -      | 7.0    | 6.9    | 8.4    | 6.1    | 6.2    | -      | -      | -     | -              | 6.8            | -              |
|    | 35.0以上 (人)         | -      | 11     | 16     | 14     | 13     | 12     | -      | -      | -     | -              | 66             | -              |
|    | (%)                | -      | 2.7    | 4.0    | 3.0    | 2.0    | 1.6    | -      | -      | -     | -              | 2.4            | -              |
|    | (再掲)18.5以上25未満 (人) | 240    | 264    | 246    | 279    | 379    | 438    | 484    | 324    | 2,654 | 2,414          | 1,606          | 808            |
|    | (%)                | 64.0   | 63.6   | 60.7   | 60.1   | 59.1   | 56.8   | 58.5   | 56.2   | 59.3  | 58.9           | 59.6           | 57.5           |
|    | (再掲)25以上 (人)       | 89     | 125    | 127    | 153    | 228    | 302    | 310    | 227    | 1,561 | 1,472          | 935            | 537            |
|    | (%)                | 23.7   | 30.1   | 31.4   | 33.0   | 35.6   | 39.2   | 37.4   | 39.3   | 34.9  | 35.9           | 34.7           | 38.2           |
|    | (再掲)30以上 (人)       | 29     | 40     | 44     | 53     | 52     | 60     | 77     | 53     | 408   | 379            | 249            | 130            |
|    | (%)                | 7.7    | 9.6    | 10.9   | 11.4   | 8.1    | 7.8    | 9.3    | 9.2    | 9.1   | 9.2            | 9.2            | 9.3            |

## 高血圧



|    |              | 35-39歳 | 40-44歳 | 45-49歳 | 50-54歳 | 55-59歳 | 60-64歳 | 65-69歳 | 70-74歳 | 計     | (再掲)<br>40-74歳 | (再掲)<br>40-64歳 | (再掲)<br>65-74歳 |
|----|--------------|--------|--------|--------|--------|--------|--------|--------|--------|-------|----------------|----------------|----------------|
| 男性 | 総数           | 414    | 492    | 451    | 473    | 623    | 809    | 811    | 534    | 4,607 | 4,193          | 2,848          | 1,345          |
|    | 高血圧有病者*1 (人) | 63     | 143    | 184    | 234    | 354    | 544    | 572    | 400    | 2,494 | 2,431          | 1,459          | 972            |
|    | (%)          | 15.2   | 29.1   | 40.8   | 49.5   | 56.8   | 67.2   | 70.5   | 74.9   | 54.1  | 58.0           | 51.2           | 72.3           |
|    | 服薬あり*2 (人)   | 13     | 56     | 90     | 144    | 238    | 409    | 448    | 344    | 1,742 | 1,729          | 937            | 792            |
|    | (%)          | 3.1    | 11.4   | 20.0   | 30.4   | 38.2   | 50.6   | 55.2   | 64.4   | 37.8  | 41.2           | 32.9           | 58.9           |
| 女性 | 治療率*3 (%)    | 20.6   | 39.2   | 48.9   | 61.5   | 67.2   | 75.2   | 78.3   | 86.0   | 69.8  | 71.1           | 64.2           | 81.5           |
|    | 総数           | 375    | 415    | 405    | 464    | 640    | 770    | 828    | 576    | 4,473 | 4,098          | 2,694          | 1,404          |
|    | 高血圧有病者*1 (人) | -      | 49     | 78     | 136    | 252    | 402    | 484    | 383    | -     | 1,784          | 917            | 867            |
|    | (%)          | -      | 11.8   | 19.3   | 29.3   | 39.4   | 52.2   | 58.5   | 66.5   | -     | 43.5           | 34.0           | 61.8           |
|    | 服薬あり*2 (人)   | -      | 14     | 34     | 78     | 172    | 288    | 387    | 327    | -     | 1,300          | 586            | 714            |
|    | (%)          | -      | 3.4    | 8.4    | 16.8   | 26.9   | 37.4   | 46.7   | 56.8   | -     | 31.7           | 21.8           | 50.9           |
|    | 治療率*2 (%)    | 20.8   | 28.6   | 43.6   | 57.4   | 68.3   | 71.6   | 80.0   | 85.4   | 72.2  | 72.9           | 63.9           | 82.4           |



\*1 高血圧有病者 : 収縮期血圧140mmHg以上または拡張期血圧90mmHg以上、もしくは血圧を下げる薬を服薬する者

\*2 服薬あり : 血圧を下げる薬を服薬する者



\*3 治療率 : 高血圧有病者のうち、血圧を下げる薬を服薬する者の割合



「血圧を下げる薬」服薬の有無別：正常高値血圧以上（性年齢階級別，人数）





「血圧を下げる薬」服薬の有無別：血圧（男性）



| 男性   |                | 35-39歳 | 40-44歳 | 45-49歳 | 50-54歳 | 55-59歳 | 60-64歳 | 65-69歳 | 70-74歳 | 計     | (再掲)<br>40-74歳 | (再掲)<br>40-64歳 | (再掲)<br>65-74歳 |
|------|----------------|--------|--------|--------|--------|--------|--------|--------|--------|-------|----------------|----------------|----------------|
| 服薬あり | 総数             | 13     | 56     | 90     | 144    | 238    | 409    | 448    | 344    | 1,742 | 1,729          | 937            | 792            |
|      | 正常血圧 (人)       | -      | -      | -      | 18     | 26     | 46     | 47     | 26     | -     | 182            | 109            | 73             |
|      | (%)            | -      | -      | -      | 12.5   | 10.9   | 11.2   | 10.5   | 7.6    | -     | 10.5           | 11.6           | 9.2            |
|      | 正常高値血圧 (人)     | -      | -      | -      | 15     | 31     | 76     | 83     | 85     | -     | 311            | 143            | 168            |
|      | (%)            | -      | -      | -      | 10.4   | 13.0   | 18.6   | 18.5   | 24.7   | -     | 18.0           | 15.3           | 21.2           |
|      | 高値血圧 (人)       | -      | -      | -      | 64     | 93     | 147    | 144    | 111    | -     | 609            | 354            | 255            |
|      | (%)            | -      | -      | -      | 44.4   | 39.1   | 35.9   | 32.1   | 32.3   | -     | 35.2           | 37.8           | 32.2           |
|      | I度高血圧 (人)      | -      | -      | -      | 35     | 54     | 109    | 151    | 98     | -     | 489            | 240            | 249            |
|      | (%)            | -      | -      | -      | 24.3   | 22.7   | 26.7   | 33.7   | 28.5   | -     | 28.3           | 25.6           | 31.4           |
|      | Ⅱ度高血圧 (人)      | -      | -      | -      | -      | -      | -      | -      | -      | -     | 122            | -              | -              |
| 服薬なし | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 7.1            | -              | -              |
|      | Ⅲ度高血圧 (人)      | -      | -      | -      | -      | -      | -      | -      | -      | -     | 16             | -              | -              |
|      | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 0.9            | -              | -              |
|      | (再掲)高血圧 (人)    | -      | 24     | 32     | 47     | 88     | 140    | 174    | 122    | -     | 627            | 331            | 296            |
|      | (%)            | -      | 42.9   | 35.6   | 32.6   | 37.0   | 34.2   | 38.8   | 35.5   | -     | 36.3           | 35.3           | 37.4           |
|      | (再掲)収縮期高血圧 (人) | -      | -      | -      | 12     | 40     | 75     | 138    | 100    | -     | 383            | 145            | 238            |
|      | (%)            | -      | -      | -      | 8.3    | 16.8   | 18.3   | 30.8   | 29.1   | -     | 22.2           | 15.5           | 30.1           |
|      | 総数             | 401    | 436    | 361    | 329    | 385    | 400    | 363    | 190    | 2,865 | 2,464          | 1,911          | 553            |
|      | 正常血圧 (人)       | 163    | 160    | 114    | 98     | 81     | 83     | 78     | 43     | 820   | 657            | 536            | 121            |
|      | (%)            | 40.6   | 36.7   | 31.6   | 29.8   | 21.0   | 20.8   | 21.5   | 22.6   | 28.6  | 26.7           | 28.0           | 21.9           |

「血圧を下げる薬」服薬の有無別：血圧（女性）



| 女性   |                 | 35-39歳 | 40-44歳 | 45-49歳 | 50-54歳 | 55-59歳 | 60-64歳 | 65-69歳 | 70-74歳 | 計     | (再掲) 40-74歳 | (再掲) 40-64歳 | (再掲) 65-74歳 |
|------|-----------------|--------|--------|--------|--------|--------|--------|--------|--------|-------|-------------|-------------|-------------|
| 服薬あり | 総数              | -      | 14     | 34     | 78     | 172    | 288    | 387    | 327    | -     | 1,300       | 586         | 714         |
|      | 正常血圧 (人)        | -      | -      | -      | 11     | 41     | 32     | 57     | 30     | -     | 183         | 96          | 87          |
|      | (%)             | -      | -      | -      | 14.1   | 23.8   | 11.1   | 14.7   | 9.2    | -     | 14.1        | 16.4        | 12.2        |
|      | 正常高値血圧 (人)      | -      | -      | -      | 12     | 31     | 52     | 89     | 88     | -     | 277         | 100         | 177         |
|      | (%)             | -      | -      | -      | 15.4   | 18.0   | 18.1   | 23.0   | 26.9   | -     | 21.3        | 17.1        | 24.8        |
|      | 高値血圧 (人)        | -      | -      | -      | 24     | 64     | 88     | 108    | 98     | -     | 394         | 188         | 206         |
|      | (%)             | -      | -      | -      | 30.8   | 37.2   | 30.6   | 27.9   | 30.0   | -     | 30.3        | 32.1        | 28.9        |
|      | I度高血圧 (人)       | -      | -      | -      | -      | 26     | 100    | 108    | 95     | -     | 365         | 162         | 203         |
|      | (%)             | -      | -      | -      | -      | 15.1   | 34.7   | 27.9   | 29.1   | -     | 28.1        | 27.6        | 28.4        |
|      | Ⅱ度高血圧 (人)       | -      | -      | -      | -      | -      | -      | -      | -      | -     | -           | -           | -           |
| 服薬なし | (%)             | -      | -      | -      | -      | -      | -      | -      | -      | -     | -           | -           | -           |
|      | Ⅲ度高血圧 (人)       | -      | -      | -      | -      | -      | -      | -      | -      | -     | -           | -           | -           |
|      | (%)             | -      | -      | -      | -      | -      | -      | -      | -      | -     | -           | -           | -           |
|      | (再掲) 高血圧 (人)    | -      | -      | -      | 31     | 36     | 116    | 133    | 111    | -     | 446         | 202         | 244         |
|      | (%)             | -      | -      | -      | 39.7   | 20.9   | 40.3   | 34.4   | 33.9   | -     | 34.3        | 34.5        | 34.2        |
|      | (再掲) 収縮期高血圧 (人) | -      | -      | -      | 18     | 25     | 86     | 105    | 100    | -     | 341         | 136         | 205         |
|      | (%)             | -      | -      | -      | 23.1   | 14.5   | 29.9   | 27.1   | 30.6   | -     | 26.2        | 23.2        | 28.7        |
|      | 総数              | 369    | 401    | 371    | 386    | 468    | 482    | 441    | 249    | 3,167 | 2,798       | 2,108       | 690         |
|      | 正常血圧 (人)        | 267    | 234    | 181    | 182    | 185    | 166    | 144    | 67     | 1,426 | 1,159       | 948         | 211         |
|      | (%)             | 72.4   | 58.4   | 48.8   | 47.2   | 39.5   | 34.4   | 32.7   | 26.9   | 45.0  | 41.4        | 45.0        | 30.6        |

## 収縮期血圧






表. 収縮期血圧 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

|    |                | 35-39歳 | 40-44歳 | 45-49歳 | 50-54歳 | 55-59歳 | 60-64歳 | 65-69歳 | 70-74歳 | 計     | (再掲)<br>40-74歳 | (再掲)<br>40-64歳 | (再掲)<br>65-74歳 |
|----|----------------|--------|--------|--------|--------|--------|--------|--------|--------|-------|----------------|----------------|----------------|
| 男性 | 総数             | 414    | 492    | 451    | 473    | 623    | 809    | 811    | 534    | 4,607 | 4,193          | 2,848          | 1,345          |
|    | 120未満 (人)      | 171    | 187    | 142    | 133    | 123    | 144    | 130    | 71     | 1,101 | 930            | 729            | 201            |
|    | (%)            | 41.3   | 38.0   | 31.5   | 28.1   | 19.7   | 17.8   | 16.0   | 13.3   | 23.9  | 22.2           | 25.6           | 14.9           |
|    | 120以上130未満 (人) | 145    | 162    | 125    | 136    | 191    | 240    | 203    | 155    | 1,357 | 1,212          | 854            | 358            |
|    | (%)            | 35.0   | 32.9   | 27.7   | 28.8   | 30.7   | 29.7   | 25.0   | 29.0   | 29.5  | 28.9           | 30.0           | 26.6           |
|    | 130以上140未満 (人) | 61     | 63     | 90     | 102    | 129    | 184    | 190    | 134    | 953   | 892            | 568            | 324            |
|    | (%)            | 14.7   | 12.8   | 20.0   | 21.6   | 20.7   | 22.7   | 23.4   | 25.1   | 20.7  | 21.3           | 19.9           | 24.1           |
|    | 140以上160未満 (人) | -      | 65     | 78     | 76     | 132    | 195    | 244    | 139    | -     | 929            | 546            | 383            |
|    | (%)            | -      | 13.2   | 17.3   | 16.1   | 21.2   | 24.1   | 30.1   | 26.0   | -     | 22.2           | 19.2           | 28.5           |
|    | 160以上180未満 (人) | -      | -      | -      | -      | -      | -      | -      | -      | -     | 202            | -              | -              |
| 女性 | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 4.8            | -              | -              |
|    | 180以上 (人)      | -      | -      | -      | -      | -      | -      | -      | -      | -     | 28             | -              | -              |
|    | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 0.7            | -              | -              |
|    | (再掲)130以上 (人)  | 98     | 143    | 184    | 204    | 309    | 425    | 478    | 308    | 2,149 | 2,051          | 1,265          | 786            |
|    | (%)            | 23.7   | 29.1   | 40.8   | 43.1   | 49.6   | 52.5   | 58.9   | 57.7   | 46.6  | 48.9           | 44.4           | 58.4           |
|    | (再掲)140以上 (人)  | 37     | 80     | 94     | 102    | 180    | 241    | 288    | 174    | 1,196 | 1,159          | 697            | 462            |
|    | (%)            | 8.9    | 16.3   | 20.8   | 21.6   | 28.9   | 29.8   | 35.5   | 32.6   | 26.0  | 27.6           | 24.5           | 34.3           |
|    | 総数             | 375    | 415    | 405    | 464    | 641    | 770    | 828    | 576    | 4,474 | 4,099          | 2,695          | 1,404          |
|    | 120未満 (人)      | 276    | 247    | 196    | 206    | 236    | 207    | 208    | 99     | 1,675 | 1,399          | 1,092          | 307            |
|    | (%)            | 73.6   | 59.5   | 48.4   | 44.4   | 36.8   | 26.9   | 25.1   | 17.2   | 37.4  | 34.1           | 40.5           | 21.9           |
|    | 120以上130未満 (人) | 67     | 104    | 110    | 115    | 170    | 199    | 227    | 171    | 1,163 | 1,096          | 698            | 398            |
|    | (%)            | 17.9   | 25.1   | 27.2   | 24.8   | 26.5   | 25.8   | 27.4   | 29.7   | 26.0  | 26.7           | 25.9           | 28.3           |
|    | 130以上140未満 (人) | 15     | 31     | 49     | 70     | 126    | 155    | 171    | 142    | 759   | 744            | 431            | 313            |
|    | (%)            | 4.0    | 7.5    | 12.1   | 15.1   | 19.7   | 20.1   | 20.7   | 24.7   | 17.0  | 18.2           | 16.0           | 22.3           |
|    | 140以上160未満 (人) | -      | -      | -      | 57     | 84     | 169    | 183    | 137    | -     | 696            | 376            | 320            |
|    | (%)            | -      | -      | -      | 12.3   | 13.1   | 21.9   | 22.1   | 23.8   | -     | 17.0           | 14.0           | 22.8           |
|    | 160以上180未満 (人) | -      | -      | -      | -      | -      | -      | -      | -      | -     | 143            | 87             | 56             |
|    | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 3.5            | 3.2            | 4.0            |
|    | 180以上 (人)      | -      | -      | -      | -      | -      | -      | -      | -      | -     | 21             | 11             | 10             |
|    | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 0.5            | 0.4            | 0.7            |
|    | (再掲)130以上 (人)  | 32     | 64     | 99     | 143    | 235    | 364    | 393    | 306    | 1,636 | 1,604          | 905            | 699            |
|    | (%)            | 8.5    | 15.4   | 24.4   | 30.8   | 36.7   | 47.3   | 47.5   | 53.1   | 36.6  | 39.1           | 33.6           | 49.8           |
|    | (再掲)140以上 (人)  | 17     | 33     | 50     | 73     | 109    | 209    | 222    | 164    | 877   | 860            | 474            | 386            |
|    | (%)            | 4.5    | 8.0    | 12.3   | 15.7   | 17.0   | 27.1   | 26.8   | 28.5   | 19.6  | 21.0           | 17.6           | 27.5           |

## 収縮期血圧 -「血圧を下げる薬」服薬ありの者-






表. 収縮期血圧\_服薬あり 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

|    |                | 35-39歳 | 40-44歳 | 45-49歳 | 50-54歳 | 55-59歳 | 60-64歳 | 65-69歳 | 70-74歳 | 計     | (再掲)<br>40-74歳 | (再掲)<br>40-64歳 | (再掲)<br>65-74歳 |
|----|----------------|--------|--------|--------|--------|--------|--------|--------|--------|-------|----------------|----------------|----------------|
| 男性 | 総数             | 13     | 56     | 90     | 144    | 238    | 409    | 448    | 344    | 1,742 | 1,729          | 937            | 792            |
|    | 120未満 (人)      | -      | -      | -      | 22     | 34     | 52     | 48     | 27     | -     | 202            | 127            | 75             |
|    | (%)            | -      | -      | -      | 15.3   | 14.3   | 12.7   | 10.7   | 7.8    | -     | 11.7           | 13.6           | 9.5            |
|    | 120以上130未満 (人) | -      | -      | -      | 43     | 70     | 119    | 114    | 101    | -     | 492            | 277            | 215            |
|    | (%)            | -      | -      | -      | 29.9   | 29.4   | 29.1   | 25.4   | 29.4   | -     | 28.5           | 29.6           | 27.1           |
|    | 130以上140未満 (人) | -      | -      | -      | 44     | 54     | 114    | 119    | 96     | -     | 463            | 248            | 215            |
|    | (%)            | -      | -      | -      | 30.6   | 22.7   | 27.9   | 26.6   | 27.9   | -     | 26.8           | 26.5           | 27.1           |
|    | 140以上160未満 (人) | -      | -      | -      | -      | 54     | 96     | 144    | 97     | -     | 456            | 215            | 241            |
|    | (%)            | -      | -      | -      | -      | 22.7   | 23.5   | 32.1   | 28.2   | -     | 26.4           | 22.9           | 30.4           |
|    | 160以上180未満 (人) | -      | -      | -      | -      | -      | -      | -      | -      | -     | 105            | -              | -              |
| 女性 | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 6.1            | -              | -              |
|    | 180以上 (人)      | -      | -      | -      | -      | -      | -      | -      | -      | -     | 11             | -              | -              |
|    | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 0.6            | -              | -              |
|    | (再掲)130以上 (人)  | -      | 29     | 53     | 79     | 134    | 238    | 286    | 216    | -     | 1,035          | 533            | 502            |
|    | (%)            | -      | 51.8   | 58.9   | 54.9   | 56.3   | 58.2   | 63.8   | 62.8   | -     | 59.9           | 56.9           | 63.4           |
|    | (再掲)140以上 (人)  | -      | -      | -      | 35     | 80     | 124    | 167    | 120    | -     | 572            | 285            | 287            |
|    | (%)            | -      | -      | -      | 24.3   | 33.6   | 30.3   | 37.3   | 34.9   | -     | 33.1           | 30.4           | 36.2           |
|    | 総数             | -      | 14     | 34     | 78     | 172    | 288    | 387    | 327    | -     | 1,300          | 586            | 714            |
|    | 120未満 (人)      | -      | -      | -      | 13     | 44     | 34     | 60     | 31     | -     | 194            | 103            | 91             |
|    | (%)            | -      | -      | -      | 16.7   | 25.6   | 11.8   | 15.5   | 9.5    | -     | 14.9           | 17.6           | 12.7           |
|    | 120以上130未満 (人) | -      | -      | -      | 17     | 39     | 69     | 109    | 99     | -     | 345            | 137            | 208            |
|    | (%)            | -      | -      | -      | 21.8   | 22.7   | 24.0   | 28.2   | 30.3   | -     | 26.5           | 23.4           | 29.1           |
|    | 130以上140未満 (人) | -      | -      | -      | 20     | 54     | 74     | 90     | 88     | -     | 332            | 154            | 178            |
|    | (%)            | -      | -      | -      | 25.6   | 31.4   | 25.7   | 23.3   | 26.9   | -     | 25.5           | 26.3           | 24.9           |
|    | 140以上160未満 (人) | -      | -      | -      | -      | -      | 98     | 105    | 94     | -     | 358            | 159            | 199            |
|    | (%)            | -      | -      | -      | -      | -      | 34.0   | 27.1   | 28.7   | -     | 27.5           | 27.1           | 27.9           |
|    | 160以上180未満 (人) | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|    | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|    | 180以上 (人)      | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|    | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|    | (再掲)130以上 (人)  | -      | -      | -      | 48     | 89     | 185    | 218    | 197    | -     | 761            | 346            | 415            |
|    | (%)            | -      | -      | -      | 61.5   | 51.7   | 64.2   | 56.3   | 60.2   | -     | 58.5           | 59.0           | 58.1           |
|    | (再掲)140以上 (人)  | -      | -      | -      | 28     | 35     | 111    | 128    | 109    | -     | 429            | 192            | 237            |
|    | (%)            | -      | -      | -      | 35.9   | 20.3   | 38.5   | 33.1   | 33.3   | -     | 33.0           | 32.8           | 33.2           |

## 収縮期血圧 -「血圧を下げる薬」服薬なしの者-








表. 収縮期血圧\_服薬なし 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

|    |                | 35-39歳 | 40-44歳 | 45-49歳 | 50-54歳 | 55-59歳 | 60-64歳 | 65-69歳 | 70-74歳 | 計     | (再掲)<br>40-74歳 | (再掲)<br>40-64歳 | (再掲)<br>65-74歳 |
|----|----------------|--------|--------|--------|--------|--------|--------|--------|--------|-------|----------------|----------------|----------------|
| 男性 | 総数             | 401    | 436    | 361    | 329    | 385    | 400    | 363    | 190    | 2,865 | 2,464          | 1,911          | 553            |
|    | 120未満 (人)      | 170    | 177    | 133    | 111    | 89     | 92     | 82     | 44     | 898   | 728            | 602            | 126            |
|    | (%)            | 42.4   | 40.6   | 36.8   | 33.7   | 23.1   | 23.0   | 22.6   | 23.2   | 31.3  | 29.5           | 31.5           | 22.8           |
|    | 120以上130未満 (人) | 142    | 145    | 97     | 93     | 121    | 121    | 89     | 54     | 862   | 720            | 577            | 143            |
|    | (%)            | 35.4   | 33.3   | 26.9   | 28.3   | 31.4   | 30.3   | 24.5   | 28.4   | 30.1  | 29.2           | 30.2           | 25.9           |
|    | 130以上140未満 (人) | 58     | 56     | 61     | 58     | 75     | 70     | 71     | 38     | 487   | 429            | 320            | 109            |
|    | (%)            | 14.5   | 12.8   | 16.9   | 17.6   | 19.5   | 17.5   | 19.6   | 20.0   | 17.0  | 17.4           | 16.7           | 19.7           |
|    | 140以上160未満 (人) | -      | 47     | 58     | 49     | 78     | 99     | 100    | 42     | -     | 473            | 331            | 142            |
|    | (%)            | -      | 10.8   | 16.1   | 14.9   | 20.3   | 24.8   | 27.5   | 22.1   | -     | 19.2           | 17.3           | 25.7           |
|    | 160以上180未満 (人) | -      | -      | -      | -      | -      | -      | -      | -      | -     | 97             | -              | -              |
| 女性 | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 3.9            | -              | -              |
|    | 180以上 (人)      | -      | -      | -      | -      | -      | -      | -      | -      | -     | 17             | -              | -              |
|    | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 0.7            | -              | -              |
|    | (再掲)130以上 (人)  | 89     | 114    | 131    | 125    | 175    | 187    | 192    | 92     | 1,105 | 1,016          | 732            | 284            |
|    | (%)            | 22.2   | 26.1   | 36.3   | 38.0   | 45.5   | 46.8   | 52.9   | 48.4   | 38.6  | 41.2           | 38.3           | 51.4           |
|    | (再掲)140以上 (人)  | 31     | 58     | 70     | 67     | 100    | 117    | 121    | 54     | 618   | 587            | 412            | 175            |
|    | (%)            | 7.7    | 13.3   | 19.4   | 20.4   | 26.0   | 29.3   | 33.3   | 28.4   | 21.6  | 23.8           | 21.6           | 31.6           |
|    | 総数             | 369    | 401    | 371    | 386    | 468    | 482    | 441    | 249    | 3,167 | 2,798          | 2,108          | 690            |
|    | 120未満 (人)      | 273    | 242    | 189    | 193    | 191    | 173    | 148    | 68     | 1,477 | 1,204          | 988            | 216            |
|    | (%)            | 74.0   | 60.3   | 50.9   | 50.0   | 40.8   | 35.9   | 33.6   | 27.3   | 46.6  | 43.0           | 46.9           | 31.3           |
|    | 120以上130未満 (人) | 67     | 100    | 102    | 98     | 131    | 130    | 118    | 72     | 818   | 751            | 561            | 190            |
|    | (%)            | 18.2   | 24.9   | 27.5   | 25.4   | 28.0   | 27.0   | 26.8   | 28.9   | 25.8  | 26.8           | 26.6           | 27.5           |
|    | 130以上140未満 (人) | 14     | 29     | 45     | 50     | 72     | 81     | 81     | 54     | 426   | 412            | 277            | 135            |
|    | (%)            | 3.8    | 7.2    | 12.1   | 13.0   | 15.4   | 16.8   | 18.4   | 21.7   | 13.5  | 14.7           | 13.1           | 19.6           |
|    | 140以上160未満 (人) | -      | -      | -      | -      | 58     | 71     | 78     | 43     | -     | 338            | 217            | 121            |
|    | (%)            | -      | -      | -      | -      | 12.4   | 14.7   | 17.7   | 17.3   | -     | 12.1           | 10.3           | 17.5           |
|    | 160以上180未満 (人) | -      | -      | -      | -      | -      | -      | -      | -      | -     | 79             | -              | -              |
|    | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 2.8            | -              | -              |
|    | 180以上 (人)      | -      | -      | -      | -      | -      | -      | -      | -      | -     | 14             | -              | -              |
|    | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 0.5            | -              | -              |
|    | (再掲)130以上 (人)  | 29     | 59     | 80     | 95     | 146    | 179    | 175    | 109    | 872   | 843            | 559            | 284            |
|    | (%)            | 7.9    | 14.7   | 21.6   | 24.6   | 31.2   | 37.1   | 39.7   | 43.8   | 27.5  | 30.1           | 26.5           | 41.2           |
|    | (再掲)140以上 (人)  | 15     | 30     | 35     | 45     | 74     | 98     | 94     | 55     | 446   | 431            | 282            | 149            |
|    | (%)            | 4.1    | 7.5    | 9.4    | 11.7   | 15.8   | 20.3   | 21.3   | 22.1   | 14.1  | 15.4           | 13.4           | 21.6           |

## 拡張期血圧






表. 拡張期血圧 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

|    |                | 35-39歳 | 40-44歳 | 45-49歳 | 50-54歳 | 55-59歳 | 60-64歳 | 65-69歳 | 70-74歳 | 計     | (再掲)<br>40-74歳 | (再掲)<br>40-64歳 | (再掲)<br>65-74歳 |
|----|----------------|--------|--------|--------|--------|--------|--------|--------|--------|-------|----------------|----------------|----------------|
| 男性 | 総数             | 414    | 492    | 451    | 473    | 623    | 809    | 811    | 534    | 4,607 | 4,193          | 2,848          | 1,345          |
|    | 80未満 (人)       | 286    | 279    | 218    | 217    | 279    | 415    | 482    | 362    | 2,538 | 2,252          | 1,408          | 844            |
|    | (%)            | 69.1   | 56.7   | 48.3   | 45.9   | 44.8   | 51.3   | 59.4   | 67.8   | 55.1  | 53.7           | 49.4           | 62.8           |
|    | 80以上85未満 (人)   | 60     | 85     | 88     | 97     | 150    | 195    | 193    | 107    | 975   | 915            | 615            | 300            |
|    | (%)            | 14.5   | 17.3   | 19.5   | 20.5   | 24.1   | 24.1   | 23.8   | 20.0   | 21.2  | 21.8           | 21.6           | 22.3           |
|    | 85以上90未満 (人)   | 24     | 42     | 53     | 62     | 72     | 73     | 59     | 26     | 411   | 387            | 302            | 85             |
|    | (%)            | 5.8    | 8.5    | 11.8   | 13.1   | 11.6   | 9.0    | 7.3    | 4.9    | 8.9   | 9.2            | 10.6           | 6.3            |
|    | 90以上100未満 (人)  | 31     | 64     | 68     | 73     | 94     | 110    | -      | -      | 542   | 511            | 409            | 102            |
|    | (%)            | 7.5    | 13.0   | 15.1   | 15.4   | 15.1   | 13.6   | -      | -      | 11.8  | 12.2           | 14.4           | 7.6            |
|    | 100以上110未満 (人) | -      | -      | -      | -      | -      | -      | -      | -      | -     | 107            | -              | -              |
|    | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 2.6            | -              | -              |
| 女性 | 110以上 (人)      | -      | -      | -      | -      | -      | -      | -      | -      | -     | 21             | -              | -              |
|    | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 0.5            | -              | -              |
|    | (再掲)85以上 (人)   | 68     | 128    | 145    | 159    | 194    | 199    | 136    | 65     | 1,094 | 1,026          | 825            | 201            |
|    | (%)            | 16.4   | 26.0   | 32.2   | 33.6   | 31.1   | 24.6   | 16.8   | 12.2   | 23.7  | 24.5           | 29.0           | 14.9           |
|    | (再掲)90以上 (人)   | 44     | 86     | 92     | 97     | 122    | 126    | 77     | 39     | 683   | 639            | 523            | 116            |
|    | (%)            | 10.6   | 17.5   | 20.4   | 20.5   | 19.6   | 15.6   | 9.5    | 7.3    | 14.8  | 15.2           | 18.4           | 8.6            |
|    | 総数             | 375    | 415    | 405    | 464    | 641    | 770    | 828    | 576    | 4,474 | 4,099          | 2,695          | 1,404          |
|    | 80未満 (人)       | 327    | 334    | 288    | 318    | 443    | 486    | 599    | 421    | 3,216 | 2,889          | 1,869          | 1,020          |
|    | (%)            | 87.2   | 80.5   | 71.1   | 68.5   | 69.1   | 63.1   | 72.3   | 73.1   | 71.9  | 70.5           | 69.4           | 72.6           |
|    | 80以上85未満 (人)   | 28     | 41     | 64     | 67     | 115    | 151    | 135    | 98     | 699   | 671            | 438            | 233            |
|    | (%)            | 7.5    | 9.9    | 15.8   | 14.4   | 17.9   | 19.6   | 16.3   | 17.0   | 15.6  | 16.4           | 16.3           | 16.6           |
|    | 85以上90未満 (人)   | -      | 13     | 22     | 33     | 39     | 55     | 40     | 32     | -     | 234            | 162            | 72             |
|    | (%)            | -      | 3.1    | 5.4    | 7.1    | 6.1    | 7.1    | 4.8    | 5.6    | -     | 5.7            | 6.0            | 5.1            |
|    | 90以上100未満 (人)  | -      | 15     | -      | 38     | -      | 66     | -      | -      | -     | 245            | 181            | 64             |
|    | (%)            | -      | 3.6    | -      | 8.2    | -      | 8.6    | -      | -      | -     | 6.0            | 6.7            | 4.6            |
|    | 100以上110未満 (人) | -      | -      | -      | -      | -      | -      | -      | -      | -     | 47             | -              | -              |
|    | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 1.1            | -              | -              |
|    | 110以上 (人)      | -      | -      | -      | -      | -      | -      | -      | -      | -     | 13             | -              | -              |
|    | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 0.3            | -              | -              |
|    | (再掲)85以上 (人)   | 20     | 40     | 53     | 79     | 83     | 133    | 94     | 57     | 559   | 539            | 388            | 151            |
|    | (%)            | 5.3    | 9.6    | 13.1   | 17.0   | 12.9   | 17.3   | 11.4   | 9.9    | 12.5  | 13.1           | 14.4           | 10.8           |
|    | (再掲)90以上 (人)   | -      | 27     | 31     | 46     | 44     | 78     | 54     | 25     | -     | 305            | 226            | 79             |
|    | (%)            | -      | 6.5    | 7.7    | 9.9    | 6.9    | 10.1   | 6.5    | 4.3    | -     | 7.4            | 8.4            | 5.6            |

拡張期血圧 -「血圧を下げる薬」服薬ありの者-






表. 拡張期血圧\_服薬あり 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

|    |                | 35-39歳 | 40-44歳 | 45-49歳 | 50-54歳 | 55-59歳 | 60-64歳 | 65-69歳 | 70-74歳 | 計     | (再掲)<br>40-74歳 | (再掲)<br>40-64歳 | (再掲)<br>65-74歳 |
|----|----------------|--------|--------|--------|--------|--------|--------|--------|--------|-------|----------------|----------------|----------------|
| 男性 | 総数             | 13     | 56     | 90     | 144    | 238    | 409    | 448    | 344    | 1,742 | 1,729          | 937            | 792            |
|    | 80未満 (人)       | -      | 20     | 31     | 48     | 90     | 195    | 270    | 240    | -     | 894            | 384            | 510            |
|    | (%)            | -      | 35.7   | 34.4   | 33.3   | 37.8   | 47.7   | 60.3   | 69.8   | -     | 51.7           | 41.0           | 64.4           |
|    | 80以上85未満 (人)   | -      | 11     | 21     | 39     | 68     | 109    | 113    | 70     | -     | 431            | 248            | 183            |
|    | (%)            | -      | 19.6   | 23.3   | 27.1   | 28.6   | 26.7   | 25.2   | 20.3   | -     | 24.9           | 26.5           | 23.1           |
|    | 85以上90未満 (人)   | -      | -      | -      | 22     | 32     | 40     | 29     | 12     | -     | 160            | 119            | 41             |
|    | (%)            | -      | -      | -      | 15.3   | 13.4   | 9.8    | 6.5    | 3.5    | -     | 9.3            | 12.7           | 5.2            |
|    | 90以上100未満 (人)  | -      | -      | -      | -      | 33     | -      | -      | -      | -     | 202            | -              | -              |
|    | (%)            | -      | -      | -      | -      | 13.9   | -      | -      | -      | -     | 11.7           | -              | -              |
|    | 100以上110未満 (人) | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|    | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|    | 110以上 (人)      | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|    | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
| 女性 | (再掲)85以上 (人)   | -      | 25     | 38     | 57     | 80     | 105    | 65     | 34     | -     | 404            | 305            | 99             |
|    | (%)            | -      | 44.6   | 42.2   | 39.6   | 33.6   | 25.7   | 14.5   | 9.9    | -     | 23.4           | 32.6           | 12.5           |
|    | (再掲)90以上 (人)   | -      | -      | -      | 35     | 48     | 65     | 36     | 22     | -     | 244            | 186            | 58             |
|    | (%)            | -      | -      | -      | 24.3   | 20.2   | 15.9   | 8.0    | 6.4    | -     | 14.1           | 19.9           | 7.3            |
|    | 総数             | -      | 14     | 34     | 78     | 172    | 288    | 387    | 327    | -     | 1,300          | 586            | 714            |
|    | 80未満 (人)       | -      | -      | -      | 39     | 107    | 171    | 260    | 231    | -     | 830            | 339            | 491            |
|    | (%)            | -      | -      | -      | 50.0   | 62.2   | 59.4   | 67.2   | 70.6   | -     | 63.8           | 57.8           | 68.8           |
|    | 80以上85未満 (人)   | -      | -      | -      | 14     | 41     | 65     | 78     | 66     | -     | 271            | 127            | 144            |
|    | (%)            | -      | -      | -      | 17.9   | 23.8   | 22.6   | 20.2   | 20.2   | -     | 20.8           | 21.7           | 20.2           |
|    | 85以上90未満 (人)   | -      | -      | -      | 12     | 13     | 22     | 21     | 19     | -     | 94             | 54             | 40             |
|    | (%)            | -      | -      | -      | 15.4   | 7.6    | 7.6    | 5.4    | 5.8    | -     | 7.2            | 9.2            | 5.6            |
|    | 90以上100未満 (人)  | -      | -      | -      | -      | -      | -      | -      | -      | -     | 86             | -              | -              |
|    | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 6.6            | -              | -              |
|    | 100以上110未満 (人) | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|    | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|    | 110以上 (人)      | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|    | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|    | (再掲)85以上 (人)   | -      | -      | -      | 25     | 24     | 52     | 49     | 30     | -     | 199            | 120            | 79             |
|    | (%)            | -      | -      | -      | 32.1   | 14.0   | 18.1   | 12.7   | 9.2    | -     | 15.3           | 20.5           | 11.1           |
|    | (再掲)90以上 (人)   | -      | -      | -      | 13     | 11     | 30     | 28     | 11     | -     | 105            | 66             | 39             |
|    | (%)            | -      | -      | -      | 16.7   | 6.4    | 10.4   | 7.2    | 3.4    | -     | 8.1            | 11.3           | 5.5            |

拡張期血圧 -「血圧を下げる薬」服薬なしの者-








表. 拡張期血圧\_服薬なし 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

|    |            | 35-39歳   | 40-44歳   | 45-49歳   | 50-54歳   | 55-59歳   | 60-64歳   | 65-69歳   | 70-74歳   | 計         | (再掲)<br>40-74歳 | (再掲)<br>40-64歳 | (再掲)<br>65-74歳 |
|----|------------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|----------------|----------------|----------------|
| 男性 | 総数         | 401      | 436      | 361      | 329      | 385      | 400      | 363      | 190      | 2,865     | 2,464          | 1,911          | 553            |
|    | 80未満       | (人) 281  | (人) 259  | (人) 187  | (人) 169  | (人) 189  | (人) 220  | (人) 212  | (人) 122  | (人) 1,639 | (人) 1,358      | (人) 1,024      | (人) 334        |
|    |            | (%) 70.1 | (%) 59.4 | (%) 51.8 | (%) 51.4 | (%) 49.1 | (%) 55.0 | (%) 58.4 | (%) 64.2 | (%) 57.2  | (%) 55.1       | (%) 53.6       | (%) 60.4       |
|    | 80以上85未満   | (人) 58   | (人) 74   | (人) 67   | (人) 58   | (人) 82   | (人) 86   | (人) 80   | (人) 37   | (人) 542   | (人) 484        | (人) 367        | (人) 117        |
|    |            | (%) 14.5 | (%) 17.0 | (%) 18.6 | (%) 17.6 | (%) 21.3 | (%) 21.5 | (%) 22.0 | (%) 19.5 | (%) 18.9  | (%) 19.6       | (%) 19.2       | (%) 21.2       |
|    | 85以上90未満   | (人) 23   | (人) 33   | (人) 37   | (人) 40   | (人) 40   | (人) 33   | (人) 30   | (人) 14   | (人) 250   | (人) 227        | (人) 183        | (人) 44         |
|    |            | (%) 5.7  | (%) 7.6  | (%) 10.2 | (%) 12.2 | (%) 10.4 | (%) 8.3  | (%) 8.3  | (%) 7.4  | (%) 8.7   | (%) 9.2        | (%) 9.6        | (%) 8.0        |
|    | 90以上100未満  | (人) 29   | (人) 54   | (人) 51   | (人) 43   | (人) 61   | (人) 51   | (人) -    | (人) -    | (人) 338   | (人) -          | (人) 260        | (人) -          |
|    |            | (%) 7.2  | (%) 12.4 | (%) 14.1 | (%) 13.1 | (%) 15.8 | (%) 12.8 | (%) -    | (%) -    | (%) 11.8  | (%) -          | (%) 13.6       | (%) -          |
|    | 100以上110未満 | (人) -    | (人) -    | (人) -    | (人) -    | (人) -    | (人) -    | (人) -    | (人) -    | (人) -     | (人) -          | (人) 65         | (人) -          |
|    |            | (%) -    | (%) -    | (%) -    | (%) -    | (%) -    | (%) -    | (%) -    | (%) -    | (%) -     | (%) -          | (%) 3.4        | (%) -          |
| 女性 | 110以上      | (人) -    | (人) -    | (人) -    | (人) -    | (人) -    | (人) -    | (人) -    | (人) -    | (人) -     | (人) -          | (人) 12         | (人) -          |
|    |            | (%) -    | (%) -    | (%) -    | (%) -    | (%) -    | (%) -    | (%) -    | (%) -    | (%) -     | (%) -          | (%) 0.6        | (%) -          |
|    | (再掲)85以上   | (人) 62   | (人) 103  | (人) 107  | (人) 102  | (人) 114  | (人) 94   | (人) 71   | (人) 31   | (人) 684   | (人) 622        | (人) 520        | (人) 102        |
|    |            | (%) 15.5 | (%) 23.6 | (%) 29.6 | (%) 31.0 | (%) 29.6 | (%) 23.5 | (%) 19.6 | (%) 16.3 | (%) 23.9  | (%) 25.2       | (%) 27.2       | (%) 18.4       |
|    | (再掲)90以上   | (人) 39   | (人) 70   | (人) 70   | (人) 62   | (人) 74   | (人) 61   | (人) 41   | (人) 17   | (人) 434   | (人) 395        | (人) 337        | (人) 58         |
|    |            | (%) 9.7  | (%) 16.1 | (%) 19.4 | (%) 18.8 | (%) 19.2 | (%) 15.3 | (%) 11.3 | (%) 8.9  | (%) 15.1  | (%) 16.0       | (%) 17.6       | (%) 10.5       |
|    | 総数         | 369      | 401      | 371      | 386      | 468      | 482      | 441      | 249      | 3,167     | 2,798          | 2,108          | 690            |
|    | 80未満       | (人) 324  | (人) 328  | (人) 272  | (人) 279  | (人) 335  | (人) 315  | (人) 339  | (人) 190  | (人) 2,382 | (人) 2,058      | (人) 1,529      | (人) 529        |
|    |            | (%) 87.8 | (%) 81.8 | (%) 73.3 | (%) 72.3 | (%) 71.6 | (%) 65.4 | (%) 76.9 | (%) 76.3 | (%) 75.2  | (%) 73.6       | (%) 72.5       | (%) 76.7       |
|    | 80以上85未満   | (人) 28   | (人) 39   | (人) 59   | (人) 53   | (人) 74   | (人) 86   | (人) 57   | (人) 32   | (人) 428   | (人) 400        | (人) 311        | (人) 89         |
|    |            | (%) 7.6  | (%) 9.7  | (%) 15.9 | (%) 13.7 | (%) 15.8 | (%) 17.8 | (%) 12.9 | (%) 12.9 | (%) 13.5  | (%) 14.3       | (%) 14.8       | (%) 12.9       |
|    | 85以上90未満   | (人) -    | (人) 11   | (人) 17   | (人) 21   | (人) 26   | (人) 33   | (人) 19   | (人) 13   | (人) -     | (人) 140        | (人) 108        | (人) 32         |
|    |            | (%) -    | (%) 2.7  | (%) 4.6  | (%) 5.4  | (%) 5.6  | (%) 6.8  | (%) 4.3  | (%) 5.2  | (%) -     | (%) 5.0        | (%) 5.1        | (%) 4.6        |
|    | 90以上100未満  | (人) -    | (人) -    | (人) -    | (人) -    | (人) -    | (人) -    | (人) -    | (人) -    | (人) -     | (人) 159        | (人) -          | (人) -          |
|    |            | (%) -    | (%) -    | (%) -    | (%) -    | (%) -    | (%) -    | (%) -    | (%) -    | (%) -     | (%) 5.7        | (%) -          | (%) -          |
|    | 100以上110未満 | (人) -    | (人) -    | (人) -    | (人) -    | (人) -    | (人) -    | (人) -    | (人) -    | (人) -     | (人) 31         | (人) -          | (人) -          |
|    |            | (%) -    | (%) -    | (%) -    | (%) -    | (%) -    | (%) -    | (%) -    | (%) -    | (%) -     | (%) 1.1        | (%) -          | (%) -          |
|    | 110以上      | (人) -    | (人) -    | (人) -    | (人) -    | (人) -    | (人) -    | (人) -    | (人) -    | (人) -     | (人) 10         | (人) -          | (人) -          |
|    |            | (%) -    | (%) -    | (%) -    | (%) -    | (%) -    | (%) -    | (%) -    | (%) -    | (%) -     | (%) 0.4        | (%) -          | (%) -          |
|    | (再掲)85以上   | (人) 17   | (人) 34   | (人) 40   | (人) 54   | (人) 59   | (人) 81   | (人) 45   | (人) 27   | (人) 357   | (人) 340        | (人) 268        | (人) 72         |
|    |            | (%) 4.6  | (%) 8.5  | (%) 10.8 | (%) 14.0 | (%) 12.6 | (%) 16.8 | (%) 10.2 | (%) 10.8 | (%) 11.3  | (%) 12.2       | (%) 12.7       | (%) 10.4       |
|    | (再掲)90以上   | (人) -    | (人) 23   | (人) 23   | (人) 33   | (人) 33   | (人) 48   | (人) 26   | (人) 14   | (人) -     | (人) 200        | (人) 160        | (人) 40         |
|    |            | (%) -    | (%) 5.7  | (%) 6.2  | (%) 8.5  | (%) 7.1  | (%) 10.0 | (%) 5.9  | (%) 5.6  | (%) -     | (%) 7.1        | (%) 7.6        | (%) 5.8        |

## 糖尿病有病者



|    |              | 35-39歳 | 40-44歳 | 45-49歳 | 50-54歳 | 55-59歳 | 60-64歳 | 65-69歳 | 70-74歳 | 計     | (再掲) 40-74歳 | (再掲) 40-64歳 | (再掲) 65-74歳 |
|----|--------------|--------|--------|--------|--------|--------|--------|--------|--------|-------|-------------|-------------|-------------|
| 男性 | 総数           | 414    | 492    | 451    | 473    | 623    | 809    | 811    | 534    | 4,607 | 4,193       | 2,848       | 1,345       |
|    | 糖尿病有病者*1 (人) | —      | 33     | 55     | 78     | 90     | 164    | 195    | 126    | —     | 741         | 420         | 321         |
|    | (%)          | —      | 6.7    | 12.2   | 16.5   | 14.4   | 20.3   | 24.0   | 23.6   | —     | 17.7        | 14.7        | 23.9        |
|    | 服薬あり*2 (人)   | —      | 16     | 27     | 39     | 43     | 117    | 133    | 92     | —     | 467         | 242         | 225         |
|    | (%)          | —      | 3.3    | 6.0    | 8.2    | 6.9    | 14.5   | 16.4   | 17.2   | —     | 11.1        | 8.5         | 16.7        |
| 女性 | 治療率*3 (%)    | 23.1   | 48.5   | 49.1   | 50.0   | 47.8   | 71.3   | 68.2   | 73.0   | 62.3  | 63.0        | 57.6        | 70.1        |
|    | 総数           | 375    | 415    | 405    | 464    | 640    | 770    | 828    | 576    | 4,473 | 4,098       | 2,694       | 1,404       |
|    | 糖尿病有病者*1 (人) | —      | —      | —      | —      | 38     | 69     | 81     | 75     | —     | 304         | 148         | 156         |
|    | (%)          | —      | —      | —      | —      | 5.9    | 9.0    | 9.8    | 13.0   | —     | 7.4         | 5.5         | 11.1        |
|    | 服薬あり*2 (人)   | —      | —      | —      | —      | 25     | 43     | 56     | 56     | —     | 198         | 86          | 112         |
|    | (%)          | —      | —      | —      | —      | 3.9    | 5.6    | 6.8    | 9.7    | —     | 4.8         | 3.2         | 8.0         |
|    | 治療率*3 (%)    | 66.7   | 33.3   | 53.3   | 40.0   | 65.8   | 62.3   | 69.1   | 74.7   | 65.2  | 65.1        | 58.1        | 71.8        |

\*1 糖尿病有病者 : 空腹時血糖126mg/dl以上、またはHbA1c6.5%以上、もしくはインスリン注射または血糖を下げる薬を服薬する者

\*2 服薬あり : インスリン注射または血糖を下げる薬を服薬する者

\*3 治療率 : 糖尿病有病者のうち、インスリン注射または血糖を下げる薬を服薬する者の割合



## 空腹時血糖








表. 空腹時血糖 区分（市町村国保+協会けんぽ） - 人数，割合 -



|    |            | 35-39歳   | 40-44歳   | 45-49歳   | 50-54歳   | 55-59歳   | 60-64歳   | 65-69歳   | 70-74歳   | 計         | (再掲)<br>40-74歳 | (再掲)<br>40-64歳 | (再掲)<br>65-74歳 |
|----|------------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|----------------|----------------|----------------|
| 男性 | 総数         | 340      | 417      | 385      | 386      | 468      | 539      | 469      | 284      | 3,288     | 2,948          | 2,195          | 753            |
|    | 100未満      | (人) 253  | (人) 302  | (人) 228  | (人) 198  | (人) 238  | (人) 261  | (人) 221  | (人) 147  | (人) 1,848 | (人) 1,595      | (人) 1,227      | (人) 368        |
|    |            | (%) 74.4 | (%) 72.4 | (%) 59.2 | (%) 51.3 | (%) 50.9 | (%) 48.4 | (%) 47.1 | (%) 51.8 | (%) 56.2  | (%) 54.1       | (%) 55.9       | (%) 48.9       |
|    | 100以上110未満 | (人) 61   | (人) 67   | (人) 91   | (人) 84   | (人) 118  | (人) 113  | (人) 91   | (人) 57   | (人) 682   | (人) 621        | (人) 473        | (人) 148        |
|    |            | (%) 17.9 | (%) 16.1 | (%) 23.6 | (%) 21.8 | (%) 25.2 | (%) 21.0 | (%) 19.4 | (%) 20.1 | (%) 20.7  | (%) 21.1       | (%) 21.5       | (%) 19.7       |
|    | 110以上126未満 | (人) 15   | (人) 25   | (人) 29   | (人) 48   | (人) 54   | (人) 73   | (人) 73   | (人) 39   | (人) 356   | (人) 341        | (人) 229        | (人) 112        |
|    |            | (%) 4.4  | (%) 6.0  | (%) 7.5  | (%) 12.4 | (%) 11.5 | (%) 13.5 | (%) 15.6 | (%) 13.7 | (%) 10.8  | (%) 11.6       | (%) 10.4       | (%) 14.9       |
| 女性 | 126以上      | (人) 11   | (人) 23   | (人) 37   | (人) 56   | (人) 58   | (人) 92   | (人) 84   | (人) 41   | (人) 402   | (人) 391        | (人) 266        | (人) 125        |
|    |            | (%) 3.2  | (%) 5.5  | (%) 9.6  | (%) 14.5 | (%) 12.4 | (%) 17.1 | (%) 17.9 | (%) 14.4 | (%) 12.2  | (%) 13.3       | (%) 12.1       | (%) 16.6       |
|    | (再掲)100以上  | (人) 87   | (人) 115  | (人) 157  | (人) 188  | (人) 230  | (人) 278  | (人) 248  | (人) 137  | (人) 1,440 | (人) 1,353      | (人) 968        | (人) 385        |
|    |            | (%) 25.6 | (%) 27.6 | (%) 40.8 | (%) 48.7 | (%) 49.1 | (%) 51.6 | (%) 52.9 | (%) 48.2 | (%) 43.8  | (%) 45.9       | (%) 44.1       | (%) 51.1       |
|    | 総数         | 223      | 325      | 314      | 352      | 470      | 512      | 471      | 284      | 2,951     | 2,728          | 1,973          | 755            |
|    | 100未満      | (人) 207  | (人) 294  | (人) 267  | (人) 286  | (人) 368  | (人) 362  | (人) 336  | (人) 195  | (人) 2,315 | (人) 2,108      | (人) 1,577      | (人) 531        |
|    |            | (%) 92.8 | (%) 90.5 | (%) 85.0 | (%) 81.3 | (%) 78.3 | (%) 70.7 | (%) 71.3 | (%) 68.7 | (%) 78.4  | (%) 77.3       | (%) 79.9       | (%) 70.3       |
|    | 100以上110未満 | (人) -    | (人) 17   | (人) 30   | (人) 39   | (人) 64   | (人) 82   | (人) 77   | (人) 46   | (人) -     | (人) 355        | (人) 232        | (人) 123        |
|    |            | (%) -    | (%) 5.2  | (%) 9.6  | (%) 11.1 | (%) 13.6 | (%) 16.0 | (%) 16.3 | (%) 16.2 | (%) -     | (%) 13.0       | (%) 11.8       | (%) 16.3       |
|    | 110以上126未満 | (人) -    | (人) -    | (人) -    | (人) 16   | (人) -    | (人) 48   | (人) 38   | (人) 25   | (人) -     | (人) 175        | (人) 112        | (人) 63         |
|    |            | (%) -    | (%) -    | (%) -    | (%) 4.5  | (%) -    | (%) 9.4  | (%) 8.1  | (%) 8.8  | (%) -     | (%) 6.4        | (%) 5.7        | (%) 8.3        |
|    | 126以上      | (人) -    | (人) -    | (人) -    | (人) 11   | (人) -    | (人) 20   | (人) 20   | (人) 18   | (人) -     | (人) 90         | (人) 52         | (人) 38         |
|    |            | (%) -    | (%) -    | (%) -    | (%) 3.1  | (%) -    | (%) 3.9  | (%) 4.2  | (%) 6.3  | (%) -     | (%) 3.3        | (%) 2.6        | (%) 5.0        |
|    | (再掲)100以上  | (人) 16   | (人) 31   | (人) 47   | (人) 66   | (人) 102  | (人) 150  | (人) 135  | (人) 89   | (人) 636   | (人) 620        | (人) 396        | (人) 224        |
|    |            | (%) 7.2  | (%) 9.5  | (%) 15.0 | (%) 18.8 | (%) 21.7 | (%) 29.3 | (%) 28.7 | (%) 31.3 | (%) 21.6  | (%) 22.7       | (%) 20.1       | (%) 29.7       |

-

「インスリン注射または血糖を下げる薬」服薬の有無別：空腹時血糖 保健指導判定区分（100mg/dl）以上






「インスリン注射または血糖を下げる薬」服薬の有無別：空腹時血糖（男性）



| 男性   |                | 35-39歳 | 40-44歳 | 45-49歳 | 50-54歳 | 55-59歳 | 60-64歳 | 65-69歳 | 70-74歳 | 計     | (再掲)<br>40-74歳 | (再掲)<br>40-64歳 | (再掲)<br>65-74歳 |
|------|----------------|--------|--------|--------|--------|--------|--------|--------|--------|-------|----------------|----------------|----------------|
| 服薬あり | 総数             | -      | 14     | 22     | 30     | 27     | 73     | 74     | 40     | -     | 280            | 166            | 114            |
|      | 100未満 (人)      | -      | -      | -      | -      | -      | -      | -      | -      | -     | 17             | -              | -              |
|      | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 6.1            | -              | -              |
|      | 100以上110未満 (人) | -      | -      | -      | -      | -      | -      | -      | -      | -     | 18             | -              | -              |
|      | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 6.4            | -              | -              |
|      | 110以上126未満 (人) | -      | -      | -      | -      | -      | -      | -      | -      | -     | 47             | 23             | 24             |
|      | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 16.8           | 13.9           | 21.1           |
| 服薬なし | 126以上 (人)      | -      | 10     | 16     | 21     | 23     | 55     | 51     | 22     | -     | 198            | 125            | 73             |
|      | (%)            | -      | 71.4   | 72.7   | 70.0   | 85.2   | 75.3   | 68.9   | 55.0   | -     | 70.7           | 75.3           | 64.0           |
|      | (再掲)100以上 (人)  | -      | -      | -      | -      | -      | -      | -      | -      | -     | 263            | -              | -              |
|      | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 93.9           | -              | -              |
|      | 総数             | 337    | 403    | 363    | 356    | 441    | 466    | 395    | 244    | 3,005 | 2,668          | 2,029          | 639            |
|      | 100未満 (人)      | 253    | 302    | 227    | 197    | 238    | 255    | 216    | 143    | 1,831 | 1,578          | 1,219          | 359            |
|      | (%)            | 75.1   | 74.9   | 62.5   | 55.3   | 54.0   | 54.7   | 54.7   | 58.6   | 60.9  | 59.1           | 60.1           | 56.2           |
| 服薬あり | 100以上110未満 (人) | 61     | 67     | 87     | 83     | 118    | 108    | 87     | 53     | 664   | 603            | 463            | 140            |
|      | (%)            | 18.1   | 16.6   | 24.0   | 23.3   | 26.8   | 23.2   | 22.0   | 21.7   | 22.1  | 22.6           | 22.8           | 21.9           |
|      | 110以上126未満 (人) | -      | 21     | 28     | 41     | 50     | 66     | 59     | 29     | -     | 294            | 206            | 88             |
|      | (%)            | -      | 5.2    | 7.7    | 11.5   | 11.3   | 14.2   | 14.9   | 11.9   | -     | 11.0           | 10.2           | 13.8           |
|      | 126以上 (人)      | -      | 13     | 21     | 35     | 35     | 37     | 33     | 19     | -     | 193            | 141            | 52             |
|      | (%)            | -      | 3.2    | 5.8    | 9.8    | 7.9    | 7.9    | 8.4    | 7.8    | -     | 7.2            | 6.9            | 8.1            |
|      | (再掲)100以上 (人)  | 84     | 101    | 136    | 159    | 203    | 211    | 179    | 101    | 1,174 | 1,090          | 810            | 280            |
|      | (%)            | 24.9   | 25.1   | 37.5   | 44.7   | 46.0   | 45.3   | 45.3   | 41.4   | 39.1  | 40.9           | 39.9           | 43.8           |

「インスリン注射または血糖を下げる薬」服薬の有無別：空腹時血糖（女性）



| 女性   |                | 35-39歳 | 40-44歳 | 45-49歳 | 50-54歳 | 55-59歳 | 60-64歳 | 65-69歳 | 70-74歳 | 計     | (再掲)<br>40-74歳 | (再掲)<br>40-64歳 | (再掲)<br>65-74歳 |
|------|----------------|--------|--------|--------|--------|--------|--------|--------|--------|-------|----------------|----------------|----------------|
| 服薬あり | 総数             | -      | -      | -      | -      | -      | 20     | 22     | 25     | -     | 90             | 43             | 47             |
|      | 100未満 (人)      | -      | -      | -      | -      | -      | -      | -      | -      | -     | 13             | -              | -              |
|      | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 14.4           | -              | -              |
|      | 100以上110未満 (人) | -      | -      | -      | -      | -      | -      | -      | -      | -     | 12             | -              | -              |
|      | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 13.3           | -              | -              |
|      | 110以上126未満 (人) | -      | -      | -      | -      | -      | -      | -      | -      | -     | 22             | -              | -              |
|      | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 24.4           | -              | -              |
| 服薬なし | 126以上 (人)      | -      | -      | -      | -      | -      | -      | -      | -      | -     | 43             | 22             | 21             |
|      | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 47.8           | 51.2           | 44.7           |
|      | (再掲)100以上 (人)  | -      | -      | -      | -      | -      | -      | -      | -      | -     | 77             | -              | -              |
|      | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 85.6           | -              | -              |
|      | 総数             | 218    | 323    | 308    | 346    | 460    | 491    | 449    | 258    | 2,853 | 2,635          | 1,928          | 707            |
|      | 100未満 (人)      | 203    | 294    | 264    | 286    | 366    | 357    | 335    | 190    | 2,295 | 2,092          | 1,567          | 525            |
|      | (%)            | 93.1   | 91.0   | 85.7   | 82.7   | 79.6   | 72.7   | 74.6   | 73.6   | 80.4  | 79.4           | 81.3           | 74.3           |
| 服薬あり | 100以上110未満 (人) | -      | 17     | 30     | 39     | 63     | 79     | 73     | 42     | -     | 343            | 228            | 115            |
|      | (%)            | -      | 5.3    | 9.7    | 11.3   | 13.7   | 16.1   | 16.3   | 16.3   | -     | 13.0           | 11.8           | 16.3           |
|      | 110以上126未満 (人) | -      | -      | -      | -      | -      | 42     | -      | -      | -     | 153            | 103            | 50             |
|      | (%)            | -      | -      | -      | -      | -      | 8.6    | -      | -      | -     | 5.8            | 5.3            | 7.1            |
|      | 126以上 (人)      | -      | -      | -      | -      | -      | 13     | -      | -      | -     | 47             | 30             | 17             |
|      | (%)            | -      | -      | -      | -      | -      | 2.6    | -      | -      | -     | 1.8            | 1.6            | 2.4            |
|      | (再掲)100以上 (人)  | 15     | 29     | 44     | 60     | 94     | 134    | 114    | 68     | 558   | 543            | 361            | 182            |
|      | (%)            | 6.9    | 9.0    | 14.3   | 17.3   | 20.4   | 27.3   | 25.4   | 26.4   | 19.6  | 20.6           | 18.7           | 25.7           |

## HbA1c








表. HbA1c 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

|    |            | 35-39歳  | 40-44歳 | 45-49歳 | 50-54歳 | 55-59歳 | 60-64歳 | 65-69歳 | 70-74歳 | 計     | (再掲)<br>40-74歳 | (再掲)<br>40-64歳 | (再掲)<br>65-74歳 |
|----|------------|---------|--------|--------|--------|--------|--------|--------|--------|-------|----------------|----------------|----------------|
| 男性 | 総数         | 108     | 173    | 183    | 191    | 315    | 515    | 680    | 506    | 2,671 | 2,563          | 1,377          | 1,186          |
|    | 5.6未満      | (人) 90  | 127    | 126    | 123    | 181    | 278    | 323    | 212    | 1,460 | 1,370          | 835            | 535            |
|    | (%)        | 83.3    | 73.4   | 68.9   | 64.4   | 57.5   | 54.0   | 47.5   | 41.9   | 54.7  | 53.5           | 60.6           | 45.1           |
|    | 5.6以上6.0未満 | (人) -   | -      | -      | 32     | 77     | 118    | 165    | 154    | -     | 605            | 286            | 319            |
|    | (%)        | -       | -      | -      | 16.8   | 24.4   | 22.9   | 24.3   | 30.4   | -     | 23.6           | 20.8           | 26.9           |
|    | 6.0以上6.5未満 | (人) -   | -      | -      | 14     | 18     | 54     | 74     | 59     | -     | 234            | 101            | 133            |
|    | (%)        | -       | -      | -      | 7.3    | 5.7    | 10.5   | 10.9   | 11.7   | -     | 9.1            | 7.3            | 11.2           |
|    | 6.5以上8.0未満 | (人) -   | -      | -      | -      | 22     | 52     | 97     | 68     | -     | 269            | 104            | 165            |
|    | (%)        | -       | -      | -      | -      | 7.0    | 10.1   | 14.3   | 13.4   | -     | 10.5           | 7.6            | 13.9           |
|    | 8.0以上8.4未満 | (人) -   | -      | -      | -      | -      | -      | -      | -      | -     | 22             | -              | -              |
| 女性 | (%)        | -       | -      | -      | -      | -      | -      | -      | -      | -     | 0.9            | -              | -              |
|    | 8.4以上      | (人) -   | -      | -      | -      | -      | -      | -      | -      | -     | 63             | -              | -              |
|    | (%)        | -       | -      | -      | -      | -      | -      | -      | -      | -     | 2.5            | -              | -              |
|    | (再掲)5.6以上  | (人) 18  | 46     | 57     | 68     | 134    | 237    | 357    | 294    | 1,211 | 1,193          | 542            | 651            |
|    | (%)        | 16.7    | 26.6   | 31.1   | 35.6   | 42.5   | 46.0   | 52.5   | 58.1   | 45.3  | 46.5           | 39.4           | 54.9           |
|    | (再掲)6.5以上  | (人) -   | -      | 20     | 22     | 39     | 65     | 118    | 81     | -     | 354            | 155            | 199            |
|    | (%)        | -       | -      | 10.9   | 11.5   | 12.4   | 12.6   | 17.4   | 16.0   | -     | 13.8           | 11.3           | 16.8           |
|    | 総数         | 159     | 167    | 186    | 227    | 319    | 578    | 771    | 565    | 2,972 | 2,813          | 1,477          | 1,336          |
|    | 5.6未満      | (人) 147 | 145    | 146    | 148    | 194    | 303    | 400    | 281    | 1,764 | 1,617          | 936            | 681            |
|    | (%)        | 92.5    | 86.8   | 78.5   | 65.2   | 60.8   | 52.4   | 51.9   | 49.7   | 59.4  | 57.5           | 63.4           | 51.0           |
|    | 5.6以上6.0未満 | (人) -   | -      | -      | -      | 72     | 169    | 228    | 186    | -     | 754            | 340            | 414            |
|    | (%)        | -       | -      | -      | -      | 22.6   | 29.2   | 29.6   | 32.9   | -     | 26.8           | 23.0           | 31.0           |
|    | 6.0以上6.5未満 | (人) -   | -      | -      | -      | 28     | 64     | 88     | 50     | -     | 250            | 112            | 138            |
|    | (%)        | -       | -      | -      | -      | 8.8    | 11.1   | 11.4   | 8.8    | -     | 8.9            | 7.6            | 10.3           |
|    | 6.5以上8.0未満 | (人) -   | -      | -      | -      | -      | 32     | 44     | 37     | -     | 147            | 66             | 81             |
|    | (%)        | -       | -      | -      | -      | -      | 5.5    | 5.7    | 6.5    | -     | 5.2            | 4.5            | 6.1            |
|    | 8.0以上8.4未満 | (人) -   | -      | -      | -      | -      | -      | -      | -      | -     | 12             | -              | -              |
|    | (%)        | -       | -      | -      | -      | -      | -      | -      | -      | -     | 0.4            | -              | -              |
|    | 8.4以上      | (人) -   | -      | -      | -      | -      | -      | -      | -      | -     | 33             | -              | -              |
|    | (%)        | -       | -      | -      | -      | -      | -      | -      | -      | -     | 1.2            | -              | -              |
|    | (再掲)5.6以上  | (人) 12  | 22     | 40     | 79     | 125    | 275    | 371    | 284    | 1,208 | 1,196          | 541            | 655            |
|    | (%)        | 7.5     | 13.2   | 21.5   | 34.8   | 39.2   | 47.6   | 48.1   | 50.3   | 40.6  | 42.5           | 36.6           | 49.0           |
|    | (再掲)6.5以上  | (人) -   | -      | -      | 13     | 25     | 42     | 55     | 48     | -     | 192            | 89             | 103            |
|    | (%)        | -       | -      | -      | 5.7    | 7.8    | 7.3    | 7.1    | 8.5    | -     | 6.8            | 6.0            | 7.7            |


—



「インスリン注射または血糖を下げる薬」服薬の有無別：HbA1c 保健指導判定区分（5.6％）以上




「インスリン注射または血糖を下げる薬」服薬の有無別：HbA1c（男性）



| 男性   |                | 35-39歳 | 40-44歳 | 45-49歳 | 50-54歳 | 55-59歳 | 60-64歳 | 65-69歳 | 70-74歳 | 計     | (再掲)<br>40-74歳 | (再掲)<br>40-64歳 | (再掲)<br>65-74歳 |
|------|----------------|--------|--------|--------|--------|--------|--------|--------|--------|-------|----------------|----------------|----------------|
| 服薬あり | 総数             | -      | -      | -      | 17     | 24     | 71     | 106    | 87     | 323   | 322            | 129            | 193            |
|      | 5.6未満 (人)      | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|      | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|      | 5.6以上6.0未満 (人) | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|      | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|      | 6.0以上6.5未満 (人) | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|      | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|      | 6.5以上8.0未満 (人) | -      | -      | -      | -      | -      | -      | -      | -      | -     | 164            | 59             | 105            |
|      | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 50.9           | 45.7           | 54.4           |
|      | 8.0以上8.4未満 (人) | -      | -      | -      | -      | -      | -      | -      | -      | -     | 16             | -              | -              |
| 服薬なし | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 5.0            | -              | -              |
|      | 8.4以上 (人)      | -      | -      | -      | -      | -      | -      | -      | -      | -     | 37             | -              | -              |
|      | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 11.5           | -              | -              |
|      | (再掲)5.6以上 (人)  | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|      | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|      | (再掲)6.5以上 (人)  | -      | -      | -      | -      | -      | 45     | 71     | 57     | -     | 217            | 89             | 128            |
|      | (%)            | -      | -      | -      | -      | -      | 63.4   | 67.0   | 65.5   | -     | 67.4           | 69.0           | 66.3           |
|      | 総数             | 107    | 170    | 169    | 174    | 291    | 443    | 574    | 419    | 2,347 | 2,240          | 1,247          | 993            |
|      | 5.6未満 (人)      | 90     | 127    | 125    | 122    | 181    | 276    | 323    | 208    | 1,452 | 1,362          | 831            | 531            |
|      | (%)            | 84.1   | 74.7   | 74.0   | 70.1   | 62.2   | 62.3   | 56.3   | 49.6   | 61.9  | 60.8           | 66.6           | 53.5           |




「インスリン注射または血糖を下げる薬」服薬の有無別：HbA1c（女性）



| 女性   |                | 35-39歳 | 40-44歳 | 45-49歳 | 50-54歳 | 55-59歳 | 60-64歳 | 65-69歳 | 70-74歳 | 計     | (再掲)<br>40-74歳 | (再掲)<br>40-64歳 | (再掲)<br>65-74歳 |
|------|----------------|--------|--------|--------|--------|--------|--------|--------|--------|-------|----------------|----------------|----------------|
| 服薬あり | 総数             | -      | -      | -      | -      | 22     | 36     | 54     | 55     | 179   | 179            | 70             | 109            |
|      | 5.6未満 (人)      | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|      | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|      | 5.6以上6.0未満 (人) | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|      | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|      | 6.0以上6.5未満 (人) | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|      | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|      | 6.5以上8.0未満 (人) | -      | -      | -      | -      | -      | -      | -      | -      | -     | 89             | 35             | 54             |
|      | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 49.7           | 50.0           | 49.5           |
|      | 8.0以上8.4未満 (人) | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
| 服薬なし | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|      | 8.4以上 (人)      | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|      | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|      | (再掲)5.6以上 (人)  | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|      | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|      | (再掲)6.5以上 (人)  | -      | -      | -      | -      | -      | 22     | 33     | 33     | -     | 112            | 46             | 66             |
|      | (%)            | -      | -      | -      | -      | -      | 61.1   | 61.1   | 60.0   | -     | 62.6           | 65.7           | 60.6           |
|      | 総数             | 159    | 166    | 180    | 222    | 296    | 542    | 717    | 509    | 2,791 | 2,632          | 1,406          | 1,226          |
|      | 5.6未満 (人)      | 147    | 145    | 144    | 148    | 193    | 300    | 399    | 278    | 1,754 | 1,607          | 930            | 677            |
|      | (%)            | 92.5   | 87.3   | 80.0   | 66.7   | 65.2   | 55.4   | 55.6   | 54.6   | 62.8  | 61.1           | 66.1           | 55.2           |
| 服薬なし | 5.6以上6.0未満 (人) | -      | -      | -      | -      | -      | 167    | 222    | 179    | -     | 738            | 337            | 401            |
|      | (%)            | -      | -      | -      | -      | -      | 30.8   | 31.0   | 35.2   | -     | 28.0           | 24.0           | 32.7           |
|      | 6.0以上6.5未満 (人) | -      | -      | -      | -      | -      | 55     | 74     | 37     | -     | 207            | 96             | 111            |
|      | (%)            | -      | -      | -      | -      | -      | 10.1   | 10.3   | 7.3    | -     | 7.9            | 6.8            | 9.1            |
|      | 6.5以上8.0未満 (人) | -      | -      | -      | -      | -      | -      | -      | -      | -     | 58             | 31             | 27             |
|      | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 2.2            | 2.2            | 2.2            |
|      | 8.0以上8.4未満 (人) | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|      | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|      | 8.4以上 (人)      | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
|      | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | -              | -              | -              |
| 服薬なし | (再掲)5.6以上 (人)  | 12     | 21     | 36     | 74     | 103    | 242    | 318    | 231    | 1,037 | 1,025          | 476            | 549            |
|      | (%)            | 7.5    | 12.7   | 20.0   | 33.3   | 34.8   | 44.6   | 44.4   | 45.4   | 37.2  | 38.9           | 33.9           | 44.8           |
|      | (再掲)6.5以上 (人)  | -      | -      | -      | -      | -      | 20     | 22     | 15     | -     | 80             | 43             | 37             |
|      | (%)            | -      | -      | -      | -      | -      | 3.7    | 3.1    | 2.9    | -     | 3.0            | 3.1            | 3.0            |

—

## 脂質異常症有病者



|    |                    | 35-39歳 | 40-44歳 | 45-49歳 | 50-54歳 | 55-59歳 | 60-64歳 | 65-69歳 | 70-74歳 | 計     | (再掲)40-74歳 | (再掲)40-64歳 | (再掲)65-74歳 |
|----|--------------------|--------|--------|--------|--------|--------|--------|--------|--------|-------|------------|------------|------------|
| 男性 | 総数                 | 414    | 492    | 451    | 473    | 623    | 809    | 811    | 534    | 4,607 | 4,193      | 2,848      | 1,345      |
|    | 脂質異常症有病者* (人)      | -      | 281    | 279    | 276    | 356    | 403    | 411    | 243    | -     | 2,249      | 1,595      | 654        |
|    | (%)                | -      | 57.1   | 61.9   | 58.4   | 57.1   | 49.8   | 50.7   | 45.5   | -     | 53.6       | 56.0       | 48.6       |
|    | 高LDLコレステロール血症* (人) | -      | 130    | 131    | 146    | 204    | 230    | 227    | 147    | -     | 1,215      | 841        | 374        |
|    | (%)                | -      | 26.4   | 29.0   | 30.9   | 32.7   | 28.4   | 28.0   | 27.5   | -     | 29.0       | 29.5       | 27.8       |
|    | 服薬あり*3 (人)         | -      | 18     | 32     | 31     | 61     | 103    | 108    | 84     | -     | 437        | 245        | 192        |
| 女性 | (%)                | -      | 3.7    | 7.1    | 6.6    | 9.8    | 12.7   | 13.3   | 15.7   | -     | 10.4       | 8.6        | 14.3       |
|    | 治療率*4 (%)          | 1.1    | 13.8   | 24.4   | 21.2   | 29.9   | 44.8   | 47.6   | 57.1   | 33.6  | 36.0       | 29.1       | 51.3       |
|    | 総数                 | 375    | 415    | 405    | 464    | 640    | 770    | 828    | 576    | 4,473 | 4,098      | 2,694      | 1,404      |
|    | 脂質異常症有病者* (人)      | -      | -      | -      | 170    | 307    | 436    | 463    | 330    | -     | 1,873      | 1,080      | 793        |
|    | (%)                | -      | -      | -      | 36.6   | 48.0   | 56.6   | 55.9   | 57.3   | -     | 45.7       | 40.1       | 56.5       |
|    | 高LDLコレステロール血症* (人) | -      | -      | -      | 135    | 248    | 362    | 389    | 271    | -     | 1,507      | 847        | 660        |
|    | (%)                | -      | -      | -      | 29.1   | 38.8   | 47.0   | 47.0   | 47.0   | -     | 36.8       | 31.4       | 47.0       |
|    | 服薬あり*3 (人)         | -      | -      | -      | 15     | 67     | 138    | 196    | 161    | -     | 589        | 232        | 357        |
|    | (%)                | -      | -      | -      | 3.2    | 10.5   | 17.9   | 23.7   | 28.0   | -     | 14.4       | 8.6        | 25.4       |
|    | 治療率*4 (%)          | 3.6    | 7.0    | 15.3   | 11.1   | 27.0   | 38.1   | 50.4   | 59.4   | 38.4  | 39.1       | 27.4       | 54.1       |

\*1 脂質異常症有病者：中性脂肪150mg/dl以上、またはHDLコレステロール40mg/dl未満、またはLDLコレステロール140mg/dl以上、もしくはコレステロールを下げる薬を服薬する者

\*2 高LDLコレステロール血症：LDLコレステロール140mg/dl以上、もしくはコレステロールを下げる薬を服薬する者

\*3 服薬あり：コレステロールを下げる薬を服薬する者

\*4 治療率：高LDLコレステロール血症のうち、コレステロールを下げる薬の服薬する者の割合

## LDLコレステロール








表. LDLコレステロール 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

|    |            | 35-39歳   | 40-44歳   | 45-49歳   | 50-54歳   | 55-59歳   | 60-64歳   | 65-69歳   | 70-74歳   | 計         | (再掲)<br>40-74歳 | (再掲)<br>40-64歳 | (再掲)<br>65-74歳 |
|----|------------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|----------------|----------------|----------------|
| 男性 | 総数         | 414      | 492      | 451      | 473      | 623      | 810      | 811      | 534      | 4,608     | 4,194          | 2,849          | 1,345          |
|    | 100未満      | (人) 130  | (人) 151  | (人) 120  | (人) 125  | (人) 182  | (人) 289  | (人) 261  | (人) 181  | (人) 1,439 | (人) 1,309      | (人) 867        | (人) 442        |
|    |            | (%) 31.4 | (%) 30.7 | (%) 26.6 | (%) 26.4 | (%) 29.2 | (%) 35.7 | (%) 32.2 | (%) 33.9 | (%) 31.2  | (%) 31.2       | (%) 30.4       | (%) 32.9       |
|    | 100以上120未満 | (人) 115  | (人) 119  | (人) 126  | (人) 120  | (人) 171  | (人) 214  | (人) 233  | (人) 149  | (人) 1,247 | (人) 1,132      | (人) 750        | (人) 382        |
|    |            | (%) 27.8 | (%) 24.2 | (%) 27.9 | (%) 25.4 | (%) 27.4 | (%) 26.4 | (%) 28.7 | (%) 27.9 | (%) 27.1  | (%) 27.0       | (%) 26.3       | (%) 28.4       |
|    | 120以上140未満 | (人) 82   | (人) 104  | (人) 103  | (人) 107  | (人) 118  | (人) 173  | (人) 180  | (人) 131  | (人) 998   | (人) 916        | (人) 605        | (人) 311        |
|    |            | (%) 19.8 | (%) 21.1 | (%) 22.8 | (%) 22.6 | (%) 18.9 | (%) 21.4 | (%) 22.2 | (%) 24.5 | (%) 21.7  | (%) 21.8       | (%) 21.2       | (%) 23.1       |
|    | 140以上160未満 | (人) 51   | (人) 65   | (人) 56   | (人) 65   | (人) 103  | (人) 100  | (人) 96   | (人) 50   | (人) 586   | (人) 535        | (人) 389        | (人) 146        |
|    |            | (%) 12.3 | (%) 13.2 | (%) 12.4 | (%) 13.7 | (%) 16.5 | (%) 12.3 | (%) 11.8 | (%) 9.4  | (%) 12.7  | (%) 12.8       | (%) 13.7       | (%) 10.9       |
|    | 160以上180未満 | (人) 23   | (人) 36   | (人) 26   | (人) 39   | (人) -    | (人) -    | (人) -    | (人) -    | (人) 239   | (人) 216        | (人) -          | (人) -          |
|    |            | (%) 5.6  | (%) 7.3  | (%) 5.8  | (%) 8.2  | (%) -    | (%) -    | (%) -    | (%) -    | (%) 5.2   | (%) 5.2        | (%) -          | (%) -          |
| 女性 | 180以上      | (人) 13   | (人) 17   | (人) 20   | (人) 17   | (人) -    | (人) -    | (人) -    | (人) -    | (人) 99    | (人) 86         | (人) -          | (人) -          |
|    |            | (%) 3.1  | (%) 3.5  | (%) 4.4  | (%) 3.6  | (%) -    | (%) -    | (%) -    | (%) -    | (%) 2.1   | (%) 2.1        | (%) -          | (%) -          |
|    | (再掲)120以上  | (人) 169  | (人) 222  | (人) 205  | (人) 228  | (人) 270  | (人) 307  | (人) 317  | (人) 204  | (人) 1,922 | (人) 1,753      | (人) 1,232      | (人) 521        |
|    |            | (%) 40.8 | (%) 45.1 | (%) 45.5 | (%) 48.2 | (%) 43.3 | (%) 37.9 | (%) 39.1 | (%) 38.2 | (%) 41.7  | (%) 41.8       | (%) 43.2       | (%) 38.7       |
|    | (再掲)140以上  | (人) 87   | (人) 118  | (人) 102  | (人) 121  | (人) 152  | (人) 134  | (人) 137  | (人) 73   | (人) 924   | (人) 837        | (人) 627        | (人) 210        |
|    |            | (%) 21.0 | (%) 24.0 | (%) 22.6 | (%) 25.6 | (%) 24.4 | (%) 16.5 | (%) 16.9 | (%) 13.7 | (%) 20.1  | (%) 20.0       | (%) 22.0       | (%) 15.6       |
|    | 総数         | 375      | 415      | 405      | 464      | 641      | 771      | 828      | 577      | 4,476     | 4,101          | 2,696          | 1,405          |
|    | 100未満      | (人) 209  | (人) 234  | (人) 166  | (人) 122  | (人) 123  | (人) 143  | (人) 164  | (人) 114  | (人) 1,275 | (人) 1,066      | (人) 788        | (人) 278        |
|    |            | (%) 55.7 | (%) 56.4 | (%) 41.0 | (%) 26.3 | (%) 19.2 | (%) 18.5 | (%) 19.8 | (%) 19.8 | (%) 28.5  | (%) 26.0       | (%) 29.2       | (%) 19.8       |
|    | 100以上120未満 | (人) 95   | (人) 81   | (人) 115  | (人) 114  | (人) 160  | (人) 179  | (人) 226  | (人) 182  | (人) 1,152 | (人) 1,057      | (人) 649        | (人) 408        |
|    |            | (%) 25.3 | (%) 19.5 | (%) 28.4 | (%) 24.6 | (%) 25.0 | (%) 23.2 | (%) 27.3 | (%) 31.5 | (%) 25.7  | (%) 25.8       | (%) 24.1       | (%) 29.0       |
|    | 120以上140未満 | (人) 44   | (人) 59   | (人) 74   | (人) 103  | (人) 166  | (人) 195  | (人) 216  | (人) 153  | (人) 1,010 | (人) 966        | (人) 597        | (人) 369        |
|    |            | (%) 11.7 | (%) 14.2 | (%) 18.3 | (%) 22.2 | (%) 25.9 | (%) 25.3 | (%) 26.1 | (%) 26.5 | (%) 22.6  | (%) 23.6       | (%) 22.1       | (%) 26.3       |
|    | 140以上160未満 | (人) 17   | (人) 24   | (人) 29   | (人) 70   | (人) 109  | (人) 148  | (人) 135  | (人) 77   | (人) 609   | (人) 592        | (人) 380        | (人) 212        |
|    |            | (%) 4.5  | (%) 5.8  | (%) 7.2  | (%) 15.1 | (%) 17.0 | (%) 19.2 | (%) 16.3 | (%) 13.3 | (%) 13.6  | (%) 14.4       | (%) 14.1       | (%) 15.1       |
|    | 160以上180未満 | (人) -    | (人) -    | (人) -    | (人) 40   | (人) 54   | (人) 73   | (人) 52   | (人) 36   | (人) -     | (人) 280        | (人) 192        | (人) 88         |
|    |            | (%) -    | (%) -    | (%) -    | (%) 8.6  | (%) 8.4  | (%) 9.5  | (%) 6.3  | (%) 6.2  | (%) -     | (%) 6.8        | (%) 7.1        | (%) 6.3        |
|    | 180以上      | (人) -    | (人) -    | (人) -    | (人) 15   | (人) 29   | (人) 33   | (人) 35   | (人) 15   | (人) -     | (人) 140        | (人) 90         | (人) 50         |
|    |            | (%) -    | (%) -    | (%) -    | (%) 3.2  | (%) 4.5  | (%) 4.3  | (%) 4.2  | (%) 2.6  | (%) -     | (%) 3.4        | (%) 3.3        | (%) 3.6        |
|    | (再掲)120以上  | (人) 71   | (人) 100  | (人) 124  | (人) 228  | (人) 358  | (人) 449  | (人) 438  | (人) 281  | (人) 2,049 | (人) 1,978      | (人) 1,259      | (人) 719        |
|    |            | (%) 18.9 | (%) 24.1 | (%) 30.6 | (%) 49.1 | (%) 55.9 | (%) 58.2 | (%) 52.9 | (%) 48.7 | (%) 45.8  | (%) 48.2       | (%) 46.7       | (%) 51.2       |
|    | (再掲)140以上  | (人) 27   | (人) 41   | (人) 50   | (人) 125  | (人) 192  | (人) 254  | (人) 222  | (人) 128  | (人) 1,039 | (人) 1,012      | (人) 662        | (人) 350        |
|    |            | (%) 7.2  | (%) 9.9  | (%) 12.3 | (%) 26.9 | (%) 30.0 | (%) 32.9 | (%) 26.8 | (%) 22.2 | (%) 23.2  | (%) 24.7       | (%) 24.6       | (%) 24.9       |


—



「コレステロールを下げる薬」の服薬の有無別：LDLコレステロール（性年齢階級別，人数）




「コレステロールを下げる薬」の服薬の有無別：LDLコレステロール（男性）



| 男性   |            | 35-39歳 | 40-44歳 | 45-49歳 | 50-54歳 | 55-59歳 | 60-64歳 | 65-69歳 | 70-74歳 | 計     | （再掲）<br>40-74歳 | （再掲）<br>40-64歳 | （再掲）<br>65-74歳 |
|------|------------|--------|--------|--------|--------|--------|--------|--------|--------|-------|----------------|----------------|----------------|
| 服薬あり | 総数         | —      | 18     | 32     | 31     | 61     | 103    | 108    | 84     | —     | 437            | 245            | 192            |
|      | 100未満      | —      | —      | 12     | —      | 20     | 50     | 45     | 30     | —     | 168            | 93             | 75             |
|      | (%)        | —      | —      | 37.5   | —      | 32.8   | 48.5   | 41.7   | 35.7   | —     | 38.4           | 38.0           | 39.1           |
|      | 100以上120未満 | —      | —      | 10     | —      | 17     | 28     | 31     | 21     | —     | 122            | 70             | 52             |
|      | (%)        | —      | —      | 31.3   | —      | 27.9   | 27.2   | 28.7   | 25.0   | —     | 27.9           | 28.6           | 27.1           |
|      | 120以上140未満 | —      | —      | —      | —      | —      | —      | 14     | 23     | —     | 88             | 51             | 37             |
|      | (%)        | —      | —      | —      | —      | —      | —      | 13.0   | 27.4   | —     | 20.1           | 20.8           | 19.3           |
|      | 140以上160未満 | —      | —      | —      | —      | —      | —      | —      | —      | —     | 44             | —              | —              |
|      | (%)        | —      | —      | —      | —      | —      | —      | —      | —      | —     | 10.1           | —              | —              |
|      | 160以上180未満 | —      | —      | —      | —      | —      | —      | —      | —      | —     | —              | —              | —              |
| 服薬なし | (%)        | —      | —      | —      | —      | —      | —      | —      | —      | —     | —              | —              | —              |
|      | 180以上      | —      | —      | —      | —      | —      | —      | —      | —      | —     | —              | —              | —              |
|      | (%)        | —      | —      | —      | —      | —      | —      | —      | —      | —     | —              | —              | —              |
|      | （再掲）120以上  | —      | —      | 10     | 14     | 24     | 25     | 32     | 33     | —     | 147            | 82             | 65             |
|      | (%)        | —      | —      | 31.3   | 45.2   | 39.3   | 24.3   | 29.6   | 39.3   | —     | 33.6           | 33.5           | 33.9           |
|      | （再掲）140以上  | —      | —      | —      | —      | —      | —      | 18     | 10     | —     | 59             | 31             | 28             |
|      | (%)        | —      | —      | —      | —      | —      | —      | 16.7   | 11.9   | —     | 13.5           | 12.7           | 14.6           |
|      | 総数         | 413    | 474    | 419    | 442    | 562    | 706    | 703    | 450    | 4,169 | 3,756          | 2,603          | 1,153          |
|      | 100未満      | 129    | 148    | 108    | 117    | 162    | 239    | 216    | 151    | 1,270 | 1,141          | 774            | 367            |
|      | (%)        | 31.2   | 31.2   | 25.8   | 26.5   | 28.8   | 33.9   | 30.7   | 33.6   | 30.5  | 30.4           | 29.7           | 31.8           |
|      | 100以上120未満 | 115    | 113    | 116    | 111    | 154    | 186    | 202    | 128    | 1,125 | 1,010          | 680            | 330            |
|      | (%)        | 27.8   | 23.8   | 27.7   | 25.1   | 27.4   | 26.3   | 28.7   | 28.4   | 27.0  | 26.9           | 26.1           | 28.6           |
|      | 120以上140未満 | 82     | 101    | 96     | 99     | 103    | 154    | 166    | 108    | 909   | 827            | 553            | 274            |
|      | (%)        | 19.9   | 21.3   | 22.9   | 22.4   | 18.3   | 21.8   | 23.6   | 24.0   | 21.8  | 22.0           | 21.2           | 23.8           |
|      | 140以上160未満 | 51     | 62     | 53     | 60     | 95     | 95     | 83     | 43     | 542   | 491            | 365            | 126            |
|      | (%)        | 12.3   | 13.1   | 12.6   | 13.6   | 16.9   | 13.5   | 11.8   | 9.6    | 13.0  | 13.1           | 14.0           | 10.9           |
|      | 160以上180未満 | 23     | 35     | 26     | 39     | —      | —      | —      | —      | 230   | 207            | —              | —              |
|      | (%)        | 5.6    | 7.4    | 6.2    | 8.8    | —      | —      | —      | —      | 5.5   | 5.5            | —              | —              |
|      | 180以上      | 13     | 15     | 20     | 16     | —      | —      | —      | —      | 93    | 80             | —              | —              |
|      | (%)        | 3.1    | 3.2    | 4.8    | 3.6    | —      | —      | —      | —      | 2.2   | 2.1            | —              | —              |
|      | （再掲）120以上  | 169    | 213    | 195    | 214    | 246    | 281    | 285    | 171    | 1,774 | 1,605          | 1,149          | 456            |
|      | (%)        | 40.9   | 44.9   | 46.5   | 48.4   | 43.8   | 39.8   | 40.5   | 38.0   | 42.6  | 42.7           | 44.1           | 39.5           |
|      | （再掲）140以上  | 87     | 112    | 99     | 115    | 143    | 127    | 119    | 63     | 865   | 778            | 596            | 182            |
|      | (%)        | 21.1   | 23.6   | 23.6   | 26.0   | 25.4   | 18.0   | 16.9   | 14.0   | 20.7  | 20.7           | 22.9           | 15.8           |

「コレステロールを下げる薬」の服薬の有無別： LDLコレステロール（女性）



| 女性   |                | 35-39歳 | 40-44歳 | 45-49歳 | 50-54歳 | 55-59歳 | 60-64歳 | 65-69歳 | 70-74歳 | 計     | (再掲)<br>40-74歳 | (再掲)<br>40-64歳 | (再掲)<br>65-74歳 |
|------|----------------|--------|--------|--------|--------|--------|--------|--------|--------|-------|----------------|----------------|----------------|
| 服薬あり | 総数             | -      | -      | -      | 15     | 67     | 138    | 196    | 161    | -     | 589            | 232            | 357            |
|      | 100未満 (人)      | -      | -      | -      | -      | 24     | 37     | 55     | 55     | -     | 175            | 65             | 110            |
|      | (%)            | -      | -      | -      | -      | 35.8   | 26.8   | 28.1   | 34.2   | -     | 29.7           | 28.0           | 30.8           |
|      | 100以上120未満 (人) | -      | -      | -      | -      | 15     | 42     | 75     | 55     | -     | 195            | 65             | 130            |
|      | (%)            | -      | -      | -      | -      | 22.4   | 30.4   | 38.3   | 34.2   | -     | 33.1           | 28.0           | 36.4           |
|      | 120以上140未満 (人) | -      | -      | -      | -      | 17     | 30     | 37     | 33     | -     | 126            | 56             | 70             |
|      | (%)            | -      | -      | -      | -      | 25.4   | 21.7   | 18.9   | 20.5   | -     | 21.4           | 24.1           | 19.6           |
|      | 140以上160未満 (人) | -      | -      | -      | -      | -      | 19     | -      | -      | -     | 55             | 29             | 26             |
|      | (%)            | -      | -      | -      | -      | -      | 13.8   | -      | -      | -     | 9.3            | 12.5           | 7.3            |
|      | 160以上180未満 (人) | -      | -      | -      | -      | -      | -      | -      | -      | -     | 23             | -              | -              |
| 服薬なし | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 3.9            | -              | -              |
|      | 180以上 (人)      | -      | -      | -      | -      | -      | -      | -      | -      | -     | 15             | -              | -              |
|      | (%)            | -      | -      | -      | -      | -      | -      | -      | -      | -     | 2.5            | -              | -              |
|      | (再掲)120以上 (人)  | -      | -      | -      | -      | 28     | 59     | 66     | 51     | -     | 219            | 102            | 117            |
|      | (%)            | -      | -      | -      | -      | 41.8   | 42.8   | 33.7   | 31.7   | -     | 37.2           | 44.0           | 32.8           |
|      | (再掲)140以上 (人)  | -      | -      | -      | -      | 11     | 29     | 29     | 18     | -     | 93             | 46             | 47             |
|      | (%)            | -      | -      | -      | -      | 16.4   | 21.0   | 14.8   | 11.2   | -     | 15.8           | 19.8           | 13.2           |
|      | 総数             | 373    | 412    | 396    | 449    | 573    | 632    | 632    | 415    | 3,882 | 3,509          | 2,462          | 1,047          |
|      | 100未満 (人)      | 208    | 234    | 164    | 120    | 99     | 106    | 109    | 59     | 1,099 | 891            | 723            | 168            |
|      | (%)            | 55.8   | 56.8   | 41.4   | 26.7   | 17.3   | 16.8   | 17.2   | 14.2   | 28.3  | 25.4           | 29.4           | 16.0           |

## HDLコレステロール





表. HDLコレステロール 区分（市町村国保+協会けんぽ） - 人数，割合 -

|    |              | 35-39歳 | 40-44歳 | 45-49歳 | 50-54歳 | 55-59歳 | 60-64歳 | 65-69歳 | 70-74歳 | 計     | (再掲)<br>40-74歳 | (再掲)<br>40-64歳 | (再掲)<br>65-74歳 |
|----|--------------|--------|--------|--------|--------|--------|--------|--------|--------|-------|----------------|----------------|----------------|
| 男性 | 総数           | 414    | 492    | 451    | 473    | 623    | 810    | 811    | 534    | 4,608 | 4,194          | 2,849          | 1,345          |
|    | 40以上 (人)     | 379    | 448    | 410    | 438    | 575    | 748    | 744    | 493    | 4,235 | 3,856          | 2,619          | 1,237          |
|    | (%)          | 91.5   | 91.1   | 90.9   | 92.6   | 92.3   | 92.3   | 91.7   | 92.3   | 91.9  | 91.9           | 91.9           | 92.0           |
|    | 35以上40未満 (人) | -      | 31     | -      | -      | 36     | 52     | -      | -      | -     | 262            | 177            | 85             |
|    | (%)          | -      | 6.3    | -      | -      | 5.8    | 6.4    | -      | -      | -     | 6.2            | 6.2            | 6.3            |
|    | 35未満 (人)     | -      | 13     | -      | -      | 12     | 10     | -      | -      | -     | 76             | 53             | 23             |
| 女性 | (%)          | -      | 2.6    | -      | -      | 1.9    | 1.2    | -      | -      | -     | 1.8            | 1.9            | 1.7            |
|    | (再掲)40未満 (人) | 35     | 44     | 41     | 35     | 48     | 62     | 67     | 41     | 373   | 338            | 230            | 108            |
|    | (%)          | 8.5    | 8.9    | 9.1    | 7.4    | 7.7    | 7.7    | 8.3    | 7.7    | 8.1   | 8.1            | 8.1            | 8.0            |
|    | 総数           | 375    | 415    | 405    | 464    | 641    | 771    | 828    | 577    | 4,476 | 4,101          | 2,696          | 1,405          |
|    | 40以上 (人)     | -      | -      | 395    | -      | 631    | 748    | 812    | 563    | -     | 4,016          | 2,641          | 1,375          |
|    | (%)          | -      | -      | 97.5   | -      | 98.4   | 97.0   | 98.1   | 97.6   | -     | 97.9           | 98.0           | 97.9           |
|    | 35以上40未満 (人) | -      | -      | -      | -      | -      | -      | -      | -      | -     | 71             | -              | -              |
|    | (%)          | -      | -      | -      | -      | -      | -      | -      | -      | -     | 1.7            | -              | -              |
|    | 35未満 (人)     | -      | -      | -      | -      | -      | -      | -      | -      | -     | 14             | -              | -              |
|    | (%)          | -      | -      | -      | -      | -      | -      | -      | -      | -     | 0.3            | -              | -              |
|    | (再掲)40未満 (人) | -      | -      | 10     | -      | 10     | 23     | 16     | 14     | -     | 85             | 55             | 30             |
|    | (%)          | -      | -      | 2.5    | -      | 1.6    | 3.0    | 1.9    | 2.4    | -     | 2.1            | 2.0            | 2.1            |

## 中性脂肪





表. 中性脂肪 区分（市町村国保+協会けんぽ） - 人数，割合 -

|    |                | 35-39歳 | 40-44歳 | 45-49歳 | 50-54歳 | 55-59歳 | 60-64歳 | 65-69歳 | 70-74歳 | 計     | (再掲)<br>40-74歳 | (再掲)<br>40-64歳 | (再掲)<br>65-74歳 |
|----|----------------|--------|--------|--------|--------|--------|--------|--------|--------|-------|----------------|----------------|----------------|
| 男性 | 総数             | 414    | 492    | 451    | 473    | 623    | 810    | 811    | 534    | 4,608 | 4,194          | 2,849          | 1,345          |
|    | 150未満 (人)      | 281    | 282    | 256    | 284    | 394    | 554    | 559    | 402    | 3,012 | 2,731          | 1,770          | 961            |
|    | (%)            | 67.9   | 57.3   | 56.8   | 60.0   | 63.2   | 68.4   | 68.9   | 75.3   | 65.4  | 65.1           | 62.1           | 71.4           |
|    | 150以上300未満 (人) | 101    | 157    | 146    | 141    | 183    | 218    | 206    | 116    | 1,268 | 1,167          | 845            | 322            |
|    | (%)            | 24.4   | 31.9   | 32.4   | 29.8   | 29.4   | 26.9   | 25.4   | 21.7   | 27.5  | 27.8           | 29.7           | 23.9           |
|    | 300以上 (人)      | 32     | 53     | 49     | 48     | 46     | 38     | 46     | 16     | 328   | 296            | 234            | 62             |
| 女性 | (%)            | 7.7    | 10.8   | 10.9   | 10.1   | 7.4    | 4.7    | 5.7    | 3.0    | 7.1   | 7.1            | 8.2            | 4.6            |
|    | (再掲)150以上 (人)  | 133    | 210    | 195    | 189    | 229    | 256    | 252    | 132    | 1,596 | 1,463          | 1,079          | 384            |
|    | (%)            | 32.1   | 42.7   | 43.2   | 40.0   | 36.8   | 31.6   | 31.1   | 24.7   | 34.6  | 34.9           | 37.9           | 28.6           |
|    | 150未満 (人)      | 375    | 415    | 405    | 464    | 641    | 771    | 828    | 577    | 4,476 | 4,101          | 2,696          | 1,405          |
|    | (人)            | 337    | 378    | 355    | 394    | 531    | 609    | 667    | 432    | 3,703 | 3,366          | 2,267          | 1,099          |
|    | (%)            | 89.9   | 91.1   | 87.7   | 84.9   | 82.8   | 79.0   | 80.6   | 74.9   | 82.7  | 82.1           | 84.1           | 78.2           |
| 女性 | 150以上300未満 (人) | -      | -      | -      | 60     | 88     | 139    | 142    | 125    | -     | 629            | 362            | 267            |
|    | (%)            | -      | -      | -      | 12.9   | 13.7   | 18.0   | 17.1   | 21.7   | -     | 15.3           | 13.4           | 19.0           |
|    | 300以上 (人)      | -      | -      | -      | 10     | 22     | 23     | 19     | 20     | -     | 106            | 67             | 39             |
|    | (%)            | -      | -      | -      | 2.2    | 3.4    | 3.0    | 2.3    | 3.5    | -     | 2.6            | 2.5            | 2.8            |
|    | (再掲)150以上 (人)  | 38     | 37     | 50     | 70     | 110    | 162    | 161    | 145    | 773   | 735            | 429            | 306            |
|    | (%)            | 10.1   | 8.9    | 12.3   | 15.1   | 17.2   | 21.0   | 19.4   | 25.1   | 17.3  | 17.9           | 15.9           | 21.8           |

## GOT(AST)




表. GOT (AST) 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

|    |              | 35-39歳 | 40-44歳 | 45-49歳 | 50-54歳 | 55-59歳 | 60-64歳 | 65-69歳 | 70-74歳 | 計     | (再掲)<br>40-74歳 | (再掲)<br>40-64歳 | (再掲)<br>65-74歳 |
|----|--------------|--------|--------|--------|--------|--------|--------|--------|--------|-------|----------------|----------------|----------------|
| 男性 | 総数           | 414    | 492    | 451    | 473    | 623    | 810    | 811    | 534    | 4,608 | 4,194          | 2,849          | 1,345          |
|    | 30以下 (人)     | 339    | 383    | 355    | 370    | 516    | 687    | 688    | 450    | 3,788 | 3,449          | 2,311          | 1,138          |
|    | (%)          | 81.9   | 77.8   | 78.7   | 78.2   | 82.8   | 84.8   | 84.8   | 84.3   | 82.2  | 82.2           | 81.1           | 84.6           |
|    | 31以上50以下 (人) | 53     | 82     | 74     | 83     | 86     | 101    | -      | -      | 654   | 601            | 426            | 175            |
|    | (%)          | 12.8   | 16.7   | 16.4   | 17.5   | 13.8   | 12.5   | -      | -      | 14.2  | 14.3           | 15.0           | 13.0           |
|    | 51以上 (人)     | 22     | 27     | 22     | 20     | 21     | 22     | -      | -      | 166   | 144            | 112            | 32             |
| 女性 | (%)          | 5.3    | 5.5    | 4.9    | 4.2    | 3.4    | 2.7    | -      | -      | 3.6   | 3.4            | 3.9            | 2.4            |
|    | (再掲)31以上 (人) | 75     | 109    | 96     | 103    | 107    | 123    | 123    | 84     | 820   | 745            | 538            | 207            |
|    | (%)          | 18.1   | 22.2   | 21.3   | 21.8   | 17.2   | 15.2   | 15.2   | 15.7   | 17.8  | 17.8           | 18.9           | 15.4           |
|    | 総数           | 375    | 415    | 405    | 464    | 641    | 771    | 828    | 577    | 4,476 | 4,101          | 2,696          | 1,405          |
|    | 30以下 (人)     | 354    | 393    | 374    | 418    | 553    | 685    | 742    | 503    | 4,022 | 3,668          | 2,423          | 1,245          |
|    | (%)          | 94.4   | 94.7   | 92.3   | 90.1   | 86.3   | 88.8   | 89.6   | 87.2   | 89.9  | 89.4           | 89.9           | 88.6           |
|    | 31以上50以下 (人) | -      | -      | -      | 34     | 74     | -      | 76     | 63     | -     | 368            | 229            | 139            |
|    | (%)          | -      | -      | -      | 7.3    | 11.5   | -      | 9.2    | 10.9   | -     | 9.0            | 8.5            | 9.9            |
|    | 51以上 (人)     | -      | -      | -      | 12     | 14     | -      | 10     | 11     | -     | 65             | 44             | 21             |
|    | (%)          | -      | -      | -      | 2.6    | 2.2    | -      | 1.2    | 1.9    | -     | 1.6            | 1.6            | 1.5            |
|    | (再掲)31以上 (人) | 21     | 22     | 31     | 46     | 88     | 86     | 86     | 74     | 454   | 433            | 273            | 160            |
|    | (%)          | 5.6    | 5.3    | 7.7    | 9.9    | 13.7   | 11.2   | 10.4   | 12.8   | 10.1  | 10.6           | 10.1           | 11.4           |

## GPT(ALT)




表. GPT (ALT) 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

|    |          | 35-39歳   | 40-44歳 | 45-49歳 | 50-54歳 | 55-59歳 | 60-64歳 | 65-69歳 | 70-74歳 | 計     | (再掲)<br>40-74歳 | (再掲)<br>40-64歳 | (再掲)<br>65-74歳 |
|----|----------|----------|--------|--------|--------|--------|--------|--------|--------|-------|----------------|----------------|----------------|
| 男性 | 総数       | 414      | 492    | 451    | 473    | 623    | 810    | 811    | 534    | 4,608 | 4,194          | 2,849          | 1,345          |
|    | 30以下     | (人) 251  | 287    | 292    | 322    | 476    | 639    | 665    | 474    | 3,406 | 3,155          | 2,016          | 1,139          |
|    |          | (%) 60.6 | 58.3   | 64.7   | 68.1   | 76.4   | 78.9   | 82.0   | 88.8   | 73.9  | 75.2           | 70.8           | 84.7           |
|    | 31以上50以下 | (人) 105  | 129    | 105    | 110    | 96     | 132    | 116    | 48     | 841   | 736            | 572            | 164            |
|    |          | (%) 25.4 | 26.2   | 23.3   | 23.3   | 15.4   | 16.3   | 14.3   | 9.0    | 18.3  | 17.5           | 20.1           | 12.2           |
|    | 51以上     | (人) 58   | 76     | 54     | 41     | 51     | 39     | 30     | 12     | 361   | 303            | 261            | 42             |
| 女性 |          | (%) 14.0 | 15.4   | 12.0   | 8.7    | 8.2    | 4.8    | 3.7    | 2.2    | 7.8   | 7.2            | 9.2            | 3.1            |
|    | (再掲)31以上 | (人) 163  | 205    | 159    | 151    | 147    | 171    | 146    | 60     | 1,202 | 1,039          | 833            | 206            |
|    |          | (%) 39.4 | 41.7   | 35.3   | 31.9   | 23.6   | 21.1   | 18.0   | 11.2   | 26.1  | 24.8           | 29.2           | 15.3           |
|    | 総数       | 375      | 415    | 405    | 464    | 641    | 771    | 828    | 577    | 4,476 | 4,101          | 2,696          | 1,405          |
|    | 30以下     | (人) 338  | 389    | 364    | 392    | 542    | 663    | 741    | 521    | 3,950 | 3,612          | 2,350          | 1,262          |
|    |          | (%) 90.1 | 93.7   | 89.9   | 84.5   | 84.6   | 86.0   | 89.5   | 90.3   | 88.2  | 88.1           | 87.2           | 89.8           |

## γ-GT(γ-GTP)





表. γ-GT (γ-GTP) 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

|    |               | 35-39歳 | 40-44歳 | 45-49歳 | 50-54歳 | 55-59歳 | 60-64歳 | 65-69歳 | 70-74歳 | 計     | (再掲) 40-74歳 | (再掲) 40-64歳 | (再掲) 65-74歳 |
|----|---------------|--------|--------|--------|--------|--------|--------|--------|--------|-------|-------------|-------------|-------------|
| 男性 | 総数            | 414    | 492    | 451    | 473    | 623    | 810    | 811    | 534    | 4,608 | 4,194       | 2,849       | 1,345       |
|    | 50以下 (人)      | 271    | 269    | 245    | 272    | 409    | 579    | 606    | 446    | 3,097 | 2,826       | 1,774       | 1,052       |
|    | (%)           | 65.5   | 54.7   | 54.3   | 57.5   | 65.7   | 71.5   | 74.7   | 83.5   | 67.2  | 67.4        | 62.3        | 78.2        |
|    | 51以上100以下 (人) | 85     | 146    | 125    | 111    | 134    | 165    | 144    | 66     | 976   | 891         | 681         | 210         |
|    | (%)           | 20.5   | 29.7   | 27.7   | 23.5   | 21.5   | 20.4   | 17.8   | 12.4   | 21.2  | 21.2        | 23.9        | 15.6        |
|    | 101以上 (人)     | 58     | 77     | 81     | 90     | 80     | 66     | 61     | 22     | 535   | 477         | 394         | 83          |
| 女性 | (%)           | 14.0   | 15.7   | 18.0   | 19.0   | 12.8   | 8.1    | 7.5    | 4.1    | 11.6  | 11.4        | 13.8        | 6.2         |
|    | (再掲) 51以上 (人) | 143    | 223    | 206    | 201    | 214    | 231    | 205    | 88     | 1,511 | 1,368       | 1,075       | 293         |
|    | (%)           | 34.5   | 45.3   | 45.7   | 42.5   | 34.3   | 28.5   | 25.3   | 16.5   | 32.8  | 32.6        | 37.7        | 21.8        |
|    | 50以下 (人)      | 375    | 415    | 405    | 464    | 641    | 771    | 828    | 577    | 4,476 | 4,101       | 2,696       | 1,405       |
|    | (%)           | 91.2   | 95.2   | 89.6   | 86.6   | 86.9   | 89.5   | 91.5   | 93.6   | 90.4  | 90.3        | 89.3        | 92.4        |
|    | 51以上100以下 (人) | -      | -      | -      | 51     | 59     | 64     | -      | -      | -     | 304         | 220         | 84          |
|    | (%)           | -      | -      | -      | 11.0   | 9.2    | 8.3    | -      | -      | -     | 7.4         | 8.2         | 6.0         |
|    | 101以上 (人)     | -      | -      | -      | 11     | 25     | 17     | -      | -      | -     | 92          | 69          | 23          |
|    | (%)           | -      | -      | -      | 2.4    | 3.9    | 2.2    | -      | -      | -     | 2.2         | 2.6         | 1.6         |
|    | (再掲) 51以上 (人) | 33     | 20     | 42     | 62     | 84     | 81     | 70     | 37     | 429   | 396         | 289         | 107         |
|    | (%)           | 8.8    | 4.8    | 10.4   | 13.4   | 13.1   | 10.5   | 8.5    | 6.4    | 9.6   | 9.7         | 10.7        | 7.6         |