

検査項目別該当者 - 性年齢階級別, 人数, 割合 -

沖縄県

沖縄県
メタボリックシンドローム






表. メタボリックシンドローム判定 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲)40-74歳	(再掲)40-64歳	(再掲)65-74歳
男性	総数	12,856	16,503	16,115	13,661	14,566	15,663	18,663	12,761	120,788	107,932	76,508	31,424
	非該当	(人) 8,796	10,113	8,817	6,955	7,037	7,204	8,084	5,526	62,532	53,736	40,126	13,610
		(%) 68.4	61.3	54.7	50.9	48.3	46.0	43.3	43.3	51.8	49.8	52.4	43.3
	予備群	(人) 2,505	3,426	3,601	2,804	3,041	3,252	3,908	2,722	25,259	22,754	16,124	6,630
		(%) 19.5	20.8	22.3	20.5	20.9	20.8	20.9	21.3	20.9	21.1	21.1	21.1
	該当	(人) 1,555	2,964	3,697	3,902	4,488	5,207	6,671	4,513	32,997	31,442	20,258	11,184
	(%) 12.1	18.0	22.9	28.6	30.8	33.2	35.7	35.4	27.3	29.1	26.5	35.6	
	(再掲)該当+予備群	(人) 4,060	6,390	7,298	6,706	7,529	8,459	10,579	7,235	58,256	54,196	36,382	17,814
	(%) 31.6	38.7	45.3	49.1	51.7	54.0	56.7	56.7	48.2	50.2	47.6	56.7	
女性	総数	9,791	13,345	13,704	12,632	14,317	16,355	20,336	14,801	115,281	105,490	70,353	35,137
	非該当	(人) 9,177	12,089	12,021	10,786	11,839	13,040	15,366	10,547	94,865	85,688	59,775	25,913
		(%) 93.7	90.6	87.7	85.4	82.7	79.7	75.6	71.3	82.3	81.2	85.0	73.7
	予備群	(人) 424	831	1,013	1,011	1,211	1,395	1,959	1,568	9,412	8,988	5,461	3,527
		(%) 4.3	6.2	7.4	8.0	8.5	8.5	9.6	10.6	8.2	8.5	7.8	10.0
	該当	(人) 190	425	670	835	1,267	1,920	3,011	2,686	11,004	10,814	5,117	5,697
	(%) 1.9	3.2	4.9	6.6	8.8	11.7	14.8	18.1	9.5	10.3	7.3	16.2	
	(再掲)該当+予備群	(人) 614	1,256	1,683	1,846	2,478	3,315	4,970	4,254	20,416	19,802	10,578	9,224
	(%) 6.3	9.4	12.3	14.6	17.3	20.3	24.4	28.7	17.7	18.8	15.0	26.3	

腹囲






表. 腹囲 区分（市町村国保+協会けんぽ） - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲)40-74歳	(再掲)40-64歳	(再掲)65-74歳
		(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)
男性	総数	13,818	17,539	17,041	14,317	15,241	16,802	19,426	13,040	127,224	113,406	80,940	32,466
	85.0未満	7,264	8,252	7,271	5,944	6,058	6,428	7,159	4,872	53,248	45,984	33,953	12,031
	(%)	52.6	47.0	42.7	41.5	39.7	38.3	36.9	37.4	41.9	40.5	41.9	37.1
	85.0以上90.0未満	2,460	3,314	3,374	2,896	3,333	3,742	4,474	3,161	26,754	24,294	16,659	7,635
	(%)	17.8	18.9	19.8	20.2	21.9	22.3	23.0	24.2	21.0	21.4	20.6	23.5
90.0以上	4,094	5,973	6,396	5,477	5,850	6,632	7,793	5,007	47,222	43,128	30,328	12,800	
(%)	29.6	34.1	37.5	38.3	38.4	39.5	40.1	38.4	37.1	38.0	37.5	39.4	
(再掲)85以上	(人)	6,554	9,287	9,770	8,373	9,183	10,374	12,267	8,168	73,976	67,422	46,987	20,435
(%)	47.4	53.0	57.3	58.5	60.3	61.7	63.1	62.6	58.1	59.5	58.1	62.9	
女性	総数	10,635	14,457	14,773	13,507	15,089	17,430	20,933	15,147	121,971	111,336	75,256	36,080
	85.0未満	8,259	10,453	10,028	8,820	9,300	9,939	10,763	7,139	74,701	66,442	48,540	17,902
	(%)	77.7	72.3	67.9	65.3	61.6	57.0	51.4	47.1	61.2	59.7	64.5	49.6
	85.0以上90.0未満	1,060	1,611	1,985	1,998	2,467	3,270	4,312	3,241	19,944	18,884	11,331	7,553
	(%)	10.0	11.1	13.4	14.8	16.3	18.8	20.6	21.4	16.4	17.0	15.1	20.9
90.0以上	1,316	2,393	2,760	2,689	3,322	4,221	5,858	4,767	27,326	26,010	15,385	10,625	
(%)	12.4	16.6	18.7	19.9	22.0	24.2	28.0	31.5	22.4	23.4	20.4	29.4	
(再掲)85以上	(人)	2,376	4,004	4,745	4,687	5,789	7,491	10,170	8,008	47,270	44,894	26,716	18,178
(%)	22.3	27.7	32.1	34.7	38.4	43.0	48.6	52.9	38.8	40.3	35.5	50.4	

BMI








表. BMI 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	13,818	17,538	17,043	14,320	15,242	16,802	19,424	13,040	127,227	113,409	80,945	32,464
	18.5未満	(人) 413	340	294	246	263	268	287	212	2,323	1,910	1,411	499
		(%) 3.0	1.9	1.7	1.7	1.7	1.6	1.5	1.6	1.8	1.7	1.7	1.5
	18.5以上20.0未満	(人) 839	805	732	537	575	629	720	515	5,352	4,513	3,278	1,235
		(%) 6.1	4.6	4.3	3.8	3.8	3.7	3.7	3.9	4.2	4.0	4.0	3.8
	20.0以上25.0未満	(人) 7,045	8,457	7,775	6,707	7,127	8,067	9,604	6,633	61,415	54,370	38,133	16,237
		(%) 51.0	48.2	45.6	46.8	46.8	48.0	49.4	50.9	48.3	47.9	47.1	50.0
	25.0以上30.0未満	(人) 4,103	5,762	5,995	5,244	5,871	6,516	7,456	4,945	45,892	41,789	29,388	12,401
		(%) 29.7	32.9	35.2	36.6	38.5	38.8	38.4	37.9	36.1	36.8	36.3	38.2
	30.0以上35.0未満	(人) 1,072	1,606	1,761	1,302	1,213	1,178	1,192	661	9,985	8,913	7,060	1,853
		(%) 7.8	9.2	10.3	9.1	8.0	7.0	6.1	5.1	7.8	7.9	8.7	5.7
	35.0以上	(人) 346	568	486	284	193	144	165	74	2,260	1,914	1,675	239
	(%) 2.5	3.2	2.9	2.0	1.3	0.9	0.8	0.6	1.8	1.7	2.1	0.7	
(再掲)18.5以上25未満	(人) 7,884	9,262	8,507	7,244	7,702	8,696	10,324	7,148	66,767	58,883	41,411	17,472	
	(%) 57.1	52.8	49.9	50.6	50.5	51.8	53.2	54.8	52.5	51.9	51.2	53.8	
(再掲)25以上	(人) 5,521	7,936	8,242	6,830	7,277	7,838	8,813	5,680	58,137	52,616	38,123	14,493	
	(%) 40.0	45.3	48.4	47.7	47.7	46.6	45.4	43.6	45.7	46.4	47.1	44.6	
(再掲)30以上	(人) 1,418	2,174	2,247	1,586	1,406	1,322	1,357	735	12,245	10,827	8,735	2,092	
	(%) 10.3	12.4	13.2	11.1	9.2	7.9	7.0	5.6	9.6	9.5	10.8	6.4	
女性	総数	10,811	14,507	14,774	13,509	15,088	17,433	20,934	15,146	122,202	111,391	75,311	36,080
	18.5未満	(人) 1,427	1,342	1,172	966	926	927	947	574	8,281	6,854	5,333	1,521
		(%) 13.2	9.3	7.9	7.2	6.1	5.3	4.5	3.8	6.8	6.2	7.1	4.2
	18.5以上20.0未満	(人) 1,984	2,260	1,981	1,697	1,744	1,632	1,620	1,032	13,950	11,966	9,314	2,652
		(%) 18.4	15.6	13.4	12.6	11.6	9.4	7.7	6.8	11.4	10.7	12.4	7.4
	20.0以上25.0未満	(人) 5,095	7,140	7,387	6,922	7,798	9,222	10,849	7,719	62,132	57,037	38,469	18,568
		(%) 47.1	49.2	50.0	51.2	51.7	52.9	51.8	51.0	50.8	51.2	51.1	51.5
	25.0以上30.0未満	(人) 1,586	2,600	2,987	2,912	3,499	4,380	5,889	4,605	28,458	26,872	16,378	10,494
		(%) 14.7	17.9	20.2	21.6	23.2	25.1	28.1	30.4	23.3	24.1	21.7	29.1
	30.0以上35.0未満	(人) 503	871	919	776	920	1,045	1,355	1,011	7,400	6,897	4,531	2,366
		(%) 4.7	6.0	6.2	5.7	6.1	6.0	6.5	6.7	6.1	6.2	6.0	6.6
	35.0以上	(人) 216	294	328	236	201	227	274	205	1,981	1,765	1,286	479
	(%) 2.0	2.0	2.2	1.7	1.3	1.3	1.3	1.4	1.6	1.6	1.7	1.3	
(再掲)18.5以上25未満	(人) 7,079	9,400	9,368	8,619	9,542	10,854	12,469	8,751	76,082	69,003	47,783	21,220	
	(%) 65.5	64.8	63.4	63.8	63.2	62.3	59.6	57.8	62.3	61.9	63.4	58.8	
(再掲)25以上	(人) 2,305	3,765	4,234	3,924	4,620	5,652	7,518	5,821	37,839	35,534	22,195	13,339	
	(%) 21.3	26.0	28.7	29.0	30.6	32.4	35.9	38.4	31.0	31.9	29.5	37.0	
(再掲)30以上	(人) 719	1,165	1,247	1,012	1,121	1,272	1,629	1,216	9,381	8,662	5,817	2,845	
	(%) 6.7	8.0	8.4	7.5	7.4	7.3	7.8	8.0	7.7	7.8	7.7	7.9	

高血圧





		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲)40-74歳	(再掲)40-64歳	(再掲)65-74歳
男性	総数	13,816	17,539	17,043	14,320	15,241	16,801	19,426	13,040	127,226	113,410	80,944	32,466
	高血圧有病者*1 (人)	1,859	3,982	5,340	5,907	7,578	9,376	12,169	8,901	55,112	53,253	32,183	21,070
	(%)	13.5	22.7	31.3	41.3	49.7	55.8	62.6	68.3	43.3	47.0	39.8	64.9
	服薬あり*2 (人)	408	1,417	2,527	3,443	4,981	6,793	9,395	7,283	36,247	35,839	19,161	16,678
(%)	3.0	8.1	14.8	24.0	32.7	40.4	48.4	55.9	28.5	31.6	23.7	51.4	
治療率*3 (%)	21.9	35.6	47.3	58.3	65.7	72.5	77.2	81.8	65.8	67.3	59.5	79.2	
女性	総数	10,811	14,506	14,774	13,508	15,088	17,433	20,933	15,146	122,199	111,388	75,309	36,079
	高血圧有病者*1 (人)	584	1,479	2,524	3,334	4,970	7,192	10,644	9,212	39,939	39,355	19,499	19,856
	(%)	5.4	10.2	17.1	24.7	32.9	41.3	50.8	60.8	32.7	35.3	25.9	55.0
	服薬あり*2 (人)	148	518	1,192	1,924	3,269	5,006	7,893	7,360	27,310	27,162	11,909	15,253
(%)	1.4	3.6	8.1	14.2	21.7	28.7	37.7	48.6	22.3	24.4	15.8	42.3	
治療率*2 (%)	25.3	35.0	47.2	57.7	65.8	69.6	74.2	79.9	68.4	69.0	61.1	76.8	

*1 高血圧有病者 : 収縮期血圧140mmHg以上または拡張期血圧90mmHg以上、もしくは血圧を下げる薬を服薬する者



*2 服薬あり : 血圧を下げる薬を服薬する者

*3 治療率 : 高血圧有病者のうち、血圧を下げる薬を服薬する者の割合

「血圧を下げる薬」服薬の有無別：正常高値血圧以上（性年齢階級別，人数）






「血圧を下げる薬」服薬の有無別：血圧（男性）





性別		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲)40-74歳	(再掲)40-64歳	(再掲)65-74歳
服薬あり	総数	408	1,417	2,526	3,443	4,980	6,793	9,395	7,283	36,245	35,837	19,159	16,678
	正常血圧 (人)	71	284	487	722	892	1,182	1,498	1,088	6,224	6,153	3,567	2,586
	正常血圧 (%)	17.4	20.0	19.3	21.0	17.9	17.4	15.9	14.9	17.2	17.2	18.6	15.5
	正常高値血圧 (人)	46	166	330	420	699	1,104	1,630	1,325	5,720	5,674	2,719	2,955
	正常高値血圧 (%)	11.3	11.7	13.1	12.2	14.0	16.3	17.3	18.2	15.8	15.8	14.2	17.7
	高値血圧 (人)	130	490	893	1,234	1,763	2,346	3,028	2,295	12,179	12,049	6,726	5,323
	高値血圧 (%)	31.9	34.6	35.4	35.8	35.4	34.5	32.2	31.5	33.6	33.6	35.1	31.9
	I度高血圧 (人)	113	364	640	828	1,319	1,761	2,716	2,098	9,839	9,726	4,912	4,814
	I度高血圧 (%)	27.7	25.7	25.3	24.0	26.5	25.9	28.9	28.8	27.1	27.1	25.6	28.9
	II度高血圧 (人)	-	91	141	199	257	349	458	422	-	1,917	1,037	880
	II度高血圧 (%)	-	6.4	5.6	5.8	5.2	5.1	4.9	5.8	-	5.3	5.4	5.3
	III度高血圧 (人)	-	22	35	40	50	51	65	55	-	318	198	120
	III度高血圧 (%)	-	1.6	1.4	1.2	1.0	0.8	0.7	0.8	-	0.9	1.0	0.7
(再掲)高血圧 (人)	161	477	816	1,067	1,626	2,161	3,239	2,575	12,122	11,961	6,147	5,814	
(再掲)高血圧 (%)	39.5	33.7	32.3	31.0	32.7	31.8	34.5	35.4	33.4	33.4	32.1	34.9	
(再掲)収縮期高血圧 (人)	28	88	156	264	569	1,044	2,164	1,947	6,260	6,232	2,121	4,111	
(再掲)収縮期高血圧 (%)	6.9	6.2	6.2	7.7	11.4	15.4	23.0	26.7	17.3	17.4	11.1	24.6	
服薬なし	総数	13,410	16,122	14,517	10,877	10,261	10,008	10,031	5,757	90,983	77,573	61,785	15,788
	正常血圧 (人)	6,744	7,302	5,829	3,910	3,359	3,070	2,759	1,499	34,472	27,728	23,470	4,258
	正常血圧 (%)	50.3	45.3	40.2	35.9	32.7	30.7	27.5	26.0	37.9	35.7	38.0	27.0
	正常高値血圧 (人)	2,268	2,418	1,972	1,482	1,443	1,618	1,802	1,172	14,175	11,907	8,933	2,974
	正常高値血圧 (%)	16.9	15.0	13.6	13.6	14.1	16.2	18.0	20.4	15.6	15.3	14.5	18.8
	高値血圧 (人)	2,945	3,837	3,903	3,021	2,861	2,737	2,696	1,468	23,468	20,523	16,359	4,164
	高値血圧 (%)	22.0	23.8	26.9	27.8	27.9	27.3	26.9	25.5	25.8	26.5	26.5	26.4
	I度高血圧 (人)	1,125	1,957	2,055	1,833	2,006	1,975	2,184	1,291	14,426	13,301	9,826	3,475
	I度高血圧 (%)	8.4	12.1	14.2	16.9	19.5	19.7	21.8	22.4	15.9	17.1	15.9	22.0
	II度高血圧 (人)	236	459	573	472	474	493	479	276	3,462	3,226	2,471	755
	II度高血圧 (%)	1.8	2.8	3.9	4.3	4.6	4.9	4.8	4.8	3.8	4.2	4.0	4.8
	III度高血圧 (人)	92	149	185	159	118	115	111	51	980	888	726	162
	III度高血圧 (%)	0.7	0.9	1.3	1.5	1.1	1.1	1.1	0.9	1.1	1.1	1.2	1.0
(再掲)高血圧 (人)	1,453	2,565	2,813	2,464	2,598	2,583	2,774	1,618	18,868	17,415	13,023	4,392	
(再掲)高血圧 (%)	10.8	15.9	19.4	22.7	25.3	25.8	27.7	28.1	20.7	22.4	21.1	27.8	
(再掲)収縮期高血圧 (人)	307	436	483	504	782	1,145	1,578	1,116	6,351	6,044	3,350	2,694	
(再掲)収縮期高血圧 (%)	2.3	2.7	3.3	4.6	7.6	11.4	15.7	19.4	7.0	7.8	5.4	17.1	

「血圧を下げる薬」服薬の有無別：血圧（女性）





女性		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
服薬あり	総数	148	518	1,192	1,924	3,269	5,006	7,893	7,360	27,310	27,162	11,909	15,253
	正常血圧 (人)	35	99	227	419	728	922	1,285	1,054	4,769	4,734	2,395	2,339
	(%)	23.6	19.1	19.0	21.8	22.3	18.4	16.3	14.3	17.5	17.4	20.1	15.3
	正常高値血圧 (人)	15	63	145	276	541	967	1,545	1,501	5,053	5,038	1,992	3,046
	(%)	10.1	12.2	12.2	14.3	16.5	19.3	19.6	20.4	18.5	18.5	16.7	20.0
	高値血圧 (人)	46	191	465	643	1,107	1,570	2,470	2,291	8,783	8,737	3,976	4,761
	(%)	31.1	36.9	39.0	33.4	33.9	31.4	31.3	31.1	32.2	32.2	33.4	31.2
	I度高血圧 (人)	38	122	293	470	738	1,283	2,125	2,089	7,158	7,120	2,906	4,214
	(%)	25.7	23.6	24.6	24.4	22.6	25.6	26.9	28.4	26.2	26.2	24.4	27.6
	II度高血圧 (人)	-	29	51	101	129	228	406	375	-	1,319	538	781
(%)	-	5.6	4.3	5.2	3.9	4.6	5.1	5.1	-	4.9	4.5	5.1	
III度高血圧 (人)	-	14	11	15	26	36	62	50	-	214	102	112	
(%)	-	2.7	0.9	0.8	0.8	0.7	0.8	0.7	-	0.8	0.9	0.7	
(再掲)高血圧 (人)	52	165	355	586	893	1,547	2,593	2,514	8,705	8,653	3,546	5,107	
(%)	35.1	31.9	29.8	30.5	27.3	30.9	32.9	34.2	31.9	31.9	29.8	33.5	
(再掲)収縮期高血圧 (人)	-	39	112	229	460	996	1,900	2,045	-	5,781	1,836	3,945	
(%)	-	7.5	9.4	11.9	14.1	19.9	24.1	27.8	-	21.3	15.4	25.9	
服薬なし	総数	10,659	13,989	13,582	11,585	11,819	12,427	13,040	7,786	94,887	84,228	63,402	20,826
	正常血圧 (人)	8,345	9,672	8,379	6,464	5,925	5,312	4,833	2,486	51,416	43,071	35,752	7,319
	(%)	78.3	69.1	61.7	55.8	50.1	42.7	37.1	31.9	54.2	51.1	56.4	35.1
	正常高値血圧 (人)	864	1,542	1,681	1,588	1,898	2,239	2,497	1,604	13,913	13,049	8,948	4,101
	(%)	8.1	11.0	12.4	13.7	16.1	18.0	19.1	20.6	14.7	15.5	14.1	19.7
	高値血圧 (人)	1,014	1,813	2,190	2,122	2,295	2,690	2,959	1,844	16,927	15,913	11,110	4,803
	(%)	9.5	13.0	16.1	18.3	19.4	21.6	22.7	23.7	17.8	18.9	17.5	23.1
	I度高血圧 (人)	328	740	1,034	1,120	1,367	1,726	2,239	1,499	10,053	9,725	5,987	3,738
	(%)	3.1	5.3	7.6	9.7	11.6	13.9	17.2	19.3	10.6	11.5	9.4	17.9
	II度高血圧 (人)	84	178	223	243	276	384	435	287	2,110	2,026	1,304	722
(%)	0.8	1.3	1.6	2.1	2.3	3.1	3.3	3.7	2.2	2.4	2.1	3.5	
III度高血圧 (人)	24	44	75	48	58	76	77	66	468	444	301	143	
(%)	0.2	0.3	0.6	0.4	0.5	0.6	0.6	0.8	0.5	0.5	0.5	0.7	
(再掲)高血圧 (人)	436	962	1,332	1,411	1,701	2,186	2,751	1,852	12,631	12,195	7,592	4,603	
(%)	4.1	6.9	9.8	12.2	14.4	17.6	21.1	23.8	13.3	14.5	12.0	22.1	
(再掲)収縮期高血圧 (人)	93	238	398	535	780	1,282	1,872	1,417	6,615	6,522	3,233	3,289	
(%)	0.9	1.7	2.9	4.6	6.6	10.3	14.4	18.2	7.0	7.7	5.1	15.8	

「血圧を下げる薬」服薬の有無別：血圧（高血圧6区分、男性）



男性		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲)40-74歳	(再掲)40-64歳	(再掲)65-74歳
服薬あり	総数	408	1,417	2,526	3,443	4,980	6,793	9,395	7,283	36,245	35,837	19,159	16,678
	正常血圧 (人)	71	284	487	722	892	1,182	1,498	1,088	6,224	6,153	3,567	2,586
	(%)	17.4	20.0	19.3	21.0	17.9	17.4	15.9	14.9	17.2	17.2	18.6	15.5
	正常高値血圧 (人)	46	166	330	420	699	1,104	1,630	1,325	5,720	5,674	2,719	2,955
	(%)	11.3	11.7	13.1	12.2	14.0	16.3	17.3	18.2	15.8	15.8	14.2	17.7
	高値血圧 (人)	130	490	893	1,234	1,763	2,346	3,028	2,295	12,179	12,049	6,726	5,323
	(%)	31.9	34.6	35.4	35.8	35.4	34.5	32.2	31.5	33.6	33.6	35.1	31.9
	I度高血圧 (人)	113	364	640	828	1,319	1,761	2,716	2,098	9,839	9,726	4,912	4,814
	(%)	27.7	25.7	25.3	24.0	26.5	25.9	28.9	28.8	27.1	27.1	25.6	28.9
	II度高血圧 (人)	-	91	141	199	257	349	458	422	-	1,917	1,037	880
(%)	-	6.4	5.6	5.8	5.2	5.1	4.9	5.8	-	5.3	5.4	5.3	
III度高血圧 (人)	-	22	35	40	50	51	65	55	-	318	198	120	
(%)	-	1.6	1.4	1.2	1.0	0.8	0.7	0.8	-	0.9	1.0	0.7	
(再掲)高血圧 (人)	161	477	816	1,067	1,626	2,161	3,239	2,575	12,122	11,961	6,147	5,814	
(%)	39.5	33.7	32.3	31.0	32.7	31.8	34.5	35.4	33.4	33.4	32.1	34.9	
(再掲)収縮期高血圧 (人)	28	88	156	264	569	1,044	2,164	1,947	6,260	6,232	2,121	4,111	
(%)	6.9	6.2	6.2	7.7	11.4	15.4	23.0	26.7	17.3	17.4	11.1	24.6	
服薬なし	総数	13,410	16,122	14,517	10,877	10,261	10,008	10,031	5,757	90,983	77,573	61,785	15,788
	正常血圧 (人)	6,744	7,302	5,829	3,910	3,359	3,070	2,759	1,499	34,472	27,728	23,470	4,258
	(%)	50.3	45.3	40.2	35.9	32.7	30.7	27.5	26.0	37.9	35.7	38.0	27.0
	正常高値血圧 (人)	2,268	2,418	1,972	1,482	1,443	1,618	1,802	1,172	14,175	11,907	8,933	2,974
	(%)	16.9	15.0	13.6	13.6	14.1	16.2	18.0	20.4	15.6	15.3	14.5	18.8
	高値血圧 (人)	2,945	3,837	3,903	3,021	2,861	2,737	2,696	1,468	23,468	20,523	16,359	4,164
	(%)	22.0	23.8	26.9	27.8	27.9	27.3	26.9	25.5	25.8	26.5	26.5	26.4
	I度高血圧 (人)	1,125	1,957	2,055	1,833	2,006	1,975	2,184	1,291	14,426	13,301	9,826	3,475
	(%)	8.4	12.1	14.2	16.9	19.5	19.7	21.8	22.4	15.9	17.1	15.9	22.0
	II度高血圧 (人)	236	459	573	472	474	493	479	276	3,462	3,226	2,471	755
(%)	1.8	2.8	3.9	4.3	4.6	4.9	4.8	4.8	3.8	4.2	4.0	4.8	
III度高血圧 (人)	92	149	185	159	118	115	111	51	980	888	726	162	
(%)	0.7	0.9	1.3	1.5	1.1	1.1	1.1	0.9	1.1	1.1	1.2	1.0	
(再掲)高血圧 (人)	1,453	2,565	2,813	2,464	2,598	2,583	2,774	1,618	18,868	17,415	13,023	4,392	
(%)	10.8	15.9	19.4	22.7	25.3	25.8	27.7	28.1	20.7	22.4	21.1	27.8	
(再掲)収縮期高血圧 (人)	307	436	483	504	782	1,145	1,578	1,116	6,351	6,044	3,350	2,694	
(%)	2.3	2.7	3.3	4.6	7.6	11.4	15.7	19.4	7.0	7.8	5.4	17.1	

「血圧を下げる薬」服薬の有無別：血圧（高血圧6区分，女性）



女性		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
		総数	148	518	1,192	1,924	3,269	5,006	7,893	7,360	27,310	27,162	11,909
服薬あり	正常血圧 (人)	35	99	227	419	728	922	1,285	1,054	4,769	4,734	2,395	2,339
	(%)	23.6	19.1	19.0	21.8	22.3	18.4	16.3	14.3	17.5	17.4	20.1	15.3
	正常高値血圧 (人)	15	63	145	276	541	967	1,545	1,501	5,053	5,038	1,992	3,046
	(%)	10.1	12.2	12.2	14.3	16.5	19.3	19.6	20.4	18.5	18.5	16.7	20.0
	高値血圧 (人)	46	191	465	643	1,107	1,570	2,470	2,291	8,783	8,737	3,976	4,761
	(%)	31.1	36.9	39.0	33.4	33.9	31.4	31.3	31.1	32.2	32.2	33.4	31.2
	I度高血圧 (人)	38	122	293	470	738	1,283	2,125	2,089	7,158	7,120	2,906	4,214
	(%)	25.7	23.6	24.6	24.4	22.6	25.6	26.9	28.4	26.2	26.2	24.4	27.6
	II度高血圧 (人)	-	29	51	101	129	228	406	375	-	1,319	538	781
	(%)	-	5.6	4.3	5.2	3.9	4.6	5.1	5.1	-	4.9	4.5	5.1
	III度高血圧 (人)	-	14	11	15	26	36	62	50	-	214	102	112
	(%)	-	2.7	0.9	0.8	0.8	0.7	0.8	0.7	-	0.8	0.9	0.7
	(再掲)高血圧 (人)	52	165	355	586	893	1,547	2,593	2,514	8,705	8,653	3,546	5,107
	(%)	35.1	31.9	29.8	30.5	27.3	30.9	32.9	34.2	31.9	31.9	29.8	33.5
(再掲)収縮期高血圧 (人)	-	39	112	229	460	996	1,900	2,045	-	5,781	1,836	3,945	
(%)	-	7.5	9.4	11.9	14.1	19.9	24.1	27.8	-	21.3	15.4	25.9	
服薬なし	総数	10,659	13,989	13,582	11,585	11,819	12,427	13,040	7,786	94,887	84,228	63,402	20,826
	正常血圧 (人)	8,345	9,672	8,379	6,464	5,925	5,312	4,833	2,486	51,416	43,071	35,752	7,319
	(%)	78.3	69.1	61.7	55.8	50.1	42.7	37.1	31.9	54.2	51.1	56.4	35.1
	正常高値血圧 (人)	864	1,542	1,681	1,588	1,898	2,239	2,497	1,604	13,913	13,049	8,948	4,101
	(%)	8.1	11.0	12.4	13.7	16.1	18.0	19.1	20.6	14.7	15.5	14.1	19.7
	高値血圧 (人)	1,014	1,813	2,190	2,122	2,295	2,690	2,959	1,844	16,927	15,913	11,110	4,803
	(%)	9.5	13.0	16.1	18.3	19.4	21.6	22.7	23.7	17.8	18.9	17.5	23.1
	I度高血圧 (人)	328	740	1,034	1,120	1,367	1,726	2,239	1,499	10,053	9,725	5,987	3,738
	(%)	3.1	5.3	7.6	9.7	11.6	13.9	17.2	19.3	10.6	11.5	9.4	17.9
	II度高血圧 (人)	84	178	223	243	276	384	435	287	2,110	2,026	1,304	722
	(%)	0.8	1.3	1.6	2.1	2.3	3.1	3.3	3.7	2.2	2.4	2.1	3.5
	III度高血圧 (人)	24	44	75	48	58	76	77	66	468	444	301	143
	(%)	0.2	0.3	0.6	0.4	0.5	0.6	0.6	0.8	0.5	0.5	0.5	0.7
	(再掲)高血圧 (人)	436	962	1,332	1,411	1,701	2,186	2,751	1,852	12,631	12,195	7,592	4,603
(%)	4.1	6.9	9.8	12.2	14.4	17.6	21.1	23.8	13.3	14.5	12.0	22.1	
(再掲)収縮期高血圧 (人)	93	238	398	535	780	1,282	1,872	1,417	6,615	6,522	3,233	3,289	
(%)	0.9	1.7	2.9	4.6	6.6	10.3	14.4	18.2	7.0	7.7	5.1	15.8	

収縮期血圧






表. 収縮期血圧 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	13,818	17,539	17,043	14,320	15,242	16,801	19,426	13,040	127,229	113,411	80,945	32,466
	120未満 (人)	7,263	8,227	7,068	5,274	4,780	4,635	4,543	2,699	44,489	37,226	29,984	7,242
	(%)	52.6	46.9	41.5	36.8	31.4	27.6	23.4	20.7	35.0	32.8	37.0	22.3
	120以上130未満 (人)	3,664	4,717	4,606	3,895	4,025	4,327	4,783	3,134	33,151	29,487	21,570	7,917
	(%)	26.5	26.9	27.0	27.2	26.4	25.8	24.6	24.0	26.1	26.0	26.6	24.4
	130以上140未満 (人)	1,796	2,554	2,874	2,615	3,152	3,733	4,544	3,206	24,474	22,678	14,928	7,750
	(%)	13.0	14.6	16.9	18.3	20.7	22.2	23.4	24.6	19.2	20.0	18.4	23.9
	140以上160未満 (人)	944	1,723	2,093	2,064	2,704	3,321	4,603	3,280	20,732	19,788	11,905	7,883
	(%)	6.8	9.8	12.3	14.4	17.7	19.8	23.7	25.2	16.3	17.4	14.7	24.3
	160以上180未満 (人)	119	274	316	397	486	661	807	634	3,694	3,575	2,134	1,441
(%)	0.9	1.6	1.9	2.8	3.2	3.9	4.2	4.9	2.9	3.2	2.6	4.4	
180以上 (人)	32	44	86	75	95	124	146	87	689	657	424	233	
(%)	0.2	0.3	0.5	0.5	0.6	0.7	0.8	0.7	0.5	0.6	0.5	0.7	
(再掲)130以上 (人)	2,891	4,595	5,369	5,151	6,437	7,839	10,100	7,207	49,589	46,698	29,391	17,307	
(%)	20.9	26.2	31.5	36.0	42.2	46.7	52.0	55.3	39.0	41.2	36.3	53.3	
(再掲)140以上 (人)	1,095	2,041	2,495	2,536	3,285	4,106	5,556	4,001	25,115	24,020	14,463	9,557	
(%)	7.9	11.6	14.6	17.7	21.6	24.4	28.6	30.7	19.7	21.2	17.9	29.4	
女性	総数	10,811	14,507	14,774	13,509	15,089	17,433	20,934	15,146	122,203	111,392	75,312	36,080
	120未満 (人)	8,634	10,120	8,982	7,226	6,955	6,491	6,318	3,632	58,358	49,724	39,774	9,950
	(%)	79.9	69.8	60.8	53.5	46.1	37.2	30.2	24.0	47.8	44.6	52.8	27.6
	120以上130未満 (人)	1,356	2,488	2,905	2,913	3,517	4,256	5,043	3,658	26,136	24,780	16,079	8,701
	(%)	12.5	17.2	19.7	21.6	23.3	24.4	24.1	24.2	21.4	22.2	21.3	24.1
	130以上140未満 (人)	506	1,101	1,583	1,731	2,375	3,252	4,473	3,636	18,657	18,151	10,042	8,109
	(%)	4.7	7.6	10.7	12.8	15.7	18.7	21.4	24.0	15.3	16.3	13.3	22.5
	140以上160未満 (人)	249	665	1,067	1,359	1,868	2,812	4,192	3,489	15,701	15,452	7,771	7,681
	(%)	2.3	4.6	7.2	10.1	12.4	16.1	20.0	23.0	12.8	13.9	10.3	21.3
	160以上180未満 (人)	-	112	181	239	312	537	784	623	-	2,788	1,381	1,407
(%)	-	0.8	1.2	1.8	2.1	3.1	3.7	4.1	-	2.5	1.8	3.9	
180以上 (人)	-	21	56	41	62	85	124	108	-	497	265	232	
(%)	-	0.1	0.4	0.3	0.4	0.5	0.6	0.7	-	0.4	0.4	0.6	
(再掲)130以上 (人)	821	1,899	2,887	3,370	4,617	6,686	9,573	7,856	37,709	36,888	19,459	17,429	
(%)	7.6	13.1	19.5	24.9	30.6	38.4	45.7	51.9	30.9	33.1	25.8	48.3	
(再掲)140以上 (人)	315	798	1,304	1,639	2,242	3,434	5,100	4,220	19,052	18,737	9,417	9,320	
(%)	2.9	5.5	8.8	12.1	14.9	19.7	24.4	27.9	15.6	16.8	12.5	25.8	

収縮期血圧 -「血圧を下げる薬」服薬ありの者-






表. 収縮期血圧_服薬あり 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	408	1,417	2,526	3,443	4,980	6,793	9,395	7,283	36,245	35,837	19,159	16,678
	120未満 (人)	88	353	609	861	1,032	1,331	1,612	1,148	7,034	6,946	4,186	2,760
	(%)	21.6	24.9	24.1	25.0	20.7	19.6	17.2	15.8	19.4	19.4	21.8	16.5
	120以上130未満 (人)	103	381	749	976	1,382	1,828	2,295	1,664	9,378	9,275	5,316	3,959
	(%)	25.2	26.9	29.7	28.3	27.8	26.9	24.4	22.8	25.9	25.9	27.7	23.7
	130以上140未満 (人)	101	355	623	859	1,294	1,771	2,477	2,007	9,487	9,386	4,902	4,484
	(%)	24.8	25.1	24.7	24.9	26.0	26.1	26.4	27.6	26.2	26.2	25.6	26.9
	140以上160未満 (人)	92	279	480	626	1,084	1,545	2,564	2,031	8,701	8,609	4,014	4,595
	(%)	22.5	19.7	19.0	18.2	21.8	22.7	27.3	27.9	24.0	24.0	21.0	27.6
	160以上180未満 (人)	-	-	-	105	159	283	392	392	-	1,431	647	784
(%)	-	-	-	3.0	3.2	4.2	4.2	5.4	-	4.0	3.4	4.7	
180以上 (人)	-	-	-	16	29	35	55	41	-	190	94	96	
(%)	-	-	-	0.5	0.6	0.5	0.6	0.6	-	0.5	0.5	0.6	
(再掲)130以上 (人)	217	683	1,168	1,606	2,566	3,634	5,488	4,471	19,833	19,616	9,657	9,959	
(%)	53.2	48.2	46.2	46.6	51.5	53.5	58.4	61.4	54.7	54.7	50.4	59.7	
(再掲)140以上 (人)	116	328	545	747	1,272	1,863	3,011	2,464	10,346	10,230	4,755	5,475	
(%)	28.4	23.1	21.6	21.7	25.5	27.4	32.0	33.8	28.5	28.5	24.8	32.8	
女性	総数	148	518	1,192	1,924	3,269	5,006	7,893	7,360	27,310	27,162	11,909	15,253
	120未満 (人)	39	129	274	486	807	1,003	1,348	1,091	5,177	5,138	2,699	2,439
	(%)	26.4	24.9	23.0	25.3	24.7	20.0	17.1	14.8	19.0	18.9	22.7	16.0
	120以上130未満 (人)	41	142	336	515	864	1,331	1,961	1,771	6,961	6,920	3,188	3,732
	(%)	27.7	27.4	28.2	26.8	26.4	26.6	24.8	24.1	25.5	25.5	26.8	24.5
	130以上140未満 (人)	32	126	315	450	806	1,246	2,110	2,061	7,146	7,114	2,943	4,171
	(%)	21.6	24.3	26.4	23.4	24.7	24.9	26.7	28.0	26.2	26.2	24.7	27.3
	140以上160未満 (人)	-	95	228	390	675	1,194	2,043	2,033	-	6,658	2,582	4,076
	(%)	-	18.3	19.1	20.3	20.6	23.9	25.9	27.6	-	24.5	21.7	26.7
	160以上180未満 (人)	-	-	-	72	95	206	375	358	-	1,158	425	733
(%)	-	-	-	3.7	2.9	4.1	4.8	4.9	-	4.3	3.6	4.8	
180以上 (人)	-	-	-	11	22	26	56	46	-	174	72	102	
(%)	-	-	-	0.6	0.7	0.5	0.7	0.6	-	0.6	0.6	0.7	
(再掲)130以上 (人)	68	247	582	923	1,598	2,672	4,584	4,498	15,172	15,104	6,022	9,082	
(%)	45.9	47.7	48.8	48.0	48.9	53.4	58.1	61.1	55.6	55.6	50.6	59.5	
(再掲)140以上 (人)	36	121	267	473	792	1,426	2,474	2,437	8,026	7,990	3,079	4,911	
(%)	24.3	23.4	22.4	24.6	24.2	28.5	31.3	33.1	29.4	29.4	25.9	32.2	

収縮期血圧 -「血圧を下げる薬」服薬なしの者-






表. 収縮期血圧_服薬なし_区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	13,410	16,122	14,517	10,877	10,261	10,008	10,031	5,757	90,983	77,573	61,785	15,788
	120未満 (人)	7,175	7,874	6,459	4,413	3,747	3,304	2,931	1,551	37,454	30,279	25,797	4,482
	(%)	53.5	48.8	44.5	40.6	36.5	33.0	29.2	26.9	41.2	39.0	41.8	28.4
	120以上130未満 (人)	3,561	4,336	3,857	2,919	2,643	2,499	2,488	1,470	23,773	20,212	16,254	3,958
	(%)	26.6	26.9	26.6	26.8	25.8	25.0	24.8	25.5	26.1	26.1	26.3	25.1
	130以上140未満 (人)	1,695	2,199	2,251	1,756	1,858	1,962	2,067	1,199	14,987	13,292	10,026	3,266
	(%)	12.6	13.6	15.5	16.1	18.1	19.6	20.6	20.8	16.5	17.1	16.2	20.7
	140以上160未満 (人)	852	1,444	1,613	1,438	1,620	1,776	2,039	1,249	12,031	11,179	7,891	3,288
	(%)	6.4	9.0	11.1	13.2	15.8	17.7	20.3	21.7	13.2	14.4	12.8	20.8
	160以上180未満 (人)	101	231	259	292	327	378	415	242	2,245	2,144	1,487	657
(%)	0.8	1.4	1.8	2.7	3.2	3.8	4.1	4.2	2.5	2.8	2.4	4.2	
180以上 (人)	26	38	78	59	66	89	91	46	493	467	330	137	
(%)	0.2	0.2	0.5	0.5	0.6	0.9	0.9	0.8	0.5	0.6	0.5	0.9	
(再掲)130以上 (人)	2,674	3,912	4,201	3,545	3,871	4,205	4,612	2,736	29,756	27,082	19,734	7,348	
(%)	19.9	24.3	28.9	32.6	37.7	42.0	46.0	47.5	32.7	34.9	31.9	46.5	
(再掲)140以上 (人)	979	1,713	1,950	1,789	2,013	2,243	2,545	1,537	14,769	13,790	9,708	4,082	
(%)	7.3	10.6	13.4	16.4	19.6	22.4	25.4	26.7	16.2	17.8	15.7	25.9	
女性	総数	10,659	13,989	13,582	11,585	11,819	12,427	13,040	7,786	94,887	84,228	63,402	20,826
	120未満 (人)	8,591	9,991	8,708	6,740	6,147	5,488	4,970	2,541	53,176	44,585	37,074	7,511
	(%)	80.6	71.4	64.1	58.2	52.0	44.2	38.1	32.6	56.0	52.9	58.5	36.1
	120以上130未満 (人)	1,315	2,346	2,569	2,398	2,653	2,925	3,081	1,887	19,174	17,859	12,891	4,968
	(%)	12.3	16.8	18.9	20.7	22.4	23.5	23.6	24.2	20.2	21.2	20.3	23.9
	130以上140未満 (人)	474	975	1,268	1,281	1,569	2,006	2,363	1,575	11,511	11,037	7,099	3,938
	(%)	4.4	7.0	9.3	11.1	13.3	16.1	18.1	20.2	12.1	13.1	11.2	18.9
	140以上160未満 (人)	220	570	839	969	1,193	1,618	2,149	1,456	9,014	8,794	5,189	3,605
	(%)	2.1	4.1	6.2	8.4	10.1	13.0	16.5	18.7	9.5	10.4	8.2	17.3
	160以上180未満 (人)	-	91	150	167	217	331	409	265	-	1,630	956	674
(%)	-	0.7	1.1	1.4	1.8	2.7	3.1	3.4	-	1.9	1.5	3.2	
180以上 (人)	-	16	48	30	40	59	68	62	-	323	193	130	
(%)	-	0.1	0.4	0.3	0.3	0.5	0.5	0.8	-	0.4	0.3	0.6	
(再掲)130以上 (人)	753	1,652	2,305	2,447	3,019	4,014	4,989	3,358	22,537	21,784	13,437	8,347	
(%)	7.1	11.8	17.0	21.1	25.5	32.3	38.3	43.1	23.8	25.9	21.2	40.1	
(再掲)140以上 (人)	279	677	1,037	1,166	1,450	2,008	2,626	1,783	11,026	10,747	6,338	4,409	
(%)	2.6	4.8	7.6	10.1	12.3	16.2	20.1	22.9	11.6	12.8	10.0	21.2	

拡張期血圧






表. 拡張期血圧 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	13,818	17,539	17,043	14,320	15,242	16,801	19,426	13,040	127,229	113,411	80,945	32,466
	80未満	(人) 9,661	10,761	9,170	7,095	7,398	8,928	11,273	8,536	72,822	63,161	43,352	19,809
		(%) 69.9	61.4	53.8	49.5	48.5	53.1	58.0	65.5	57.2	55.7	53.6	61.0
	80以上85未満	(人) 1,914	2,744	3,026	2,727	3,058	3,364	3,937	2,318	23,088	21,174	14,919	6,255
		(%) 13.9	15.6	17.8	19.0	20.1	20.0	20.3	17.8	18.1	18.7	18.4	19.3
	85以上90未満	(人) 964	1,516	1,857	1,735	1,913	1,954	1,945	1,056	12,940	11,976	8,975	3,001
		(%) 7.0	8.6	10.9	12.1	12.6	11.6	10.0	8.1	10.2	10.6	11.1	9.2
	90以上100未満	(人) 934	1,867	2,159	2,057	2,239	2,059	1,873	931	14,119	13,185	10,381	2,804
		(%) 6.8	10.6	12.7	14.4	14.7	12.3	9.6	7.1	11.1	11.6	12.8	8.6
	100以上110未満	(人) 252	489	634	536	518	417	336	164	3,346	3,094	2,594	500
	(%) 1.8	2.8	3.7	3.7	3.4	2.5	1.7	1.3	2.6	2.7	3.2	1.5	
110以上	(人) 93	162	197	170	116	79	62	35	914	821	724	97	
	(%) 0.7	0.9	1.2	1.2	0.8	0.5	0.3	0.3	0.7	0.7	0.9	0.3	
(再掲)85以上	(人) 2,243	4,034	4,847	4,498	4,786	4,509	4,216	2,186	31,319	29,076	22,674	6,402	
	(%) 16.2	23.0	28.4	31.4	31.4	26.8	21.7	16.8	24.6	25.6	28.0	19.7	
(再掲)90以上	(人) 1,279	2,518	2,990	2,763	2,873	2,555	2,271	1,130	18,379	17,100	13,699	3,401	
	(%) 9.3	14.4	17.5	19.3	18.8	15.2	11.7	8.7	14.4	15.1	16.9	10.5	
女性	総数	10,811	14,507	14,774	13,509	15,089	17,433	20,934	15,146	122,203	111,392	75,312	36,080
	80未満	(人) 9,421	11,725	10,962	9,477	10,363	11,788	14,364	10,889	88,989	79,568	54,315	25,253
		(%) 87.1	80.8	74.2	70.2	68.7	67.6	68.6	71.9	72.8	71.4	72.1	70.0
	80以上85未満	(人) 700	1,260	1,722	1,830	2,161	2,776	3,480	2,339	16,268	15,568	9,749	5,819
		(%) 6.5	8.7	11.7	13.5	14.3	15.9	16.6	15.4	13.3	14.0	12.9	16.1
	85以上90未満	(人) 300	672	913	969	1,211	1,414	1,518	1,014	8,011	7,711	5,179	2,532
		(%) 2.8	4.6	6.2	7.2	8.0	8.1	7.3	6.7	6.6	6.9	6.9	7.0
	90以上100未満	(人) 290	647	917	986	1,101	1,202	1,341	757	7,241	6,951	4,853	2,098
		(%) 2.7	4.5	6.2	7.3	7.3	6.9	6.4	5.0	5.9	6.2	6.4	5.8
	100以上110未満	(人) 75	158	203	211	215	212	191	126	1,391	1,316	999	317
	(%) 0.7	1.1	1.4	1.6	1.4	1.2	0.9	0.8	1.1	1.2	1.3	0.9	
110以上	(人) 25	45	57	36	38	41	40	21	303	278	217	61	
	(%) 0.2	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.2	0.2	0.3	0.2	
(再掲)85以上	(人) 690	1,522	2,090	2,202	2,565	2,869	3,090	1,918	16,946	16,256	11,248	5,008	
	(%) 6.4	10.5	14.1	16.3	17.0	16.5	14.8	12.7	13.9	14.6	14.9	13.9	
(再掲)90以上	(人) 390	850	1,177	1,233	1,354	1,455	1,572	904	8,935	8,545	6,069	2,476	
	(%) 3.6	5.9	8.0	9.1	9.0	8.3	7.5	6.0	7.3	7.7	8.1	6.9	

拡張期血圧 -「血圧を下げる薬」服薬ありの者-






表. 拡張期血圧_服薬あり 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	408	1,417	2,526	3,443	4,980	6,793	9,395	7,283	36,245	35,837	19,159	16,678
	80未満	(人) 138	(人) 513	(人) 920	(人) 1,335	(人) 2,060	(人) 3,241	(人) 5,291	(人) 4,717	(人) 18,215	(人) 18,077	(人) 8,069	(人) 10,008
		(%) 33.8	(%) 36.2	(%) 36.4	(%) 38.8	(%) 41.4	(%) 47.7	(%) 56.3	(%) 64.8	(%) 50.3	(%) 50.4	(%) 42.1	(%) 60.0
	80以上85未満	(人) 80	(人) 314	(人) 573	(人) 773	(人) 1,118	(人) 1,536	(人) 2,042	(人) 1,354	(人) 7,790	(人) 7,710	(人) 4,314	(人) 3,396
		(%) 19.6	(%) 22.2	(%) 22.7	(%) 22.5	(%) 22.4	(%) 22.6	(%) 21.7	(%) 18.6	(%) 21.5	(%) 21.5	(%) 22.5	(%) 20.4
	85以上90未満	(人) 57	(人) 201	(人) 373	(人) 532	(人) 745	(人) 899	(人) 987	(人) 584	(人) 4,378	(人) 4,321	(人) 2,750	(人) 1,571
		(%) 14.0	(%) 14.2	(%) 14.8	(%) 15.5	(%) 15.0	(%) 13.2	(%) 10.5	(%) 8.0	(%) 12.1	(%) 12.1	(%) 14.4	(%) 9.4
	90以上100未満	(人) 90	(人) 289	(人) 504	(人) 616	(人) 851	(人) 945	(人) 913	(人) 520	(人) 4,728	(人) 4,638	(人) 3,205	(人) 1,433
		(%) 22.1	(%) 20.4	(%) 20.0	(%) 17.9	(%) 17.1	(%) 13.9	(%) 9.7	(%) 7.1	(%) 13.0	(%) 12.9	(%) 16.7	(%) 8.6
	100以上110未満	(人) -	(人) 80	(人) 124	(人) 156	(人) 179	(人) 149	(人) 143	(人) 86	(人) -	(人) 917	(人) 688	(人) 229
	(%) -	(%) 5.6	(%) 4.9	(%) 4.5	(%) 3.6	(%) 2.2	(%) 1.5	(%) 1.2	(%) -	(%) 2.6	(%) 3.6	(%) 1.4	
110以上	(人) -	(人) 20	(人) 32	(人) 31	(人) 27	(人) 23	(人) 19	(人) 22	(人) -	(人) 174	(人) 133	(人) 41	
	(%) -	(%) 1.4	(%) 1.3	(%) 0.9	(%) 0.5	(%) 0.3	(%) 0.2	(%) 0.3	(%) -	(%) 0.5	(%) 0.7	(%) 0.2	
(再掲)85以上	(人) 190	(人) 590	(人) 1,033	(人) 1,335	(人) 1,802	(人) 2,016	(人) 2,062	(人) 1,212	(人) 10,240	(人) 10,050	(人) 6,776	(人) 3,274	
	(%) 46.6	(%) 41.6	(%) 40.9	(%) 38.8	(%) 36.2	(%) 29.7	(%) 21.9	(%) 16.6	(%) 28.3	(%) 28.0	(%) 35.4	(%) 19.6	
(再掲)90以上	(人) 133	(人) 389	(人) 660	(人) 803	(人) 1,057	(人) 1,117	(人) 1,075	(人) 628	(人) 5,862	(人) 5,729	(人) 4,026	(人) 1,703	
	(%) 32.6	(%) 27.5	(%) 26.1	(%) 23.3	(%) 21.2	(%) 16.4	(%) 11.4	(%) 8.6	(%) 16.2	(%) 16.0	(%) 21.0	(%) 10.2	
女性	総数	148	518	1,192	1,924	3,269	5,006	7,893	7,360	27,310	27,162	11,909	15,253
	80未満	(人) 54	(人) 200	(人) 461	(人) 883	(人) 1,707	(人) 2,849	(人) 4,909	(人) 5,088	(人) 16,151	(人) 16,097	(人) 6,100	(人) 9,997
		(%) 36.5	(%) 38.6	(%) 38.7	(%) 45.9	(%) 52.2	(%) 56.9	(%) 62.2	(%) 69.1	(%) 59.1	(%) 59.3	(%) 51.2	(%) 65.5
	80以上85未満	(人) 26	(人) 105	(人) 285	(人) 416	(人) 703	(人) 1,064	(人) 1,625	(人) 1,258	(人) 5,482	(人) 5,456	(人) 2,573	(人) 2,883
		(%) 17.6	(%) 20.3	(%) 23.9	(%) 21.6	(%) 21.5	(%) 21.3	(%) 20.6	(%) 17.1	(%) 20.1	(%) 20.1	(%) 21.6	(%) 18.9
	85以上90未満	(人) 21	(人) 87	(人) 203	(人) 268	(人) 426	(人) 542	(人) 666	(人) 545	(人) 2,758	(人) 2,737	(人) 1,526	(人) 1,211
		(%) 14.2	(%) 16.8	(%) 17.0	(%) 13.9	(%) 13.0	(%) 10.8	(%) 8.4	(%) 7.4	(%) 10.1	(%) 10.1	(%) 12.8	(%) 7.9
	90以上100未満	(人) 37	(人) 94	(人) 202	(人) 294	(人) 358	(人) 475	(人) 599	(人) 406	(人) 2,465	(人) 2,428	(人) 1,423	(人) 1,005
		(%) 25.0	(%) 18.1	(%) 16.9	(%) 15.3	(%) 11.0	(%) 9.5	(%) 7.6	(%) 5.5	(%) 9.0	(%) 8.9	(%) 11.9	(%) 6.6
	100以上110未満	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -	(人) 377	(人) 243	(人) 134
	(%) -	(%) -	(%) -	(%) -	(%) -	(%) -	(%) -	(%) -	(%) -	(%) 1.4	(%) 2.0	(%) 0.9	
110以上	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -	(人) 67	(人) 44	(人) 23	
	(%) -	(%) -	(%) -	(%) -	(%) -	(%) -	(%) -	(%) -	(%) -	(%) 0.2	(%) 0.4	(%) 0.2	
(再掲)85以上	(人) 68	(人) 213	(人) 446	(人) 625	(人) 859	(人) 1,093	(人) 1,359	(人) 1,014	(人) 5,677	(人) 5,609	(人) 3,236	(人) 2,373	
	(%) 45.9	(%) 41.1	(%) 37.4	(%) 32.5	(%) 26.3	(%) 21.8	(%) 17.2	(%) 13.8	(%) 20.8	(%) 20.7	(%) 27.2	(%) 15.6	
(再掲)90以上	(人) 47	(人) 126	(人) 243	(人) 357	(人) 433	(人) 551	(人) 693	(人) 469	(人) 2,919	(人) 2,872	(人) 1,710	(人) 1,162	
	(%) 31.8	(%) 24.3	(%) 20.4	(%) 18.6	(%) 13.2	(%) 11.0	(%) 8.8	(%) 6.4	(%) 10.7	(%) 10.6	(%) 14.4	(%) 7.6	

拡張期血圧 -「血圧を下げる薬」服薬なしの者-








表. 拡張期血圧_服薬なし_区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	13,410	16,122	14,517	10,877	10,261	10,008	10,031	5,757	90,983	77,573	61,785	15,788
	80未満	(人) 9,523	10,248	8,250	5,760	5,337	5,687	5,982	3,819	54,606	45,083	35,282	9,801
		(%) 71.0	63.6	56.8	53.0	52.0	56.8	59.6	66.3	60.0	58.1	57.1	62.1
	80以上85未満	(人) 1,834	2,430	2,453	1,954	1,940	1,828	1,895	964	15,298	13,464	10,605	2,859
		(%) 13.7	15.1	16.9	18.0	18.9	18.3	18.9	16.7	16.8	17.4	17.2	18.1
	85以上90未満	(人) 907	1,315	1,484	1,203	1,168	1,055	958	472	8,562	7,655	6,225	1,430
		(%) 6.8	8.2	10.2	11.1	11.4	10.5	9.6	8.2	9.4	9.9	10.1	9.1
	90以上100未満	(人) 844	1,578	1,655	1,441	1,388	1,114	960	411	9,391	8,547	7,176	1,371
		(%) 6.3	9.8	11.4	13.2	13.5	11.1	9.6	7.1	10.3	11.0	11.6	8.7
	100以上110未満	(人) 215	409	510	380	339	268	193	78	2,392	2,177	1,906	271
	(%) 1.6	2.5	3.5	3.5	3.3	2.7	1.9	1.4	2.6	2.8	3.1	1.7	
110以上	(人) 87	142	165	139	89	56	43	13	734	647	591	56	
	(%) 0.6	0.9	1.1	1.3	0.9	0.6	0.4	0.2	0.8	0.8	1.0	0.4	
(再掲)85以上	(人) 2,053	3,444	3,814	3,163	2,984	2,493	2,154	974	21,079	19,026	15,898	3,128	
	(%) 15.3	21.4	26.3	29.1	29.1	24.9	21.5	16.9	23.2	24.5	25.7	19.8	
(再掲)90以上	(人) 1,146	2,129	2,330	1,960	1,816	1,438	1,196	502	12,517	11,371	9,673	1,698	
	(%) 8.5	13.2	16.1	18.0	17.7	14.4	11.9	8.7	13.8	14.7	15.7	10.8	
女性	総数	10,659	13,989	13,582	11,585	11,819	12,427	13,040	7,786	94,887	84,228	63,402	20,826
	80未満	(人) 9,363	11,525	10,501	8,594	8,655	8,939	9,454	5,801	72,832	63,469	48,214	15,255
		(%) 87.8	82.4	77.3	74.2	73.2	71.9	72.5	74.5	76.8	75.4	76.0	73.2
	80以上85未満	(人) 674	1,155	1,437	1,414	1,458	1,712	1,855	1,081	10,786	10,112	7,176	2,936
		(%) 6.3	8.3	10.6	12.2	12.3	13.8	14.2	13.9	11.4	12.0	11.3	14.1
	85以上90未満	(人) 279	585	710	701	785	872	852	469	5,253	4,974	3,653	1,321
		(%) 2.6	4.2	5.2	6.1	6.6	7.0	6.5	6.0	5.5	5.9	5.8	6.3
	90以上100未満	(人) 253	553	715	692	743	727	742	351	4,776	4,523	3,430	1,093
		(%) 2.4	4.0	5.3	6.0	6.3	5.9	5.7	4.5	5.0	5.4	5.4	5.2
	100以上110未満	(人) 67	136	170	155	146	149	112	71	1,006	939	756	183
	(%) 0.6	1.0	1.3	1.3	1.2	1.2	0.9	0.9	1.1	1.1	1.2	0.9	
110以上	(人) 23	35	49	29	32	28	25	13	234	211	173	38	
	(%) 0.2	0.3	0.4	0.3	0.3	0.2	0.2	0.2	0.2	0.3	0.3	0.2	
(再掲)85以上	(人) 622	1,309	1,644	1,577	1,706	1,776	1,731	904	11,269	10,647	8,012	2,635	
	(%) 5.8	9.4	12.1	13.6	14.4	14.3	13.3	11.6	11.9	12.6	12.6	12.7	
(再掲)90以上	(人) 343	724	934	876	921	904	879	435	6,016	5,673	4,359	1,314	
	(%) 3.2	5.2	6.9	7.6	7.8	7.3	6.7	5.6	6.3	6.7	6.9	6.3	

-

糖尿病有病者



		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲)40-74歳	(再掲)40-64歳	(再掲)65-74歳
男性	総数	13,818	17,537	17,043	14,319	15,240	16,800	19,424	13,040	127,221	113,403	80,939	32,464
	糖尿病有病者*1 (人)	344	923	1,428	1,814	2,294	2,977	4,042	2,830	16,652	16,308	9,436	6,872
	(%)	2.5	5.3	8.4	12.7	15.1	17.7	20.8	21.7	13.1	14.4	11.7	21.2
	服薬あり*2 (人)	105	364	715	975	1,290	1,898	2,700	1,998	10,045	9,940	5,242	4,698
(%)	0.8	2.1	4.2	6.8	8.5	11.3	13.9	15.3	7.9	8.8	6.5	14.5	
治療率*3 (%)	30.5	39.4	50.1	53.7	56.2	63.8	66.8	70.6	60.3	61.0	55.6	68.4	
女性	総数	10,811	14,505	14,771	13,508	15,085	17,429	20,929	15,146	122,184	111,373	75,298	36,075
	糖尿病有病者*1 (人)	148	283	447	563	982	1,637	2,513	2,125	8,698	8,550	3,912	4,638
	(%)	1.4	2.0	3.0	4.2	6.5	9.4	12.0	14.0	7.1	7.7	5.2	12.9
	服薬あり*2 (人)	73	150	245	321	610	1,056	1,638	1,441	5,534	5,461	2,382	3,079
(%)	0.7	1.0	1.7	2.4	4.0	6.1	7.8	9.5	4.5	4.9	3.2	8.5	
治療率*3 (%)	49.3	53.0	54.8	57.0	62.1	64.5	65.2	67.8	63.6	63.9	60.9	66.4	

*1 糖尿病有病者 : 空腹時血糖126mg/dl以上、またはHbA1c6.5%以上、もしくはインスリン注射または血糖を下げる薬を服薬する者

*2 服薬あり : インスリン注射または血糖を下げる薬を服薬する者

*3 治療率 : 糖尿病有病者のうち、インスリン注射または血糖を下げる薬を服薬する者の割合

空腹時血糖











表. 空腹時血糖 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲)40-74歳	(再掲)40-64歳	(再掲)65-74歳
		(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)
男性	総数	11,837	16,371	15,957	13,170	13,733	14,573	16,097	10,669	112,407	100,570	73,804	26,766
	100未満	8,354	10,548	9,126	6,631	6,351	6,650	7,534	5,143	60,337	51,983	39,306	12,677
	(%)	70.6	64.4	57.2	50.3	46.2	45.6	46.8	48.2	53.7	51.7	53.3	47.4
	100以上110未満	2,643	3,974	4,176	3,565	3,726	3,800	4,021	2,576	28,481	25,838	19,241	6,597
	(%)	22.3	24.3	26.2	27.1	27.1	26.1	25.0	24.1	25.3	25.7	26.1	24.6
	110以上126未満	575	1,137	1,591	1,657	1,992	2,199	2,318	1,537	13,006	12,431	8,576	3,855
(%)	4.9	6.9	10.0	12.6	14.5	15.1	14.4	14.4	11.6	12.4	11.6	14.4	
126以上	265	712	1,064	1,317	1,664	1,924	2,224	1,413	10,583	10,318	6,681	3,637	
(%)	2.2	4.3	6.7	10.0	12.1	13.2	13.8	13.2	9.4	10.3	9.1	13.6	
(再掲)100以上	3,483	5,823	6,831	6,539	7,382	7,923	8,563	5,526	52,070	48,587	34,498	14,089	
(%)	29.4	35.6	42.8	49.7	53.8	54.4	53.2	51.8	46.3	48.3	46.7	52.6	
女性	総数	7,813	13,146	13,474	12,225	13,404	15,125	17,809	12,619	105,615	97,802	67,374	30,428
	100未満	7,039	11,512	11,263	9,567	9,726	10,471	12,018	8,480	80,076	73,037	52,539	20,498
	(%)	90.1	87.6	83.6	78.3	72.6	69.2	67.5	67.2	75.8	74.7	78.0	67.4
	100以上110未満	558	1,205	1,493	1,798	2,294	2,728	3,130	2,293	15,499	14,941	9,518	5,423
	(%)	7.1	9.2	11.1	14.7	17.1	18.0	17.6	18.2	14.7	15.3	14.1	17.8
	110以上126未満	126	262	432	512	826	1,091	1,517	1,044	5,810	5,684	3,123	2,561
(%)	1.6	2.0	3.2	4.2	6.2	7.2	8.5	8.3	5.5	5.8	4.6	8.4	
126以上	90	167	286	348	558	835	1,144	802	4,230	4,140	2,194	1,946	
(%)	1.2	1.3	2.1	2.8	4.2	5.5	6.4	6.4	4.0	4.2	3.3	6.4	
(再掲)100以上	774	1,634	2,211	2,658	3,678	4,654	5,791	4,139	25,539	24,765	14,835	9,930	
(%)	9.9	12.4	16.4	21.7	27.4	30.8	32.5	32.8	24.2	25.3	22.0	32.6	

「インスリン注射または血糖を下げる薬」服薬の有無別：空腹時血糖 保健指導判定区分（100mg/dl）以上（性年齢階級別，人数）






「インスリン注射または血糖を下げる薬」服薬の有無別：空腹時血糖（男性）



男性		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲)40-74歳	(再掲)40-64歳	(再掲)65-74歳
服薬あり	総数	94	324	644	863	1,123	1,574	2,111	1,536	8,269	8,175	4,528	3,647
	100未満 (人)	-	23	41	51	52	83	150	135	-	535	250	285
	(%)	-	7.1	6.4	5.9	4.6	5.3	7.1	8.8	-	6.5	5.5	7.8
	100以上110未満 (人)	-	13	39	45	60	96	207	163	-	623	253	370
	(%)	-	4.0	6.1	5.2	5.3	6.1	9.8	10.6	-	7.6	5.6	10.1
	110以上126未満 (人)	-	54	116	152	206	300	445	355	-	1,628	828	800
	(%)	-	16.7	18.0	17.6	18.3	19.1	21.1	23.1	-	19.9	18.3	21.9
126以上 (人)	64	234	448	615	805	1,095	1,309	883	5,453	5,389	3,197	2,192	
(%)	68.1	72.2	69.6	71.3	71.7	69.6	62.0	57.5	65.9	65.9	70.6	60.1	
(再掲)100以上 (人)	-	301	603	812	1,071	1,491	1,961	1,401	-	7,640	4,278	3,362	
(%)	-	92.9	93.6	94.1	95.4	94.7	92.9	91.2	-	93.5	94.5	92.2	
服薬なし	総数	11,743	16,047	15,313	12,307	12,609	12,999	13,986	9,133	104,137	92,394	69,275	23,119
	100未満 (人)	8,350	10,525	9,085	6,580	6,299	6,567	7,384	5,008	59,798	51,448	39,056	12,392
	(%)	71.1	65.6	59.3	53.5	50.0	50.5	52.8	54.8	57.4	55.7	56.4	53.6
	100以上110未満 (人)	2,633	3,961	4,137	3,520	3,666	3,704	3,814	2,413	27,848	25,215	18,988	6,227
	(%)	22.4	24.7	27.0	28.6	29.1	28.5	27.3	26.4	26.7	27.3	27.4	26.9
	110以上126未満 (人)	559	1,083	1,475	1,505	1,786	1,899	1,873	1,182	11,362	10,803	7,748	3,055
	(%)	4.8	6.7	9.6	12.2	14.2	14.6	13.4	12.9	10.9	11.7	11.2	13.2
126以上 (人)	201	478	616	702	858	829	915	530	5,129	4,928	3,483	1,445	
(%)	1.7	3.0	4.0	5.7	6.8	6.4	6.5	5.8	4.9	5.3	5.0	6.3	
(再掲)100以上 (人)	3,393	5,522	6,228	5,727	6,310	6,432	6,602	4,125	44,339	40,946	30,219	10,727	
(%)	28.9	34.4	40.7	46.5	50.0	49.5	47.2	45.2	42.6	44.3	43.6	46.4	

「インスリン注射または血糖を下げる薬」服薬の有無別：空腹時血糖（女性）



女性		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲)40-74歳	(再掲)40-64歳	(再掲)65-74歳
服薬あり	総数	61	125	218	266	501	848	1,292	1,101	4,412	4,351	1,958	2,393
	100未満 (人)	11	25	20	21	42	76	121	141	457	446	184	262
	(%)	18.0	20.0	9.2	7.9	8.4	9.0	9.4	12.8	10.4	10.3	9.4	10.9
	100以上110未満 (人)	-	13	15	33	48	86	140	162	-	497	195	302
	(%)	-	10.4	6.9	12.4	9.6	10.1	10.8	14.7	-	11.4	10.0	12.6
	110以上126未満 (人)	-	19	43	43	101	187	316	280	-	989	393	596
	(%)	-	15.2	19.7	16.2	20.2	22.1	24.5	25.4	-	22.7	20.1	24.9
126以上 (人)	36	68	140	169	310	499	715	518	2,455	2,419	1,186	1,233	
(%)	59.0	54.4	64.2	63.5	61.9	58.8	55.3	47.0	55.6	55.6	60.6	51.5	
(再掲)100以上 (人)	50	100	198	245	459	772	1,171	960	3,955	3,905	1,774	2,131	
(%)	82.0	80.0	90.8	92.1	91.6	91.0	90.6	87.2	89.6	89.7	90.6	89.1	
服薬なし	総数	7,748	13,021	13,256	11,959	12,902	14,276	16,517	11,517	101,196	93,448	65,414	28,034
	100未満 (人)	7,024	11,487	11,243	9,546	9,683	10,394	11,897	8,338	79,612	72,588	52,353	20,235
	(%)	90.7	88.2	84.8	79.8	75.1	72.8	72.0	72.4	78.7	77.7	80.0	72.2
	100以上110未満 (人)	555	1,192	1,478	1,765	2,246	2,642	2,990	2,131	14,999	14,444	9,323	5,121
	(%)	7.2	9.2	11.1	14.8	17.4	18.5	18.1	18.5	14.8	15.5	14.3	18.3
	110以上126未満 (人)	115	243	389	469	725	904	1,201	764	4,810	4,695	2,730	1,965
	(%)	1.5	1.9	2.9	3.9	5.6	6.3	7.3	6.6	4.8	5.0	4.2	7.0
126以上 (人)	54	99	146	179	248	336	429	284	1,775	1,721	1,008	713	
(%)	0.7	0.8	1.1	1.5	1.9	2.4	2.6	2.5	1.8	1.8	1.5	2.5	
(再掲)100以上 (人)	724	1,534	2,013	2,413	3,219	3,882	4,620	3,179	21,584	20,860	13,061	7,799	
(%)	9.3	11.8	15.2	20.2	24.9	27.2	28.0	27.6	21.3	22.3	20.0	27.8	

HbA1c











表. HbA1c 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	4,512	6,891	7,182	6,653	7,773	10,552	15,936	12,057	71,556	67,044	39,051	27,993
	5.6未満	(人) 3,263	4,382	4,173	3,289	3,552	4,315	5,765	4,006	32,745	29,482	19,711	9,771
		(%) 72.3	63.6	58.1	49.4	45.7	40.9	36.2	33.2	45.8	44.0	50.5	34.9
	5.6以上6.0未満	(人) 1,029	1,811	2,006	2,029	2,438	3,419	5,241	4,150	22,123	21,094	11,703	9,391
		(%) 22.8	26.3	27.9	30.5	31.4	32.4	32.9	34.4	30.9	31.5	30.0	33.5
	6.0以上6.5未満	(人) 122	373	523	675	902	1,471	2,582	2,070	8,718	8,596	3,944	4,652
		(%) 2.7	5.4	7.3	10.1	11.6	13.9	16.2	17.2	12.2	12.8	10.1	16.6
	6.5以上8.0未満	(人) 57	190	312	451	642	1,049	1,946	1,552	6,199	6,142	2,644	3,498
		(%) 1.3	2.8	4.3	6.8	8.3	9.9	12.2	12.9	8.7	9.2	6.8	12.5
	8.0以上8.4未満	(人) -	23	39	37	54	92	121	104	-	470	245	225
	(%) -	0.3	0.5	0.6	0.7	0.9	0.8	0.9	-	0.7	0.6	0.8	
8.4以上	(人) -	112	129	172	185	206	281	175	-	1,260	804	456	
	(%) -	1.6	1.8	2.6	2.4	2.0	1.8	1.5	-	1.9	2.1	1.6	
(再掲)5.6以上	(人) 1,249	2,509	3,009	3,364	4,221	6,237	10,171	8,051	38,811	37,562	19,340	18,222	
	(%) 27.7	36.4	41.9	50.6	54.3	59.1	63.8	66.8	54.2	56.0	49.5	65.1	
(再掲)6.5以上	(人) 98	325	480	660	881	1,347	2,348	1,831	7,970	7,872	3,693	4,179	
	(%) 2.2	4.7	6.7	9.9	11.3	12.8	14.7	15.2	11.1	11.7	9.5	14.9	
女性	総数	4,691	7,183	7,522	7,487	9,314	13,340	19,059	14,758	83,354	78,663	44,846	33,817
	5.6未満	(人) 3,731	5,382	5,103	4,161	4,324	5,055	6,267	4,484	38,507	34,776	24,025	10,751
		(%) 79.5	74.9	67.8	55.6	46.4	37.9	32.9	30.4	46.2	44.2	53.6	31.8
	5.6以上6.0未満	(人) 817	1,414	1,852	2,487	3,500	5,475	7,831	6,076	29,452	28,635	14,728	13,907
		(%) 17.4	19.7	24.6	33.2	37.6	41.0	41.1	41.2	35.3	36.4	32.8	41.1
	6.0以上6.5未満	(人) 102	260	367	563	989	1,791	3,105	2,617	9,794	9,692	3,970	5,722
		(%) 2.2	3.6	4.9	7.5	10.6	13.4	16.3	17.7	11.7	12.3	8.9	16.9
	6.5以上8.0未満	(人) 30	78	142	189	387	807	1,543	1,346	4,522	4,492	1,603	2,889
		(%) 0.6	1.1	1.9	2.5	4.2	6.0	8.1	9.1	5.4	5.7	3.6	8.5
	8.0以上8.4未満	(人) -	14	20	15	26	59	90	98	-	322	134	188
	(%) -	0.2	0.3	0.2	0.3	0.4	0.5	0.7	-	0.4	0.3	0.6	
8.4以上	(人) -	35	38	72	88	153	223	137	-	746	386	360	
	(%) -	0.5	0.5	1.0	0.9	1.1	1.2	0.9	-	0.9	0.9	1.1	
(再掲)5.6以上	(人) 960	1,801	2,419	3,326	4,990	8,285	12,792	10,274	44,847	43,887	20,821	23,066	
	(%) 20.5	25.1	32.2	44.4	53.6	62.1	67.1	69.6	53.8	55.8	46.4	68.2	
(再掲)6.5以上	(人) 41	127	200	276	501	1,019	1,856	1,581	5,601	5,560	2,123	3,437	
	(%) 0.9	1.8	2.7	3.7	5.4	7.6	9.7	10.7	6.7	7.1	4.7	10.2	

「インスリン注射または血糖を下げる薬」服薬の有無別：HbA1c 保健指導判定区分（5.6%）以上






「インスリン注射または血糖を下げる薬」服薬の有無別：HbA1c（男性）






男性		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
服薬あり	総数	29	153	303	474	703	1,193	2,244	1,845	6,944	6,915	2,826	4,089
	5.6未満 (人)	-	-	-	11	20	29	42	48	-	165	75	90
	(%)	-	-	-	2.3	2.8	2.4	1.9	2.6	-	2.4	2.7	2.2
	5.6以上6.0未満 (人)	-	-	-	19	47	71	203	161	-	530	166	364
	(%)	-	-	-	4.0	6.7	6.0	9.0	8.7	-	7.7	5.9	8.9
	6.0以上6.5未満 (人)	-	14	36	103	126	247	481	386	-	1,393	526	867
	(%)	-	9.2	11.9	21.7	17.9	20.7	21.4	20.9	-	20.1	18.6	21.2
	6.5以上8.0未満 (人)	-	70	148	233	369	642	1,236	1,040	-	3,738	1,462	2,276
	(%)	-	45.8	48.8	49.2	52.5	53.8	55.1	56.4	-	54.1	51.7	55.7
	8.0以上8.4未満 (人)	-	13	24	25	37	68	94	82	-	343	167	176
(%)	-	8.5	7.9	5.3	5.3	5.7	4.2	4.4	-	5.0	5.9	4.3	
8.4以上 (人)	-	41	66	83	104	136	188	128	-	746	430	316	
(%)	-	26.8	21.8	17.5	14.8	11.4	8.4	6.9	-	10.8	15.2	7.7	
(再掲) 5.6以上 (人)	-	-	-	463	683	1,164	2,202	1,797	-	6,750	2,751	3,999	
(%)	-	-	-	97.7	97.2	97.6	98.1	97.4	-	97.6	97.3	97.8	
(再掲) 6.5以上 (人)	-	124	238	341	510	846	1,518	1,250	-	4,827	2,059	2,768	
(%)	-	81.0	78.5	71.9	72.5	70.9	67.6	67.8	-	69.8	72.9	67.7	
服薬なし	総数	4,483	6,738	6,879	6,179	7,070	9,358	13,692	10,212	64,611	60,128	36,224	23,904
	5.6未満 (人)	3,261	4,378	4,162	3,278	3,532	4,286	5,723	3,958	32,578	29,317	19,636	9,681
	(%)	72.7	65.0	60.5	53.1	50.0	45.8	41.8	38.8	50.4	48.8	54.2	40.5
	5.6以上6.0未満 (人)	1,029	1,800	1,988	2,010	2,391	3,348	5,038	3,989	21,593	20,564	11,537	9,027
	(%)	23.0	26.7	28.9	32.5	33.8	35.8	36.8	39.1	33.4	34.2	31.8	37.8
	6.0以上6.5未満 (人)	121	359	487	572	776	1,224	2,101	1,684	7,324	7,203	3,418	3,785
	(%)	2.7	5.3	7.1	9.3	11.0	13.1	15.3	16.5	11.3	12.0	9.4	15.8
	6.5以上8.0未満 (人)	43	120	164	218	273	406	710	512	2,446	2,403	1,181	1,222
	(%)	1.0	1.8	2.4	3.5	3.9	4.3	5.2	5.0	3.8	4.0	3.3	5.1
	8.0以上8.4未満 (人)	-	10	15	12	17	24	27	22	-	127	78	49
(%)	-	0.1	0.2	0.2	0.2	0.3	0.2	0.2	-	0.2	0.2	0.2	
8.4以上 (人)	-	71	63	89	81	70	93	47	-	514	374	140	
(%)	-	1.1	0.9	1.4	1.1	0.7	0.5	0.5	-	0.9	1.0	0.6	
(再掲) 5.6以上 (人)	1,222	2,360	2,717	2,901	3,538	5,072	7,969	6,254	32,033	30,811	16,588	14,223	
(%)	27.3	35.0	39.5	46.9	50.0	54.2	58.2	61.2	49.6	51.2	45.8	59.5	
(再掲) 6.5以上 (人)	72	201	242	319	371	500	830	581	3,116	3,044	1,633	1,411	
(%)	1.6	3.0	3.5	5.2	5.2	5.3	6.1	5.7	4.8	5.1	4.5	5.9	

「インスリン注射または血糖を下げる薬」服薬の有無別：HbA1c（女性）



女性		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲)40-74歳	(再掲)40-64歳	(再掲)65-74歳
服薬あり	総数	19	89	126	201	403	829	1,512	1,415	4,594	4,575	1,648	2,927
	5.6未満 (人)	-	-	-	-	-	19	14	31	-	85	40	45
	(%)	-	-	-	-	-	2.3	0.9	2.2	-	1.9	2.4	1.5
	5.6以上6.0未満 (人)	-	-	-	-	-	43	83	88	-	262	91	171
	(%)	-	-	-	-	-	5.2	5.5	6.2	-	5.7	5.5	5.8
	6.0以上6.5未満 (人)	-	17	16	27	71	148	274	296	-	849	279	570
	(%)	-	19.1	12.7	13.4	17.6	17.9	18.1	20.9	-	18.6	16.9	19.5
	6.5以上8.0未満 (人)	-	34	64	95	221	470	906	810	-	2,600	884	1,716
	(%)	-	38.2	50.8	47.3	54.8	56.7	59.9	57.2	-	56.8	53.6	58.6
	8.0以上8.4未満 (人)	-	-	-	14	16	49	71	78	-	250	101	149
(%)	-	-	-	7.0	4.0	5.9	4.7	5.5	-	5.5	6.1	5.1	
8.4以上 (人)	-	-	-	47	67	100	164	112	-	529	253	276	
(%)	-	-	-	23.4	16.6	12.1	10.8	7.9	-	11.6	15.4	9.4	
(再掲)5.6以上 (人)	-	-	-	-	-	810	1,498	1,384	-	4,490	1,608	2,882	
(%)	-	-	-	-	-	97.7	99.1	97.8	-	98.1	97.6	98.5	
(再掲)6.5以上 (人)	-	61	98	156	304	619	1,141	1,000	-	3,379	1,238	2,141	
(%)	-	68.5	77.8	77.6	75.4	74.7	75.5	70.7	-	73.9	75.1	73.1	
服薬なし	総数	4,671	7,094	7,396	7,286	8,910	12,511	17,547	13,342	78,757	74,086	43,197	30,889
	5.6未満 (人)	3,726	5,374	5,100	4,159	4,315	5,036	6,253	4,452	38,415	34,689	23,984	10,705
	(%)	79.8	75.8	69.0	57.1	48.4	40.3	35.6	33.4	48.8	46.8	55.5	34.7
	5.6以上6.0未満 (人)	815	1,411	1,843	2,471	3,480	5,432	7,748	5,988	29,188	28,373	14,637	13,736
	(%)	17.4	19.9	24.9	33.9	39.1	43.4	44.2	44.9	37.1	38.3	33.9	44.5
	6.0以上6.5未満 (人)	99	243	351	536	918	1,643	2,831	2,321	8,942	8,843	3,691	5,152
	(%)	2.1	3.4	4.7	7.4	10.3	13.1	16.1	17.4	11.4	11.9	8.5	16.7
	6.5以上8.0未満 (人)	-	44	78	94	166	337	637	536	-	1,892	719	1,173
	(%)	-	0.6	1.1	1.3	1.9	2.7	3.6	4.0	-	2.6	1.7	3.8
	8.0以上8.4未満 (人)	-	-	-	-	10	10	19	20	-	72	33	39
(%)	-	-	-	-	0.1	0.1	0.1	0.1	-	0.1	0.1	0.1	
8.4以上 (人)	-	-	-	-	21	53	59	25	-	217	133	84	
(%)	-	-	-	-	0.2	0.4	0.3	0.2	-	0.3	0.3	0.3	
(再掲)5.6以上 (人)	945	1,720	2,296	3,127	4,595	7,475	11,294	8,890	40,342	39,397	19,213	20,184	
(%)	20.2	24.2	31.0	42.9	51.6	59.7	64.4	66.6	51.2	53.2	44.5	65.3	
(再掲)6.5以上 (人)	31	66	102	120	197	400	715	581	2,212	2,181	885	1,296	
(%)	0.7	0.9	1.4	1.6	2.2	3.2	4.1	4.4	2.8	2.9	2.0	4.2	

脂質異常症有病者



		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲)40-74歳	(再掲)40-64歳	(再掲)65-74歳	
男性	総数	13,818	17,538	17,043	14,320	15,241	16,800	19,426	13,040	127,226	113,408	80,942	32,466	
	脂質異常症有病者*(人)	6,739	9,764	9,919	8,632	9,019	9,637	11,313	7,377	72,400	65,661	46,971	18,690	
	(%)	48.8	55.7	58.2	60.3	59.2	57.4	58.2	56.6	56.9	57.9	58.0	57.6	
	高LDLコレステロール血症*(人)	3,873	5,723	6,175	5,538	6,111	6,725	8,091	5,502	47,738	43,865	30,272	13,593	
	(%)	28.0	32.6	36.2	38.7	40.1	40.0	41.7	42.2	37.5	38.7	37.4	41.9	
女性	総数	10,811	14,507	14,774	13,509	15,087	17,433	20,933	15,146	122,200	111,389	75,310	36,079	
	脂質異常症有病者*(人)	1,844	3,231	4,369	5,777	7,956	10,353	13,160	9,905	56,595	54,751	31,686	23,065	
	(%)	17.1	22.3	29.6	42.8	52.7	59.4	62.9	65.4	46.3	49.2	42.1	63.9	
	高LDLコレステロール血症*(人)	1,178	2,178	3,283	4,832	7,047	9,286	11,908	8,959	48,671	47,493	26,626	20,867	
	(%)	10.9	15.0	22.2	35.8	46.7	53.3	56.9	59.2	39.8	42.6	35.4	57.8	
服薬あり*3	(人)	203	535	1,102	1,500	2,175	2,879	4,086	3,251	15,731	15,528	8,191	7,337	
	(%)	1.5	3.1	6.5	10.5	14.3	17.1	21.0	24.9	12.4	13.7	10.1	22.6	
	治療率*4	(%)	5.2	9.3	17.8	27.1	35.6	42.8	50.5	59.1	33.0	35.4	27.1	54.0
		(%)	4.0	7.1	12.7	17.2	27.7	37.7	49.1	60.6	37.4	38.2	25.8	54.1

*1 脂質異常症有病者 : 中性脂肪150mg/dl以上、またはHDLコレステロール40mg/dl未満、またはLDLコレステロール140mg/dl以上、もしくはコレステロールを下げる薬を服薬する者

*2 高LDLコレステロール血症 : LDLコレステロール140mg/dl以上、もしくはコレステロールを下げる薬を服薬する者

*3 服薬あり : コレステロールを下げる薬を服薬する者

*4 治療率 : 高LDLコレステロール血症のうち、コレステロールを下げる薬の服薬する者の割合

LDLコレステロール











表. LDLコレステロール 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	13,818	17,536	17,041	14,320	15,240	16,800	19,425	13,040	127,220	113,402	80,937	32,465
	100未満	(人) 3,439	3,959	3,659	3,124	3,499	4,181	4,887	3,714	30,462	27,023	18,422	8,601
		(%) 24.9	22.6	21.5	21.8	23.0	24.9	25.2	28.5	23.9	23.8	22.8	26.5
	100以上120未満	(人) 3,385	4,144	3,971	3,337	3,775	4,208	5,182	3,585	31,587	28,202	19,435	8,767
		(%) 24.5	23.6	23.3	23.3	24.8	25.0	26.7	27.5	24.8	24.9	24.0	27.0
	120以上140未満	(人) 3,267	4,111	4,084	3,521	3,701	4,117	4,826	3,117	30,744	27,477	19,534	7,943
		(%) 23.6	23.4	24.0	24.6	24.3	24.5	24.8	23.9	24.2	24.2	24.1	24.5
	140以上160未満	(人) 2,111	2,893	2,871	2,369	2,481	2,541	2,817	1,695	19,778	17,667	13,155	4,512
		(%) 15.3	16.5	16.8	16.5	16.3	15.1	14.5	13.0	15.5	15.6	16.3	13.9
	160以上180未満	(人) 1,043	1,503	1,484	1,175	1,163	1,191	1,205	658	9,422	8,379	6,516	1,863
	(%) 7.5	8.6	8.7	8.2	7.6	7.1	6.2	5.0	7.4	7.4	8.1	5.7	
180以上	(人) 573	926	972	794	621	562	508	271	5,227	4,654	3,875	779	
	(%) 4.1	5.3	5.7	5.5	4.1	3.3	2.6	2.1	4.1	4.1	4.8	2.4	
(再掲)120以上	(人) 6,994	9,433	9,411	7,859	7,966	8,411	9,356	5,741	65,171	58,177	43,080	15,097	
	(%) 50.6	53.8	55.2	54.9	52.3	50.1	48.2	44.0	51.2	51.3	53.2	46.5	
(再掲)140以上	(人) 3,727	5,322	5,327	4,338	4,265	4,294	4,530	2,624	34,427	30,700	23,546	7,154	
	(%) 27.0	30.3	31.3	30.3	28.0	25.6	23.3	20.1	27.1	27.1	29.1	22.0	
女性	総数	10,811	14,507	14,774	13,509	15,088	17,434	20,934	15,147	122,204	111,393	75,312	36,081
	100未満	(人) 5,024	5,938	4,659	2,682	2,313	2,549	3,330	2,873	29,368	24,344	18,141	6,203
		(%) 46.5	40.9	31.5	19.9	15.3	14.6	15.9	19.0	24.0	21.9	24.1	17.2
	100以上120未満	(人) 2,906	3,921	4,041	3,390	3,328	3,891	4,977	3,942	30,396	27,490	18,571	8,919
		(%) 26.9	27.0	27.4	25.1	22.1	22.3	23.8	26.0	24.9	24.7	24.7	24.7
	120以上140未満	(人) 1,737	2,590	3,109	3,254	3,946	4,531	5,612	4,025	28,804	27,067	17,430	9,637
		(%) 16.1	17.9	21.0	24.1	26.2	26.0	26.8	26.6	23.6	24.3	23.1	26.7
	140以上160未満	(人) 721	1,281	1,792	2,264	2,872	3,500	3,892	2,517	18,839	18,118	11,709	6,409
		(%) 6.7	8.8	12.1	16.8	19.0	20.1	18.6	16.6	15.4	16.3	15.5	17.8
	160以上180未満	(人) 267	501	762	1,216	1,604	1,830	1,962	1,171	9,313	9,046	5,913	3,133
	(%) 2.5	3.5	5.2	9.0	10.6	10.5	9.4	7.7	7.6	8.1	7.9	8.7	
180以上	(人) 156	276	411	703	1,025	1,133	1,161	619	5,484	5,328	3,548	1,780	
	(%) 1.4	1.9	2.8	5.2	6.8	6.5	5.5	4.1	4.5	4.8	4.7	4.9	
(再掲)120以上	(人) 2,881	4,648	6,074	7,437	9,447	10,994	12,627	8,332	62,440	59,559	38,600	20,959	
	(%) 26.6	32.0	41.1	55.1	62.6	63.1	60.3	55.0	51.1	53.5	51.3	58.1	
(再掲)140以上	(人) 1,144	2,058	2,965	4,183	5,501	6,463	7,015	4,307	33,636	32,492	21,170	11,322	
	(%) 10.6	14.2	20.1	31.0	36.5	37.1	33.5	28.4	27.5	29.2	28.1	31.4	

「コレステロールを下げる薬」の服薬の有無別：LDLコレステロール 保健指導判定区分（120mg/dl）以上






「コレステロールを下げる薬」の服薬の有無別：LDLコレステロール（男性）



男性		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲)40-74歳	(再掲)40-64歳	(再掲)65-74歳
服薬あり	総数	203	535	1,103	1,500	2,175	2,879	4,086	3,251	15,732	15,529	8,192	7,337
	100未満 (人)	55	137	340	467	751	1,039	1,508	1,354	5,651	5,596	2,734	2,862
	(%)	27.1	25.6	30.8	31.1	34.5	36.1	36.9	41.6	35.9	28.4	28.0	39.0
	100以上120未満 (人)	46	144	291	401	628	826	1,205	917	4,458	4,412	2,290	2,122
	(%)	22.7	26.9	26.4	26.7	28.9	28.7	29.5	28.2	28.3	28.4	28.0	28.9
	120以上140未満 (人)	45	120	217	332	467	566	848	607	3,202	3,157	1,702	1,455
	(%)	22.2	22.4	19.7	22.1	21.5	19.7	20.8	18.7	20.4	20.3	20.8	19.8
	140以上160未満 (人)	32	76	149	187	204	298	353	237	1,536	1,504	914	590
	(%)	15.8	14.2	13.5	12.5	9.4	10.4	8.6	7.3	9.8	9.7	11.2	8.0
	160以上180未満 (人)	14	36	65	69	76	109	118	94	581	567	355	212
(%)	6.9	6.7	5.9	4.6	3.5	3.8	2.9	2.9	3.7	3.7	4.3	2.9	
180以上 (人)	11	22	41	44	49	41	54	42	304	293	197	96	
(%)	5.4	4.1	3.7	2.9	2.3	1.4	1.3	1.3	1.9	1.9	2.4	1.3	
(再掲)120以上 (人)	102	254	472	632	796	1,014	1,373	980	5,623	5,521	3,168	2,353	
(%)	50.2	47.5	42.8	42.1	36.6	35.2	33.6	30.1	35.7	35.6	38.7	32.1	
(再掲)140以上 (人)	57	134	255	300	329	448	525	373	2,421	2,364	1,466	898	
(%)	28.1	25.0	23.1	20.0	15.1	15.6	12.8	11.5	15.4	15.2	17.9	12.2	
服薬なし	総数	13,615	17,001	15,938	12,820	13,064	13,920	15,339	9,789	111,486	97,871	72,743	25,128
	100未満 (人)	3,384	3,822	3,319	2,657	2,748	3,142	3,379	2,360	24,811	21,427	15,688	5,739
	(%)	24.9	22.5	20.8	20.7	21.0	22.6	22.0	24.1	22.3	21.9	21.6	22.8
	100以上120未満 (人)	3,339	4,000	3,680	2,936	3,147	3,382	3,977	2,668	27,129	23,790	17,145	6,645
	(%)	24.5	23.5	23.1	22.9	24.1	24.3	25.9	27.3	24.3	24.3	23.6	26.4
	120以上140未満 (人)	3,222	3,991	3,867	3,189	3,233	3,550	3,978	2,510	27,540	24,318	17,830	6,488
	(%)	23.7	23.5	24.3	24.9	24.7	25.5	25.9	25.6	24.7	24.8	24.5	25.8
	140以上160未満 (人)	2,079	2,817	2,722	2,182	2,277	2,243	2,464	1,458	18,242	16,163	12,241	3,922
	(%)	15.3	16.6	17.1	17.0	17.4	16.1	16.1	14.9	16.4	16.5	16.8	15.6
	160以上180未満 (人)	1,029	1,467	1,419	1,106	1,087	1,082	1,087	564	8,841	7,812	6,161	1,651
(%)	7.6	8.6	8.9	8.6	8.3	7.8	7.1	5.8	7.9	8.0	8.5	6.6	
180以上 (人)	562	904	931	750	572	521	454	229	4,923	4,361	3,678	683	
(%)	4.1	5.3	5.8	5.9	4.4	3.7	3.0	2.3	4.4	4.5	5.1	2.7	
(再掲)120以上 (人)	6,892	9,179	8,939	7,227	7,169	7,396	7,983	4,761	59,546	52,654	39,910	12,744	
(%)	50.6	54.0	56.1	56.4	54.9	53.1	52.0	48.6	53.4	53.8	54.9	50.7	
(再掲)140以上 (人)	3,670	5,188	5,072	4,038	3,936	3,846	4,005	2,251	32,006	28,336	22,080	6,256	
(%)	27.0	30.5	31.8	31.5	30.1	27.6	26.1	23.0	28.7	29.0	30.4	24.9	

「コレステロールを下げる薬」の服薬の有無別： LDLコレステロール（女性）



女性		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲)40-74歳	(再掲)40-64歳	(再掲)65-74歳
服薬あり	総数	47	155	416	833	1,954	3,500	5,849	5,430	18,184	18,137	6,858	11,279
	100未満 (人)	-	43	103	224	504	925	1,682	1,688	-	5,169	1,799	3,370
	(%)	-	27.7	24.8	26.9	25.8	26.4	28.8	31.1	-	28.5	26.2	29.9
	100以上120未満 (人)	-	38	128	243	541	1,064	1,865	1,717	-	5,596	2,014	3,582
	(%)	-	24.5	30.8	29.2	27.7	30.4	31.9	31.6	-	30.9	29.4	31.8
	120以上140未満 (人)	13	39	87	182	501	834	1,347	1,247	4,250	4,237	1,643	2,594
	(%)	27.7	25.2	20.9	21.8	25.6	23.8	23.0	23.0	23.4	23.4	24.0	23.0
	140以上160未満 (人)	-	11	64	114	225	415	592	505	-	1,926	829	1,097
	(%)	-	7.1	15.4	13.7	11.5	11.9	10.1	9.3	-	10.6	12.1	9.7
	160以上180未満 (人)	-	-	-	45	117	173	235	166	-	773	372	401
(%)	-	-	-	5.4	6.0	4.9	4.0	3.1	-	4.3	5.4	3.6	
180以上 (人)	-	-	-	25	66	89	128	107	-	436	201	235	
(%)	-	-	-	3.0	3.4	2.5	2.2	2.0	-	2.4	2.9	2.1	
(再掲)120以上 (人)	26	74	185	366	909	1,511	2,302	2,025	7,398	7,372	3,045	4,327	
(%)	55.3	47.7	44.5	43.9	46.5	43.2	39.4	37.3	40.7	40.6	44.4	38.4	
(再掲)140以上 (人)	13	35	98	184	408	677	955	778	3,148	3,135	1,402	1,733	
(%)	27.7	22.6	23.6	22.1	20.9	19.3	16.3	14.3	17.3	17.3	20.4	15.4	
服薬なし	総数	10,760	14,352	14,358	12,676	13,133	13,933	15,084	9,716	104,012	93,252	68,452	24,800
	100未満 (人)	5,010	5,895	4,556	2,458	1,809	1,624	1,648	1,185	24,185	19,175	16,342	2,833
	(%)	46.6	41.1	31.7	19.4	13.8	11.7	10.9	12.2	23.3	20.6	23.9	11.4
	100以上120未満 (人)	2,895	3,883	3,913	3,147	2,787	2,827	3,112	2,224	24,788	21,893	16,557	5,336
	(%)	26.9	27.1	27.3	24.8	21.2	20.3	20.6	22.9	23.8	23.5	24.2	21.5
	120以上140未満 (人)	1,724	2,551	3,022	3,072	3,444	3,697	4,265	2,778	24,553	22,829	15,786	7,043
	(%)	16.0	17.8	21.0	24.2	26.2	26.5	28.3	28.6	23.6	24.5	23.1	28.4
	140以上160未満 (人)	715	1,270	1,728	2,150	2,647	3,084	3,300	2,012	16,906	16,191	10,879	5,312
	(%)	6.6	8.8	12.0	17.0	20.2	22.1	21.9	20.7	16.3	17.4	15.9	21.4
	160以上180未満 (人)	264	485	741	1,171	1,487	1,657	1,726	1,005	8,536	8,272	5,541	2,731
(%)	2.5	3.4	5.2	9.2	11.3	11.9	11.4	10.3	8.2	8.9	8.1	11.0	
180以上 (人)	152	268	398	678	959	1,044	1,033	512	5,044	4,892	3,347	1,545	
(%)	1.4	1.9	2.8	5.3	7.3	7.5	6.8	5.3	4.8	5.2	4.9	6.2	
(再掲)120以上 (人)	2,855	4,574	5,889	7,071	8,537	9,482	10,324	6,307	55,039	52,184	35,553	16,631	
(%)	26.5	31.9	41.0	55.8	65.0	68.1	68.4	64.9	52.9	56.0	51.9	67.1	
(再掲)140以上 (人)	1,131	2,023	2,867	3,999	5,093	5,785	6,059	3,529	30,486	29,355	19,767	9,588	
(%)	10.5	14.1	20.0	31.5	38.8	41.5	40.2	36.3	29.3	31.5	28.9	38.7	

HDLコレステロール






表. HDLコレステロール 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲)40-74歳	(再掲)40-64歳	(再掲)65-74歳
		(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)
男性	総数	13,818	17,538	17,043	14,320	15,241	16,801	19,426	13,040	127,227	113,409	80,943	32,466
	40以上	12,616	15,939	15,532	13,123	14,180	15,580	17,867	12,046	116,883	104,267	74,354	29,913
	(%)	91.3	90.9	91.1	91.6	93.0	92.7	92.0	92.4	91.9	91.9	91.9	92.1
	35以上40未満	881	1,156	1,075	870	799	886	1,114	713	7,494	6,613	4,786	1,827
	(%)	6.4	6.6	6.3	6.1	5.2	5.3	5.7	5.5	5.9	5.8	5.9	5.6
女性	35未満	321	443	436	327	262	335	445	281	2,850	2,529	1,803	726
	(%)	2.3	2.5	2.6	2.3	1.7	2.0	2.3	2.2	2.2	2.2	2.2	2.2
	(再掲)40未満	1,202	1,599	1,511	1,197	1,061	1,221	1,559	994	10,344	9,142	6,589	2,553
	(%)	8.7	9.1	8.9	8.4	7.0	7.3	8.0	7.6	8.1	8.1	8.1	7.9
	総数	10,811	14,507	14,774	13,509	15,088	17,434	20,934	15,147	122,204	111,393	75,312	36,081
40以上	10,634	14,237	14,533	13,320	14,861	17,145	20,549	14,860	120,139	109,505	74,096	35,409	
(%)	98.4	98.1	98.4	98.6	98.5	98.3	98.2	98.1	98.3	98.3	98.4	98.1	
35以上40未満	131	207	200	140	186	244	292	212	1,612	1,481	977	504	
(%)	1.2	1.4	1.4	1.0	1.2	1.4	1.4	1.4	1.3	1.3	1.3	1.4	
35未満	46	63	41	49	41	45	93	75	453	407	239	168	
(%)	0.4	0.4	0.3	0.4	0.3	0.3	0.4	0.5	0.4	0.4	0.3	0.5	
(再掲)40未満	177	270	241	189	227	289	385	287	2,065	1,888	1,216	672	
(%)	1.6	1.9	1.6	1.4	1.5	1.7	1.8	1.9	1.7	1.7	1.6	1.9	

中性脂肪






表. 中性脂肪 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲)40-74歳	(再掲)40-64歳	(再掲)65-74歳
		(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)
男性	総数	13,818	17,538	17,043	14,320	15,241	16,801	19,426	13,040	127,227	113,409	80,943	32,466
	150未満	9,554	11,328	10,874	9,060	10,110	11,748	13,967	9,874	86,515	76,961	53,120	23,841
	(%)	69.1	64.6	63.8	63.3	66.3	69.9	71.9	75.7	68.0	67.9	65.6	73.4
	150以上300未満	3,301	4,615	4,609	4,030	4,033	4,115	4,556	2,760	32,019	28,718	21,402	7,316
	(%)	23.9	26.3	27.0	28.1	26.5	24.5	23.5	21.2	25.2	25.3	26.4	22.5
女性	総数	10,811	14,507	14,774	13,509	15,088	17,434	20,934	15,147	122,204	111,393	75,312	36,081
	150未満	9,943	13,066	13,003	11,479	12,701	14,316	17,128	12,374	104,010	94,067	64,565	29,502
	(%)	92.0	90.1	88.0	85.0	84.2	82.1	81.8	81.7	85.1	84.4	85.7	81.8
	150以上300未満	743	1,232	1,512	1,747	2,087	2,799	3,439	2,553	16,112	15,369	9,377	5,992
	(%)	6.9	8.5	10.2	12.9	13.8	16.1	16.4	16.9	13.2	13.8	12.5	16.6

GOT(AST)






表. GOT (AST) 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲)40-74歳	(再掲)40-64歳	(再掲)65-74歳
		(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)
男性	総数	13,818	17,538	17,043	14,320	15,241	16,801	19,426	13,040	127,227	113,409	80,943	32,466
	30以下	11,008	14,005	13,682	11,646	12,582	13,992	16,401	11,229	104,545	93,537	65,907	27,630
		(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)
	31以上50以下	2,203	2,798	2,636	2,034	2,099	2,215	2,428	1,517	17,930	15,727	11,782	3,945
		(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)
51以上	607	735	725	640	560	594	597	294	4,752	4,145	3,254	891	
	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	
(再掲)31以上	2,810	3,533	3,361	2,674	2,659	2,809	3,025	1,811	22,682	19,872	15,036	4,836	
	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	
	20.3	20.1	19.7	18.7	17.4	16.7	15.6	13.9	17.8	17.5	18.6	14.9	
女性	総数	10,811	14,507	14,774	13,509	15,088	17,434	20,934	15,147	122,204	111,393	75,312	36,081
	30以下	10,330	13,778	13,797	12,215	13,531	15,675	18,747	13,563	111,636	101,306	68,996	32,310
		(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)
	31以上50以下	365	542	773	1,015	1,295	1,462	1,820	1,336	8,608	8,243	5,087	3,156
		(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)
51以上	116	187	204	279	262	297	367	248	1,960	1,844	1,229	615	
	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	
(再掲)31以上	481	729	977	1,294	1,557	1,759	2,187	1,584	10,568	10,087	6,316	3,771	
	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	
	4.4	5.0	6.6	9.6	10.3	10.1	10.4	10.5	8.6	9.1	8.4	10.5	

GPT(ALT)






表. GPT (ALT) 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲)40-74歳	(再掲)40-64歳	(再掲)65-74歳
		(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)
男性	総数	13,818	17,538	17,043	14,320	15,241	16,801	19,426	13,040	127,227	113,409	80,943	32,466
	30以下	8,151	10,448	10,642	9,549	11,001	12,974	15,723	11,115	89,603	81,452	54,614	26,838
	(%)	59.0	59.6	62.4	66.7	72.2	77.2	80.9	85.2	70.4	71.8	67.5	82.7
	31以上50以下	3,429	4,464	4,306	3,336	3,105	2,808	2,817	1,522	25,787	22,358	18,019	4,339
	(%)	24.8	25.5	25.3	23.3	20.4	16.7	14.5	11.7	20.3	19.7	22.3	13.4
51以上	2,238	2,626	2,095	1,435	1,135	1,019	886	403	11,837	9,599	8,310	1,289	
(%)	16.2	15.0	12.3	10.0	7.4	6.1	4.6	3.1	9.3	8.5	10.3	4.0	
(再掲)31以上	(人)	5,667	7,090	6,401	4,771	4,240	3,827	3,703	1,925	37,624	31,957	26,329	5,628
(%)	41.0	40.4	37.6	33.3	27.8	22.8	19.1	14.8	29.6	28.2	32.5	17.3	
女性	総数	10,811	14,506	14,774	13,509	15,088	17,434	20,934	15,147	122,203	111,392	75,311	36,081
	30以下	9,991	13,346	13,385	11,607	12,819	15,145	18,463	13,685	108,441	98,450	66,302	32,148
	(%)	92.4	92.0	90.6	85.9	85.0	86.9	88.2	90.3	88.7	88.4	88.0	89.1
	31以上50以下	554	806	959	1,334	1,670	1,699	1,833	1,131	9,986	9,432	6,468	2,964
	(%)	5.1	5.6	6.5	9.9	11.1	9.7	8.8	7.5	8.2	8.5	8.6	8.2
51以上	266	354	430	568	599	590	638	331	3,776	3,510	2,541	969	
(%)	2.5	2.4	2.9	4.2	4.0	3.4	3.0	2.2	3.1	3.2	3.4	2.7	
(再掲)31以上	(人)	820	1,160	1,389	1,902	2,269	2,289	2,471	1,462	13,762	12,942	9,009	3,933
(%)	7.6	8.0	9.4	14.1	15.0	13.1	11.8	9.7	11.3	11.6	12.0	10.9	

γ-GT(γ-GTP)






表. γ-GT (γ-GTP) 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲)40-74歳	(再掲)40-64歳	(再掲)65-74歳	
		(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)	(人)	
男性	総数	13,817	17,538	17,043	14,320	15,241	16,801	19,426	13,040	127,226	113,409	80,943	32,466	
	50以下	8,980	10,715	10,315	8,741	9,825	11,768	14,941	10,621	85,906	76,926	51,364	25,562	
		(%)	65.0	61.1	60.5	61.0	64.5	70.0	76.9	81.4	67.5	67.8	63.5	78.7
	51以上100以下	3,052	4,240	4,159	3,509	3,469	3,401	3,125	1,715	26,670	23,618	18,778	4,840	
		(%)	22.1	24.2	24.4	24.5	22.8	20.2	16.1	13.2	21.0	20.8	23.2	14.9
女性	50以下	10,144	13,377	13,251	11,571	12,978	15,457	19,117	14,061	109,956	99,812	66,634	33,178	
		(%)	93.8	92.2	89.7	85.7	86.0	88.7	91.3	92.8	90.0	89.6	88.5	92.0
	51以上100以下	507	824	1,104	1,398	1,554	1,507	1,405	863	9,162	8,655	6,387	2,268	
		(%)	4.7	5.7	7.5	10.3	10.3	8.6	6.7	5.7	7.5	7.8	8.5	6.3
	101以上	160	306	419	540	556	470	412	223	3,086	2,926	2,291	635	
	(%)	1.5	2.1	2.8	4.0	3.7	2.7	2.0	1.5	2.5	2.6	3.0	1.8	
	(再掲)51以上	667	1,130	1,523	1,938	2,110	1,977	1,817	1,086	12,248	11,581	8,678	2,903	
	(%)	6.2	7.8	10.3	14.3	14.0	11.3	8.7	7.2	10.0	10.4	11.5	8.0	