

検査項目別該当者 - 性年齢階級別, 人数, 割合 -

北部保健所

北部保健所
メタボリックシンドローム






表. メタボリックシンドローム判定 区分（市町村国保+協会けんぽ） - 人数，割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	985	1,256	1,159	1,067	1,405	1,659	1,926	1,223	10,680	9,695	6,546	3,149
	非該当 (人)	642	726	562	461	640	722	736	471	4,960	4,318	3,111	1,207
	(%)	65.2	57.8	48.5	43.2	45.6	43.5	38.2	38.5	46.4	44.5	47.5	38.3
	予備群 (人)	217	264	259	234	272	318	365	234	2,163	1,946	1,347	599
	(%)	22.0	21.0	22.3	21.9	19.4	19.2	19.0	19.1	20.3	20.1	20.6	19.0
	該当 (人)	126	266	338	372	493	619	825	518	3,557	3,431	2,088	1,343
	(%)	12.8	21.2	29.2	34.9	35.1	37.3	42.8	42.4	33.3	35.4	31.9	42.6
女性	(再掲)該当+予備群 (人)	343	530	597	606	765	937	1,190	752	5,720	5,377	3,435	1,942
	(%)	34.8	42.2	51.5	56.8	54.4	56.5	61.8	61.5	53.6	55.5	52.5	61.7
	総数	758	990	907	968	1,224	1,454	1,743	1,200	9,244	8,486	5,543	2,943
	非該当 (人)	702	878	765	789	938	1,080	1,205	809	7,166	6,464	4,450	2,014
	(%)	92.6	88.7	84.3	81.5	76.6	74.3	69.1	67.4	77.5	76.2	80.3	68.4
	予備群 (人)	36	68	70	97	133	146	183	98	831	795	514	281
	(%)	4.7	6.9	7.7	10.0	10.9	10.0	10.5	8.2	9.0	9.4	9.3	9.5
	該当 (人)	20	44	72	82	153	228	355	293	1,247	1,227	579	648
	(%)	2.6	4.4	7.9	8.5	12.5	15.7	20.4	24.4	13.5	14.5	10.4	22.0
	(再掲)該当+予備群 (人)	56	112	142	179	286	374	538	391	2,078	2,022	1,093	929
	(%)	7.4	11.3	15.7	18.5	23.4	25.7	30.9	32.6	22.5	23.8	19.7	31.6

腹囲





表. 腹囲 区分（市町村国保+協会けんぽ） - 人数，割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	1,050	1,324	1,214	1,112	1,454	1,766	1,968	1,237	11,125	10,075	6,870	3,205
	85.0未満	(人) 482	555	446	381	527	641	641	436	4,109	3,627	2,550	1,077
		(%) 45.9	41.9	36.7	34.3	36.2	36.3	32.6	35.2	36.9	36.0	37.1	33.6
	85.0以上90.0未満	(人) 200	247	223	212	316	373	446	280	2,297	2,097	1,371	726
		(%) 19.0	18.7	18.4	19.1	21.7	21.1	22.7	22.6	20.6	20.8	20.0	22.7
	90.0以上	(人) 368	522	545	519	611	752	881	521	4,719	4,351	2,949	1,402
女性		(%) 35.0	39.4	44.9	46.7	42.0	42.6	44.8	42.1	42.4	43.2	42.9	43.7
	(再掲)85以上	(人) 568	769	768	731	927	1,125	1,327	801	7,016	6,448	4,320	2,128
		(%) 54.1	58.1	63.3	65.7	63.8	63.7	67.4	64.8	63.1	64.0	62.9	66.4
	総数	824	1,068	978	1,024	1,282	1,533	1,781	1,223	9,713	8,889	5,885	3,004
	85.0未満	(人) 594	714	612	606	689	779	786	518	5,298	4,704	3,400	1,304
		(%) 72.1	66.9	62.6	59.2	53.7	50.8	44.1	42.4	54.5	52.9	57.8	43.4

BMI








表. BMI 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	1,050	1,324	1,214	1,112	1,454	1,766	1,968	1,237	11,125	10,075	6,870	3,205
	18.5未満 (人)	29	21	21	13	35	28	27	28	202	173	118	55
	(%)	2.8	1.6	1.7	1.2	2.4	1.6	1.4	2.3	1.8	1.7	1.7	1.7
	18.5以上20.0未満 (人)	63	59	45	37	60	65	74	46	449	386	266	120
	(%)	6.0	4.5	3.7	3.3	4.1	3.7	3.8	3.7	4.0	3.8	3.9	3.7
	20.0以上25.0未満 (人)	510	603	481	477	654	821	889	603	5,038	4,528	3,036	1,492
	(%)	48.6	45.5	39.6	42.9	45.0	46.5	45.2	48.7	45.3	44.9	44.2	46.6
	25.0以上30.0未満 (人)	305	437	472	427	546	693	807	476	4,163	3,858	2,575	1,283
	(%)	29.0	33.0	38.9	38.4	37.6	39.2	41.0	38.5	37.4	38.3	37.5	40.0
	30.0以上35.0未満 (人)	117	153	153	127	137	147	-	-	1,049	932	717	215
	(%)	11.1	11.6	12.6	11.4	9.4	8.3	-	-	9.4	9.3	10.4	6.7
	35.0以上 (人)	26	51	42	31	22	12	-	-	224	198	158	40
	(%)	2.5	3.9	3.5	2.8	1.5	0.7	-	-	2.0	2.0	2.3	1.2
女性	(再掲)18.5以上25未満 (人)	573	662	526	514	714	886	963	649	5,487	4,914	3,302	1,612
	(%)	54.6	50.0	43.3	46.2	49.1	50.2	48.9	52.5	49.3	48.8	48.1	50.3
	(再掲)25以上 (人)	448	641	667	585	705	852	978	560	5,436	4,988	3,450	1,538
	(%)	42.7	48.4	54.9	52.6	48.5	48.2	49.7	45.3	48.9	49.5	50.2	48.0
	(再掲)30以上 (人)	143	204	195	158	159	159	171	84	1,273	1,130	875	255
	(%)	13.6	15.4	16.1	14.2	10.9	9.0	8.7	6.8	11.4	11.2	12.7	8.0
	総数	846	1,073	978	1,024	1,282	1,533	1,781	1,223	9,740	8,894	5,890	3,004
	18.5未満 (人)	90	87	63	56	61	77	79	58	571	481	344	137
	(%)	10.6	8.1	6.4	5.5	4.8	5.0	4.4	4.7	5.9	5.4	5.8	4.6
	18.5以上20.0未満 (人)	140	144	126	121	132	121	129	83	996	856	644	212
	(%)	16.5	13.4	12.9	11.8	10.3	7.9	7.2	6.8	10.2	9.6	10.9	7.1
	20.0以上25.0未満 (人)	393	529	471	482	642	783	856	569	4,725	4,332	2,907	1,425
	(%)	46.5	49.3	48.2	47.1	50.1	51.1	48.1	46.5	48.5	48.7	49.4	47.4
	25.0以上30.0未満 (人)	149	215	201	265	328	424	555	386	2,523	2,374	1,433	941
	(%)	17.6	20.0	20.6	25.9	25.6	27.7	31.2	31.6	25.9	26.7	24.3	31.3
	30.0以上35.0未満 (人)	49	74	88	77	99	109	140	99	735	686	447	239
	(%)	5.8	6.9	9.0	7.5	7.7	7.1	7.9	8.1	7.5	7.7	7.6	8.0
	35.0以上 (人)	25	24	29	23	20	19	22	28	190	165	115	50
	(%)	3.0	2.2	3.0	2.2	1.6	1.2	1.2	2.3	2.0	1.9	2.0	1.7
	(再掲)18.5以上25未満 (人)	533	673	597	603	774	904	985	652	5,721	5,188	3,551	1,637
	(%)	63.0	62.7	61.0	58.9	60.4	59.0	55.3	53.3	58.7	58.3	60.3	54.5
	(再掲)25以上 (人)	223	313	318	365	447	552	717	513	3,448	3,225	1,995	1,230
	(%)	26.4	29.2	32.5	35.6	34.9	36.0	40.3	41.9	35.4	36.3	33.9	40.9
	(再掲)30以上 (人)	74	98	117	100	119	128	162	127	925	851	562	289
	(%)	8.7	9.1	12.0	9.8	9.3	8.3	9.1	10.4	9.5	9.6	9.5	9.6

-

高血圧





		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	1,050	1,324	1,214	1,112	1,454	1,766	1,968	1,237	11,125	10,075	6,870	3,205
	高血圧有病者*1 (人)	163	349	425	509	757	1,034	1,337	921	5,495	5,332	3,074	2,258
	(%)	15.5	26.4	35.0	45.8	52.1	58.6	67.9	74.5	49.4	52.9	44.7	70.5
	服薬あり*2 (人)	48	121	206	318	464	708	1,001	683	3,549	3,501	1,817	1,684
	(%)	4.6	9.1	17.0	28.6	31.9	40.1	50.9	55.2	31.9	34.7	26.4	52.5
女性	治療率*3 (%)	29.4	34.7	48.5	62.5	61.3	68.5	74.9	74.2	64.6	65.7	59.1	74.6
	総数	846	1,073	978	1,024	1,282	1,533	1,781	1,223	9,740	8,894	5,890	3,004
	高血圧有病者*1 (人)	-	135	190	305	487	728	1,040	855	-	3,740	1,845	1,895
	(%)	-	12.6	19.4	29.8	38.0	47.5	58.4	69.9	-	42.1	31.3	63.1
	服薬あり*2 (人)	-	47	90	174	303	485	734	640	-	2,473	1,099	1,374
	(%)	-	4.4	9.2	17.0	23.6	31.6	41.2	52.3	-	27.8	18.7	45.7
	治療率*2 (%)	14.5	34.8	47.4	57.0	62.2	66.6	70.6	74.9	65.3	66.1	59.6	72.5

*1 高血圧有病者：収縮期血圧140mmHg以上または拡張期血圧90mmHg以上、もしくは血圧を下げる薬を服薬する者

*2 服薬あり：血圧を下げる薬を服薬する者



*3 治療率：高血圧有病者のうち、血圧を下げる薬を服薬する者の割合

「血圧を下げる薬」服薬の有無別：血圧（男性）



男性		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	（再掲） 40-74歳	（再掲） 40-64歳	（再掲） 65-74歳
服薬あり	総数	48	121	206	318	464	708	1,001	683	3,549	3,501	1,817	1,684
	正常血圧（人）	13	27	40	77	107	142	124	90	620	607	393	214
	（％）	27.1	22.3	19.4	24.2	23.1	20.1	12.4	13.2	17.5	17.3	21.6	12.7
	正常高値血圧（人）	—	20	37	43	58	98	150	100	—	506	256	250
	（％）	—	16.5	18.0	13.5	12.5	13.8	15.0	14.6	—	14.5	14.1	14.8
	高値血圧（人）	—	30	68	86	122	203	269	158	—	936	509	427
	（％）	—	24.8	33.0	27.0	26.3	28.7	26.9	23.1	—	26.7	28.0	25.4
	I度高血圧（人）	—	31	42	79	125	205	346	237	—	1,065	482	583
	（％）	—	25.6	20.4	24.8	26.9	29.0	34.6	34.7	—	30.4	26.5	34.6
	Ⅱ度高血圧（人）	—	—	—	—	42	47	96	88	—	327	143	184
	（％）	—	—	—	—	9.1	6.6	9.6	12.9	—	9.3	7.9	10.9
	Ⅲ度高血圧（人）	—	—	—	—	10	13	16	10	—	60	34	26
	（％）	—	—	—	—	2.2	1.8	1.6	1.5	—	1.7	1.9	1.5
	（再掲）高血圧（人）	17	44	61	112	177	265	458	335	1,469	1,452	659	793
	（％）	35.4	36.4	29.6	35.2	38.1	37.4	45.8	49.0	41.4	41.5	36.3	47.1
服薬なし	（再掲）収縮期高血圧（人）	—	18	14	29	66	142	321	261	—	851	269	582
	（％）	—	14.9	6.8	9.1	14.2	20.1	32.1	38.2	—	24.3	14.8	34.6
	総数	1,002	1,203	1,008	794	990	1,058	967	554	7,576	6,574	5,053	1,521
	正常血圧（人）	508	521	385	300	315	315	242	109	2,695	2,187	1,836	351
	（％）	50.7	43.3	38.2	37.8	31.8	29.8	25.0	19.7	35.6	33.3	36.3	23.1
	正常高値血圧（人）	205	213	156	111	137	156	177	97	1,252	1,047	773	274
	（％）	20.5	17.7	15.5	14.0	13.8	14.7	18.3	17.5	16.5	15.9	15.3	18.0
	高値血圧（人）	174	241	248	192	245	261	212	110	1,683	1,509	1,187	322
	（％）	17.4	20.0	24.6	24.2	24.7	24.7	21.9	19.9	22.2	23.0	23.5	21.2
	I度高血圧（人）	89	162	148	121	206	237	237	182	1,382	1,293	874	419
	（％）	8.9	13.5	14.7	15.2	20.8	22.4	24.5	32.9	18.2	19.7	17.3	27.5
	Ⅱ度高血圧（人）	—	52	54	55	61	69	73	40	—	404	291	113
	（％）	—	4.3	5.4	6.9	6.2	6.5	7.5	7.2	—	6.1	5.8	7.4
	Ⅲ度高血圧（人）	—	14	17	15	26	20	26	16	—	134	92	42
	（％）	—	1.2	1.7	1.9	2.6	1.9	2.7	2.9	—	2.0	1.8	2.8
	（再掲）高血圧（人）	115	228	219	191	293	326	336	238	1,946	1,831	1,257	574
	（％）	11.5	19.0	21.7	24.1	29.6	30.8	34.7	43.0	25.7	27.9	24.9	37.7
	（再掲）収縮期高血圧（人）	40	46	53	46	96	159	201	168	809	769	400	369
	（％）	4.0	3.8	5.3	5.8	9.7	15.0	20.8	30.3	10.7	11.7	7.9	24.3

「血圧を下げる薬」服薬の有無別：血圧（女性）



女性		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	（再掲） 40-74歳	（再掲） 40-64歳	（再掲） 65-74歳
服薬あり	総数	—	47	90	174	303	485	734	640	—	2,473	1,099	1,374
	正常血圧（人）	—	—	—	36	60	103	93	77	—	387	217	170
	正常血圧（%）	—	—	—	20.7	19.8	21.2	12.7	12.0	—	15.6	19.7	12.4
	正常高値血圧（人）	—	—	—	25	63	75	114	96	—	393	183	210
	正常高値血圧（%）	—	—	—	14.4	20.8	15.5	15.5	15.0	—	15.9	16.7	15.3
	高値血圧（人）	—	19	28	52	80	112	171	157	—	619	291	328
	高値血圧（%）	—	40.4	31.1	29.9	26.4	23.1	23.3	24.5	—	25.0	26.5	23.9
	I度高血圧（人）	—	—	—	50	76	130	256	226	—	781	299	482
	I度高血圧（%）	—	—	—	28.7	25.1	26.8	34.9	35.3	—	31.6	27.2	35.1
	II度高血圧（人）	—	—	—	—	—	—	88	74	—	260	98	162
	II度高血圧（%）	—	—	—	—	—	—	12.0	11.6	—	10.5	8.9	11.8
	III度高血圧（人）	—	—	—	—	—	—	12	10	—	33	11	22
	III度高血圧（%）	—	—	—	—	—	—	1.6	1.6	—	1.3	1.0	1.6
	（再掲）高血圧（人）	—	13	39	61	100	195	356	310	—	1,074	408	666
	（再掲）高血圧（%）	—	27.7	43.3	35.1	33.0	40.2	48.5	48.4	—	43.4	37.1	48.5
	（再掲）収縮期高血圧（人）	—	—	—	26	44	121	250	227	—	683	206	477
	（再掲）収縮期高血圧（%）	—	—	—	14.9	14.5	24.9	34.1	35.5	—	27.6	18.7	34.7
服薬なし	総数	837	1,026	888	850	979	1,048	1,047	583	7,258	6,421	4,791	1,630
	正常血圧（人）	639	697	537	476	483	404	358	158	3,752	3,113	2,597	516
	正常血圧（%）	76.3	67.9	60.5	56.0	49.3	38.5	34.2	27.1	51.7	48.5	54.2	31.7
	正常高値血圧（人）	73	124	119	116	152	181	167	103	1,035	962	692	270
	正常高値血圧（%）	8.7	12.1	13.4	13.6	15.5	17.3	16.0	17.7	14.3	15.0	14.4	16.6
	高値血圧（人）	72	117	132	127	160	220	216	107	1,151	1,079	756	323
	高値血圧（%）	8.6	11.4	14.9	14.9	16.3	21.0	20.6	18.4	15.9	16.8	15.8	19.8
	I度高血圧（人）	35	65	74	101	144	171	232	155	977	942	555	387
	I度高血圧（%）	4.2	6.3	8.3	11.9	14.7	16.3	22.2	26.6	13.5	14.7	11.6	23.7
	II度高血圧（人）	—	—	—	—	29	60	60	44	—	252	148	104
	II度高血圧（%）	—	—	—	—	3.0	5.7	5.7	7.5	—	3.9	3.1	6.4
	III度高血圧（人）	—	—	—	—	11	12	14	16	—	73	43	30
	III度高血圧（%）	—	—	—	—	1.1	1.1	1.3	2.7	—	1.1	0.9	1.8
	（再掲）高血圧（人）	53	88	100	131	184	243	306	215	1,320	1,267	746	521
	（再掲）高血圧（%）	6.3	8.6	11.3	15.4	18.8	23.2	29.2	36.9	18.2	19.7	15.6	32.0
	（再掲）収縮期高血圧（人）	11	28	39	52	104	141	210	169	754	743	364	379
	（再掲）収縮期高血圧（%）	1.3	2.7	4.4	6.1	10.6	13.5	20.1	29.0	10.4	11.6	7.6	23.3

収縮期血圧






表. 収縮期血圧 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	1,050	1,324	1,214	1,112	1,454	1,766	1,968	1,237	11,125	10,075	6,870	3,205
	120未満 (人)	540	587	478	417	456	485	384	210	3,557	3,017	2,423	594
	(%)	51.4	44.3	39.4	37.5	31.4	27.5	19.5	17.0	32.0	29.9	35.3	18.5
	120以上130未満 (人)	293	352	338	281	341	394	429	228	2,656	2,363	1,706	657
	(%)	27.9	26.6	27.8	25.3	23.5	22.3	21.8	18.4	23.9	23.5	24.8	20.5
	130以上140未満 (人)	101	171	182	156	246	341	391	242	1,830	1,729	1,096	633
	(%)	9.6	12.9	15.0	14.0	16.9	19.3	19.9	19.6	16.4	17.2	16.0	19.8
	140以上160未満 (人)	100	170	165	195	299	411	568	413	2,321	2,221	1,240	981
	(%)	9.5	12.8	13.6	17.5	20.6	23.3	28.9	33.4	20.9	22.0	18.0	30.6
	160以上180未満 (人)	-	-	-	-	85	111	159	121	-	611	331	280
	(%)	-	-	-	-	5.8	6.3	8.1	9.8	-	6.1	4.8	8.7
女性	180以上 (人)	-	-	-	-	27	24	37	23	-	134	74	60
	(%)	-	-	-	-	1.9	1.4	1.9	1.9	-	1.3	1.1	1.9
	(再掲)130以上 (人)	217	385	398	414	657	887	1,155	799	4,912	4,695	2,741	1,954
	(%)	20.7	29.1	32.8	37.2	45.2	50.2	58.7	64.6	44.2	46.6	39.9	61.0
	(再掲)140以上 (人)	116	214	216	258	411	546	764	557	3,082	2,966	1,645	1,321
	(%)	11.0	16.2	17.8	23.2	28.3	30.9	38.8	45.0	27.7	29.4	23.9	41.2
	総数	846	1,073	978	1,024	1,282	1,533	1,781	1,223	9,740	8,894	5,890	3,004
	120未満 (人)	652	725	571	550	558	530	472	245	4,303	3,651	2,934	717
	(%)	77.1	67.6	58.4	53.7	43.5	34.6	26.5	20.0	44.2	41.1	49.8	23.9
	120以上130未満 (人)	115	193	189	204	298	343	340	223	1,905	1,790	1,227	563
	(%)	13.6	18.0	19.3	19.9	23.2	22.4	19.1	18.2	19.6	20.1	20.8	18.7
	130以上140未満 (人)	34	78	99	105	168	245	326	252	1,307	1,273	695	578
	(%)	4.0	7.3	10.1	10.3	13.1	16.0	18.3	20.6	13.4	14.3	11.8	19.2
	140以上160未満 (人)	34	63	96	138	207	293	483	368	1,682	1,648	797	851
	(%)	4.0	5.9	9.8	13.5	16.1	19.1	27.1	30.1	17.3	18.5	13.5	28.3
	160以上180未満 (人)	-	-	-	-	-	109	137	112	-	451	202	249
	(%)	-	-	-	-	-	7.1	7.7	9.2	-	5.1	3.4	8.3
	180以上 (人)	-	-	-	-	-	13	23	23	-	81	35	46
	(%)	-	-	-	-	-	0.8	1.3	1.9	-	0.9	0.6	1.5
	(再掲)130以上 (人)	79	155	218	270	426	660	969	755	3,532	3,453	1,729	1,724
	(%)	9.3	14.4	22.3	26.4	33.2	43.1	54.4	61.7	36.3	38.8	29.4	57.4
	(再掲)140以上 (人)	45	77	119	165	258	415	643	503	2,225	2,180	1,034	1,146
	(%)	5.3	7.2	12.2	16.1	20.1	27.1	36.1	41.1	22.8	24.5	17.6	38.1

収縮期血圧 -「血圧を下げる薬」服薬ありの者-






表. 収縮期血圧_服薬あり 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	48	121	206	318	464	708	1,001	683	3,549	3,501	1,817	1,684
	120未満 (人)	15	31	53	85	115	155	132	94	680	665	439	226
	(%)	31.3	25.6	25.7	26.7	24.8	21.9	13.2	13.8	19.2	19.0	24.2	13.4
	120以上130未満 (人)	13	30	71	85	101	158	208	114	780	767	445	322
	(%)	27.1	24.8	34.5	26.7	21.8	22.3	20.8	16.7	22.0	21.9	24.5	19.1
	130以上140未満 (人)	-	22	34	58	91	149	221	148	-	723	354	369
	(%)	-	18.2	16.5	18.2	19.6	21.0	22.1	21.7	-	20.7	19.5	21.9
	140以上160未満 (人)	-	-	37	71	114	190	338	235	-	1,014	441	573
	(%)	-	-	18.0	22.3	24.6	26.8	33.8	34.4	-	29.0	24.3	34.0
	160以上180未満 (人)	-	-	-	-	-	-	-	-	-	291	120	171
女性	(%)	-	-	-	-	-	-	-	-	-	8.3	6.6	10.2
	180以上 (人)	-	-	-	-	-	-	-	-	-	41	18	23
	(%)	-	-	-	-	-	-	-	-	-	1.2	1.0	1.4
	(再掲)130以上 (人)	20	60	82	148	248	395	661	475	2,089	2,069	933	1,136
	(%)	41.7	49.6	39.8	46.5	53.4	55.8	66.0	69.5	58.9	59.1	51.3	67.5
	(再掲)140以上 (人)	16	38	48	90	157	246	440	327	1,362	1,346	579	767
	(%)	33.3	31.4	23.3	28.3	33.8	34.7	44.0	47.9	38.4	38.4	31.9	45.5
	総数	-	47	90	174	303	485	734	640	-	2,473	1,099	1,374
	120未満 (人)	-	11	13	45	63	112	102	80	-	426	244	182
	(%)	-	23.4	14.4	25.9	20.8	23.1	13.9	12.5	-	17.2	22.2	13.2
	120以上130未満 (人)	-	14	25	42	87	109	146	108	-	531	277	254
	(%)	-	29.8	27.8	24.1	28.7	22.5	19.9	16.9	-	21.5	25.2	18.5
	130以上140未満 (人)	-	10	17	35	61	79	142	155	-	499	202	297
	(%)	-	21.3	18.9	20.1	20.1	16.3	19.3	24.2	-	20.2	18.4	21.6
	140以上160未満 (人)	-	-	-	-	74	127	253	218	-	759	288	471
	(%)	-	-	-	-	24.4	26.2	34.5	34.1	-	30.7	26.2	34.3
	160以上180未満 (人)	-	-	-	-	-	-	81	69	-	-	-	150
	(%)	-	-	-	-	-	-	11.0	10.8	-	-	-	10.9
	180以上 (人)	-	-	-	-	-	-	10	10	-	-	-	20
	(%)	-	-	-	-	-	-	1.4	1.6	-	-	-	1.5
	(再掲)130以上 (人)	-	22	52	87	153	264	486	452	-	1,516	578	938
	(%)	-	46.8	57.8	50.0	50.5	54.4	66.2	70.6	-	61.3	52.6	68.3
	(再掲)140以上 (人)	-	12	35	52	92	185	344	297	-	1,017	376	641
	(%)	-	25.5	38.9	29.9	30.4	38.1	46.9	46.4	-	41.1	34.2	46.7

収縮期血圧 -「血圧を下げる薬」服薬なしの者-






表. 収縮期血圧_服薬なし 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	1,002	1,203	1,008	794	990	1,058	967	554	7,576	6,574	5,053	1,521
	120未満 (人)	525	556	425	332	341	330	252	116	2,877	2,352	1,984	368
	(%)	52.4	46.2	42.2	41.8	34.4	31.2	26.1	20.9	38.0	35.8	39.3	24.2
	120以上130未満 (人)	280	322	267	196	240	236	221	114	1,876	1,596	1,261	335
	(%)	27.9	26.8	26.5	24.7	24.2	22.3	22.9	20.6	24.8	24.3	25.0	22.0
	130以上140未満 (人)	97	149	148	98	155	192	170	94	1,103	1,006	742	264
	(%)	9.7	12.4	14.7	12.3	15.7	18.1	17.6	17.0	14.6	15.3	14.7	17.4
	140以上160未満 (人)	88	141	128	124	185	221	230	178	1,295	1,207	799	408
	(%)	8.8	11.7	12.7	15.6	18.7	20.9	23.8	32.1	17.1	18.4	15.8	26.8
	160以上180未満 (人)	-	-	-	-	49	63	72	37	-	320	211	109
女性	(%)	-	-	-	-	4.9	6.0	7.4	6.7	-	4.9	4.2	7.2
	180以上 (人)	-	-	-	-	20	16	22	15	-	93	56	37
	(%)	-	-	-	-	2.0	1.5	2.3	2.7	-	1.4	1.1	2.4
	(再掲)130以上 (人)	197	325	316	266	409	492	494	324	2,823	2,626	1,808	818
	(%)	19.7	27.0	31.3	33.5	41.3	46.5	51.1	58.5	37.3	39.9	35.8	53.8
	(再掲)140以上 (人)	100	176	168	168	254	300	324	230	1,720	1,620	1,066	554
	(%)	10.0	14.6	16.7	21.2	25.7	28.4	33.5	41.5	22.7	24.6	21.1	36.4
	総数	837	1,026	888	850	979	1,048	1,047	583	7,258	6,421	4,791	1,630
	120未満 (人)	650	714	558	505	495	418	370	165	3,875	3,225	2,690	535
	(%)	77.7	69.6	62.8	59.4	50.6	39.9	35.3	28.3	53.4	50.2	56.1	32.8
	120以上130未満 (人)	112	179	164	162	211	234	194	115	1,371	1,259	950	309
	(%)	13.4	17.4	18.5	19.1	21.6	22.3	18.5	19.7	18.9	19.6	19.8	19.0
	130以上140未満 (人)	32	68	82	70	107	166	184	97	806	774	493	281
	(%)	3.8	6.6	9.2	8.2	10.9	15.8	17.6	16.6	11.1	12.1	10.3	17.2
	140以上160未満 (人)	32	53	64	93	133	166	230	150	921	889	509	380
	(%)	3.8	5.2	7.2	10.9	13.6	15.8	22.0	25.7	12.7	13.8	10.6	23.3
	160以上180未満 (人)	-	-	-	-	-	-	56	43	-	219	120	99
	(%)	-	-	-	-	-	-	5.3	7.4	-	3.4	2.5	6.1
	180以上 (人)	-	-	-	-	-	-	13	13	-	55	29	26
	(%)	-	-	-	-	-	-	1.2	2.2	-	0.9	0.6	1.6
	(再掲)130以上 (人)	75	133	166	183	273	396	483	303	2,012	1,937	1,151	786
	(%)	9.0	13.0	18.7	21.5	27.9	37.8	46.1	52.0	27.7	30.2	24.0	48.2
	(再掲)140以上 (人)	43	65	84	113	166	230	299	206	1,206	1,163	658	505
	(%)	5.1	6.3	9.5	13.3	17.0	21.9	28.6	35.3	16.6	18.1	13.7	31.0

拡張期血圧






表. 拡張期血圧 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	1,050	1,324	1,214	1,112	1,454	1,766	1,968	1,237	11,125	10,075	6,870	3,205
	80未満 (人)	769	832	668	585	713	947	1,137	793	6,444	5,675	3,745	1,930
	(%)	73.2	62.8	55.0	52.6	49.0	53.6	57.8	64.1	57.9	56.3	54.5	60.2
	80以上85未満 (人)	131	189	207	189	267	334	345	191	1,853	1,722	1,186	536
	(%)	12.5	14.3	17.1	17.0	18.4	18.9	17.5	15.4	16.7	17.1	17.3	16.7
	85以上90未満 (人)	61	95	126	110	166	195	214	109	1,076	1,015	692	323
	(%)	5.8	7.2	10.4	9.9	11.4	11.0	10.9	8.8	9.7	10.1	10.1	10.1
	90以上100未満 (人)	64	141	143	151	227	233	211	111	1,281	1,217	895	322
	(%)	6.1	10.6	11.8	13.6	15.6	13.2	10.7	9.0	11.5	12.1	13.0	10.0
	100以上110未満 (人)	-	51	54	61	60	43	-	-	-	344	269	75
女性	(%)	-	3.9	4.4	5.5	4.1	2.4	-	-	-	3.4	3.9	2.3
	110以上 (人)	-	16	16	16	21	14	-	-	-	102	83	19
	(%)	-	1.2	1.3	1.4	1.4	0.8	-	-	-	1.0	1.2	0.6
	(再掲)85以上 (人)	150	303	339	338	474	485	486	253	2,828	2,678	1,939	739
	(%)	14.3	22.9	27.9	30.4	32.6	27.5	24.7	20.5	25.4	26.6	28.2	23.1
	(再掲)90以上 (人)	89	208	213	228	308	290	272	144	1,752	1,663	1,247	416
	(%)	8.5	15.7	17.5	20.5	21.2	16.4	13.8	11.6	15.7	16.5	18.2	13.0
	総数	846	1,073	978	1,024	1,282	1,533	1,781	1,223	9,740	8,894	5,890	3,004
	80未満 (人)	725	862	719	703	883	985	1,135	821	6,833	6,108	4,152	1,956
	(%)	85.7	80.3	73.5	68.7	68.9	64.3	63.7	67.1	70.2	68.7	70.5	65.1
	80以上85未満 (人)	51	88	108	130	162	228	276	181	1,224	1,173	716	457
	(%)	6.0	8.2	11.0	12.7	12.6	14.9	15.5	14.8	12.6	13.2	12.2	15.2
	85以上90未満 (人)	25	55	61	77	101	144	168	92	723	698	438	260
	(%)	3.0	5.1	6.2	7.5	7.9	9.4	9.4	7.5	7.4	7.8	7.4	8.7
	90以上100未満 (人)	31	47	72	89	105	133	159	103	739	708	446	262
	(%)	3.7	4.4	7.4	8.7	8.2	8.7	8.9	8.4	7.6	8.0	7.6	8.7
	100以上110未満 (人)	-	-	-	-	-	33	-	-	-	165	109	56
	(%)	-	-	-	-	-	2.2	-	-	-	1.9	1.9	1.9
	110以上 (人)	-	-	-	-	-	10	-	-	-	42	29	13
	(%)	-	-	-	-	-	0.7	-	-	-	0.5	0.5	0.4
	(再掲)85以上 (人)	70	123	151	191	237	320	370	221	1,683	1,613	1,022	591
	(%)	8.3	11.5	15.4	18.7	18.5	20.9	20.8	18.1	17.3	18.1	17.4	19.7
	(再掲)90以上 (人)	45	68	90	114	136	176	202	129	960	915	584	331
	(%)	5.3	6.3	9.2	11.1	10.6	11.5	11.3	10.5	9.9	10.3	9.9	11.0

拡張期血圧 -「血圧を下げる薬」服薬ありの者-(40-74歳)






表. 拡張期血圧_服薬あり 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	48	121	206	318	464	708	1,001	683	3,549	3,501	1,817	1,684
	80未満	(人) 23	(人) 54	(人) 84	(人) 140	(人) 199	(人) 357	(人) 544	(人) 447	(人) 1,848	(人) 1,825	(人) 834	(人) 991
		(%) 47.9	(%) 44.6	(%) 40.8	(%) 44.0	(%) 42.9	(%) 50.4	(%) 54.3	(%) 65.4	(%) 52.1	(%) 52.1	(%) 45.9	(%) 58.8
	80以上85未満	(人) -	(人) 22	(人) 56	(人) 58	(人) 88	(人) 148	(人) 201	(人) 97	(人) -	(人) 670	(人) 372	(人) 298
		(%) -	(%) 18.2	(%) 27.2	(%) 18.2	(%) 19.0	(%) 20.9	(%) 20.1	(%) 14.2	(%) -	(%) 19.1	(%) 20.5	(%) 17.7
	85以上90未満	(人) -	(人) 19	(人) 19	(人) 37	(人) 66	(人) 80	(人) 119	(人) 65	(人) -	(人) 405	(人) 221	(人) 184
		(%) -	(%) 15.7	(%) 9.2	(%) 11.6	(%) 14.2	(%) 11.3	(%) 11.9	(%) 9.5	(%) -	(%) 11.6	(%) 12.2	(%) 10.9
	90以上100未満	(人) -	(人) -	(人) -	(人) 58	(人) 88	(人) 105	(人) 111	(人) 53	(人) -	(人) 465	(人) 301	(人) 164
		(%) -	(%) -	(%) -	(%) 18.2	(%) 19.0	(%) 14.8	(%) 11.1	(%) 7.8	(%) -	(%) 13.3	(%) 16.6	(%) 9.7
	100以上110未満	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -	(人) 69	(人) -
		(%) -	(%) -	(%) -	(%) -	(%) -	(%) -	(%) -	(%) -	(%) -	(%) -	(%) 3.8	(%) -
女性	110以上	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -	(人) 20	(人) -
		(%) -	(%) -	(%) -	(%) -	(%) -	(%) -	(%) -	(%) -	(%) -	(%) -	(%) 1.1	(%) -
	(再掲)85以上	(人) 18	(人) 45	(人) 66	(人) 120	(人) 177	(人) 203	(人) 256	(人) 139	(人) 1,024	(人) 1,006	(人) 611	(人) 395
		(%) 37.5	(%) 37.2	(%) 32.0	(%) 37.7	(%) 38.1	(%) 28.7	(%) 25.6	(%) 20.4	(%) 28.9	(%) 28.7	(%) 33.6	(%) 23.5
	(再掲)90以上	(人) 14	(人) 26	(人) 47	(人) 83	(人) 111	(人) 123	(人) 137	(人) 74	(人) 615	(人) 601	(人) 390	(人) 211
		(%) 29.2	(%) 21.5	(%) 22.8	(%) 26.1	(%) 23.9	(%) 17.4	(%) 13.7	(%) 10.8	(%) 17.3	(%) 17.2	(%) 21.5	(%) 12.5
	総数	-	47	90	174	303	485	734	640	-	2,473	1,099	1,374
	80未満	(人) -	(人) 20	(人) 30	(人) 74	(人) 170	(人) 266	(人) 404	(人) 412	(人) -	(人) 1,376	(人) 560	(人) 816
		(%) -	(%) 42.6	(%) 33.3	(%) 42.5	(%) 56.1	(%) 54.8	(%) 55.0	(%) 64.4	(%) -	(%) 55.6	(%) 51.0	(%) 59.4
	80以上85未満	(人) -	(人) 11	(人) 19	(人) 37	(人) 54	(人) 86	(人) 139	(人) 102	(人) -	(人) 448	(人) 207	(人) 241
		(%) -	(%) 23.4	(%) 21.1	(%) 21.3	(%) 17.8	(%) 17.7	(%) 18.9	(%) 15.9	(%) -	(%) 18.1	(%) 18.8	(%) 17.5
	85以上90未満	(人) -	(人) -	(人) -	(人) 28	(人) 23	(人) 59	(人) 85	(人) 43	(人) -	(人) 258	(人) 130	(人) 128
		(%) -	(%) -	(%) -	(%) 16.1	(%) 7.6	(%) 12.2	(%) 11.6	(%) 6.7	(%) -	(%) 10.4	(%) 11.8	(%) 9.3
	90以上100未満	(人) -	(人) -	(人) -	(人) -	(人) 45	(人) 58	(人) 84	(人) 71	(人) -	(人) 318	(人) 163	(人) 155
		(%) -	(%) -	(%) -	(%) -	(%) 14.9	(%) 12.0	(%) 11.4	(%) 11.1	(%) -	(%) 12.9	(%) 14.8	(%) 11.3
	100以上110未満	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -
		(%) -	(%) -	(%) -	(%) -	(%) -	(%) -	(%) -	(%) -	(%) -	(%) -	(%) -	(%) -
	110以上	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -	(人) -
		(%) -	(%) -	(%) -	(%) -	(%) -	(%) -	(%) -	(%) -	(%) -	(%) -	(%) -	(%) -
	(再掲)85以上	(人) -	(人) 16	(人) 41	(人) 63	(人) 79	(人) 133	(人) 191	(人) 126	(人) -	(人) 649	(人) 332	(人) 317
		(%) -	(%) 34.0	(%) 45.6	(%) 36.2	(%) 26.1	(%) 27.4	(%) 26.0	(%) 19.7	(%) -	(%) 26.2	(%) 30.2	(%) 23.1
	(再掲)90以上	(人) -	(人) -	(人) -	(人) 35	(人) 56	(人) 74	(人) 106	(人) 83	(人) -	(人) 391	(人) 202	(人) 189
		(%) -	(%) -	(%) -	(%) 20.1	(%) 18.5	(%) 15.3	(%) 14.4	(%) 13.0	(%) -	(%) 15.8	(%) 18.4	(%) 13.8

拡張期血圧 -「血圧を下げる薬」服薬なしの者-








表. 拡張期血圧_服薬なし 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	1,002	1,203	1,008	794	990	1,058	967	554	7,576	6,574	5,053	1,521
	80未満 (人)	746	778	584	445	514	590	593	346	4,596	3,850	2,911	939
	(%)	74.5	64.7	57.9	56.0	51.9	55.8	61.3	62.5	60.7	58.6	57.6	61.7
	80以上85未満 (人)	124	167	151	131	179	186	144	94	1,176	1,052	814	238
	(%)	12.4	13.9	15.0	16.5	18.1	17.6	14.9	17.0	15.5	16.0	16.1	15.6
	85以上90未満 (人)	57	76	107	73	100	115	95	44	667	610	471	139
	(%)	5.7	6.3	10.6	9.2	10.1	10.9	9.8	7.9	8.8	9.3	9.3	9.1
	90以上100未満 (人)	53	124	110	93	139	128	100	58	805	752	594	158
	(%)	5.3	10.3	10.9	11.7	14.0	12.1	10.3	10.5	10.6	11.4	11.8	10.4
	100以上110未満 (人)	-	45	42	40	42	-	-	-	-	234	200	34
女性	(%)	-	3.7	4.2	5.0	4.2	-	-	-	-	3.6	4.0	2.2
	110以上 (人)	-	13	14	12	16	-	-	-	-	76	63	13
	(%)	-	1.1	1.4	1.5	1.6	-	-	-	-	1.2	1.2	0.9
	(再掲)85以上 (人)	132	258	273	218	297	282	230	114	1,804	1,672	1,328	344
	(%)	13.2	21.4	27.1	27.5	30.0	26.7	23.8	20.6	23.8	25.4	26.3	22.6
	(再掲)90以上 (人)	75	182	166	145	197	167	135	70	1,137	1,062	857	205
	(%)	7.5	15.1	16.5	18.3	19.9	15.8	14.0	12.6	15.0	16.2	17.0	13.5
	総数	837	1,026	888	850	979	1,048	1,047	583	7,258	6,421	4,791	1,630
	80未満 (人)	722	842	689	629	713	719	731	409	5,454	4,732	3,592	1,140
	(%)	86.3	82.1	77.6	74.0	72.8	68.6	69.8	70.2	75.1	73.7	75.0	69.9
	80以上85未満 (人)	48	77	89	93	108	142	137	79	773	725	509	216
	(%)	5.7	7.5	10.0	10.9	11.0	13.5	13.1	13.6	10.7	11.3	10.6	13.3
	85以上90未満 (人)	25	47	49	49	78	85	83	49	465	440	308	132
	(%)	3.0	4.6	5.5	5.8	8.0	8.1	7.9	8.4	6.4	6.9	6.4	8.1
	90以上100未満 (人)	28	42	46	60	60	75	75	32	418	390	283	107
	(%)	3.3	4.1	5.2	7.1	6.1	7.2	7.2	5.5	5.8	6.1	5.9	6.6
	100以上110未満 (人)	-	-	-	-	-	-	-	-	-	103	-	-
	(%)	-	-	-	-	-	-	-	-	-	1.6	-	-
	110以上 (人)	-	-	-	-	-	-	-	-	-	31	-	-
	(%)	-	-	-	-	-	-	-	-	-	0.5	-	-
	(再掲)85以上 (人)	67	107	110	128	158	187	179	95	1,031	964	690	274
	(%)	8.0	10.4	12.4	15.1	16.1	17.8	17.1	16.3	14.2	15.0	14.4	16.8
	(再掲)90以上 (人)	42	60	61	79	80	102	96	46	566	524	382	142
	(%)	5.0	5.8	6.9	9.3	8.2	9.7	9.2	7.9	7.8	8.2	8.0	8.7

-

糖尿病有病者



		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	1,050	1,324	1,214	1,112	1,454	1,766	1,968	1,237	11,125	10,075	6,870	3,205
	糖尿病有病者*1 (人)	33	76	133	150	231	318	464	299	1,704	1,671	908	763
	(%)	3.1	5.7	11.0	13.5	15.9	18.0	23.6	24.2	15.3	16.6	13.2	23.8
	服薬あり*2 (人)	11	39	65	79	124	178	300	214	1,010	999	485	514
	(%)	1.0	2.9	5.4	7.1	8.5	10.1	15.2	17.3	9.1	9.9	7.1	16.0
女性	治療率*3 (%)	33.3	51.3	48.9	52.7	53.7	56.0	64.7	71.6	59.3	59.8	53.4	67.4
	総数	846	1,073	978	1,024	1,282	1,533	1,780	1,223	9,739	8,893	5,890	3,003
	糖尿病有病者*1 (人)	—	23	30	58	91	157	252	211	—	822	359	463
	(%)	—	2.1	3.1	5.7	7.1	10.2	14.2	17.3	—	9.2	6.1	15.4
	服薬あり*2 (人)	—	15	19	30	50	103	148	133	—	498	217	281
	(%)	—	1.4	1.9	2.9	3.9	6.7	8.3	10.9	—	5.6	3.7	9.4
	治療率*3 (%)	16.7	65.2	63.3	51.7	54.9	65.6	58.7	63.0	60.0	60.6	60.4	60.7

*1 糖尿病有病者 : 空腹時血糖126mg/dl以上、またはHbA1c6.5%以上、もしくはインスリン注射または血糖を下げる薬を服薬する者

*2 服薬あり : インスリン注射または血糖を下げる薬を服薬する者

*3 治療率 : 糖尿病有病者のうち、インスリン注射または血糖を下げる薬を服薬する者の割合

空腹時血糖










表. 空腹時血糖 区分（市町村国保+協会けんぽ） - 人数，割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	871	1,242	1,127	991	1,266	1,450	1,463	878	9,288	8,417	6,076	2,341
	100未満	498	672	535	403	510	585	657	442	4,302	3,804	2,705	1,099
	(人)	57.2	54.1	47.5	40.7	40.3	40.3	44.9	50.3	46.3	45.2	44.5	46.9
	(%)	291	421	339	306	378	458	380	205	2,778	2,487	1,902	585
	100以上110未満	291	421	339	306	378	458	380	205	2,778	2,487	1,902	585
	(人)	33.4	33.9	30.1	30.9	29.9	31.6	26.0	23.3	29.9	29.5	31.3	25.0
	(%)	55	96	145	176	216	215	225	128	1,256	1,201	848	353
女性	110以上126未満	55	96	145	176	216	215	225	128	1,256	1,201	848	353
	(人)	6.3	7.7	12.9	17.8	17.1	14.8	15.4	14.6	13.5	14.3	14.0	15.1
	(%)	27	53	108	106	162	192	201	103	952	925	621	304
	126以上	27	53	108	106	162	192	201	103	952	925	621	304
	(人)	3.1	4.3	9.6	10.7	12.8	13.2	13.7	11.7	10.2	11.0	10.2	13.0
	(%)	373	570	592	588	756	865	806	436	4,986	4,613	3,371	1,242
	(再掲)100以上	42.8	45.9	52.5	59.3	59.7	59.7	55.1	49.7	53.7	54.8	55.5	53.1
女性	総数	589	948	876	908	1,086	1,251	1,353	885	7,896	7,307	5,069	2,238
	100未満	514	792	714	656	779	832	901	607	5,795	5,281	3,773	1,508
	(人)	87.3	83.5	81.5	72.2	71.7	66.5	66.6	68.6	73.4	72.3	74.4	67.4
	(%)	61	110	117	172	193	250	245	161	1,309	1,248	842	406
	100以上110未満	61	110	117	172	193	250	245	161	1,309	1,248	842	406
	(人)	10.4	11.6	13.4	18.9	17.8	20.0	18.1	18.2	16.6	17.1	16.6	18.1
	(%)	-	34	30	41	75	95	126	75	-	476	275	201
女性	110以上126未満	-	34	30	41	75	95	126	75	-	476	275	201
	(人)	-	3.6	3.4	4.5	6.9	7.6	9.3	8.5	-	6.5	5.4	9.0
	(%)	-	12	15	39	39	74	81	42	-	302	179	123
	126以上	-	12	15	39	39	74	81	42	-	302	179	123
	(人)	-	1.3	1.7	4.3	3.6	5.9	6.0	4.7	-	4.1	3.5	5.5
	(%)	75	156	162	252	307	419	452	278	2,101	2,026	1,296	730
	(再掲)100以上	12.7	16.5	18.5	27.8	28.3	33.5	33.4	31.4	26.6	27.7	25.6	32.6

「インスリン注射または血糖を下げる薬」服薬の有無別：空腹時血糖 保健指導判定区分（100mg/dl）以上（性年齢階級別，人数）






「インスリン注射または血糖を下げる薬」服薬の有無別：空腹時血糖（男性）



男性		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲)40-74歳	(再掲)40-64歳	(再掲)65-74歳
服薬あり	総数	10	35	61	71	103	133	206	135	754	744	403	341
	100未満 (人)	-	-	-	-	-	-	13	16	-	50	21	29
	(%)	-	-	-	-	-	-	6.3	11.9	-	6.7	5.2	8.5
	100以上110未満 (人)	-	-	-	-	-	-	20	17	-	65	28	37
	(%)	-	-	-	-	-	-	9.7	12.6	-	8.7	6.9	10.9
	110以上126未満 (人)	-	-	-	-	-	-	50	37	-	157	70	87
	(%)	-	-	-	-	-	-	24.3	27.4	-	21.1	17.4	25.5
服薬なし	126以上 (人)	-	25	47	49	72	91	123	65	-	472	284	188
	(%)	-	71.4	77.0	69.0	69.9	68.4	59.7	48.1	-	63.4	70.5	55.1
	(再掲)100以上 (人)	-	-	-	-	-	-	193	119	-	694	382	312
	(%)	-	-	-	-	-	-	93.7	88.1	-	93.3	94.8	91.5
	総数	861	1,207	1,066	920	1,163	1,317	1,257	743	8,534	7,673	5,673	2,000
	100未満 (人)	498	668	534	398	506	578	644	426	4,252	3,754	2,684	1,070
	(%)	57.8	55.3	50.1	43.3	43.5	43.9	51.2	57.3	49.8	48.9	47.3	53.5
服薬なし	100以上110未満 (人)	289	420	336	304	371	443	360	188	2,711	2,422	1,874	548
	(%)	33.6	34.8	31.5	33.0	31.9	33.6	28.6	25.3	31.8	31.6	33.0	27.4
	110以上126未満 (人)	52	91	135	161	196	195	175	91	1,096	1,044	778	266
	(%)	6.0	7.5	12.7	17.5	16.9	14.8	13.9	12.2	12.8	13.6	13.7	13.3
	126以上 (人)	22	28	61	57	90	101	78	38	475	453	337	116
	(%)	2.6	2.3	5.7	6.2	7.7	7.7	6.2	5.1	5.6	5.9	5.9	5.8
	(再掲)100以上 (人)	363	539	532	522	657	739	613	317	4,282	3,919	2,989	930
	(%)	42.2	44.7	49.9	56.7	56.5	56.1	48.8	42.7	50.2	51.1	52.7	46.5

「インスリン注射または血糖を下げる薬」服薬の有無別：空腹時血糖（女性）



女性		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲)40-74歳	(再掲)40-64歳	(再掲)65-74歳
服薬あり	総数	—	11	13	24	37	85	99	86	—	355	170	185
	100未満 (人)	—	—	—	—	—	10	—	—	—	44	23	21
	(%)	—	—	—	—	—	11.8	—	—	—	12.4	13.5	11.4
	100以上110未満 (人)	—	—	—	—	—	10	—	—	—	53	19	34
	(%)	—	—	—	—	—	11.8	—	—	—	14.9	11.2	18.4
	110以上126未満 (人)	—	—	—	—	—	17	—	—	—	77	28	49
	(%)	—	—	—	—	—	20.0	—	—	—	21.7	16.5	26.5
服薬なし	126以上 (人)	—	—	—	15	21	48	50	31	—	181	100	81
	(%)	—	—	—	62.5	56.8	56.5	50.5	36.0	—	51.0	58.8	43.8
	(再掲)100以上 (人)	—	—	—	—	—	75	—	—	—	311	147	164
	(%)	—	—	—	—	—	88.2	—	—	—	87.6	86.5	88.6
	総数	589	937	863	884	1,049	1,166	1,254	799	7,541	6,952	4,899	2,053
	100未満 (人)	514	789	712	653	774	822	892	595	5,751	5,237	3,750	1,487
	(%)	87.3	84.2	82.5	73.9	73.8	70.5	71.1	74.5	76.3	75.3	76.5	72.4
服薬なし	100以上110未満 (人)	61	110	117	169	187	240	232	140	1,256	1,195	823	372
	(%)	10.4	11.7	13.6	19.1	17.8	20.6	18.5	17.5	16.7	17.2	16.8	18.1
	110以上126未満 (人)	—	—	—	38	70	78	99	53	—	399	247	152
	(%)	—	—	—	4.3	6.7	6.7	7.9	6.6	—	5.7	5.0	7.4
	126以上 (人)	—	—	—	24	18	26	31	11	—	121	79	42
	(%)	—	—	—	2.7	1.7	2.2	2.5	1.4	—	1.7	1.6	2.0
	(再掲)100以上 (人)	75	148	151	231	275	344	362	204	1,790	1,715	1,149	566
	(%)	12.7	15.8	17.5	26.1	26.2	29.5	28.9	25.5	23.7	24.7	23.5	27.6

HbA1c








表. HbA1c 区分 (市町村国保+協会けんぽ) - 人数, 割合 -




		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	222	367	358	406	623	1,060	1,617	1,150	5,803	5,581	2,814	2,767
	5.6未満	(人) 104	162	130	127	169	219	288	178	1,377	1,273	807	466
	(%)	46.8	44.1	36.3	31.3	27.1	20.7	17.8	15.5	23.7	22.8	28.7	16.8
	5.6以上6.0未満	(人) 104	152	151	168	248	426	579	423	2,251	2,147	1,145	1,002
	(%)	46.8	41.4	42.2	41.4	39.8	40.2	35.8	36.8	38.8	38.5	40.7	36.2
	6.0以上6.5未満	(人) -	36	44	66	133	255	437	321	-	1,292	534	758
	(%)	-	9.8	12.3	16.3	21.3	24.1	27.0	27.9	-	23.1	19.0	27.4
	6.5以上8.0未満	(人) -	-	-	34	48	123	262	195	-	692	235	457
	(%)	-	-	-	8.4	7.7	11.6	16.2	17.0	-	12.4	8.4	16.5
	8.0以上8.4未満	(人) -	-	-	-	-	13	19	16	-	60	25	35
	(%)	-	-	-	-	-	1.2	1.2	1.4	-	1.1	0.9	1.3
女性	8.4以上	(人) -	-	-	-	-	24	32	17	-	117	68	49
	(%)	-	-	-	-	-	2.3	2.0	1.5	-	2.1	2.4	1.8
	(再掲)5.6以上	(人) 118	205	228	279	454	841	1,329	972	4,426	4,308	2,007	2,301
	(%)	53.2	55.9	63.7	68.7	72.9	79.3	82.2	84.5	76.3	77.2	71.3	83.2
	(再掲)6.5以上	(人) -	17	33	45	73	160	313	228	-	869	328	541
	(%)	-	4.6	9.2	11.1	11.7	15.1	19.4	19.8	-	15.6	11.7	19.6
	総数	289	369	373	416	685	1,083	1,585	1,189	5,989	5,700	2,926	2,774
	5.6未満	(人) 163	193	191	144	173	220	256	156	1,496	1,333	921	412
	(%)	56.4	52.3	51.2	34.6	25.3	20.3	16.2	13.1	25.0	23.4	31.5	14.9
	5.6以上6.0未満	(人) 103	131	138	174	318	486	660	486	2,496	2,393	1,247	1,146
	(%)	35.6	35.5	37.0	41.8	46.4	44.9	41.6	40.9	41.7	42.0	42.6	41.3
	6.0以上6.5未満	(人) -	34	30	73	142	273	468	373	-	1,393	552	841
	(%)	-	9.2	8.0	17.5	20.7	25.2	29.5	31.4	-	24.4	18.9	30.3
	6.5以上8.0未満	(人) -	-	-	-	-	89	173	158	-	503	172	331
	(%)	-	-	-	-	-	8.2	10.9	13.3	-	8.8	5.9	11.9
	8.0以上8.4未満	(人) -	-	-	-	-	-	-	-	-	31	10	21
	(%)	-	-	-	-	-	-	-	-	-	0.5	0.3	0.8
	8.4以上	(人) -	-	-	-	-	-	-	-	-	47	24	23
	(%)	-	-	-	-	-	-	-	-	-	0.8	0.8	0.8
	(再掲)5.6以上	(人) 126	176	182	272	512	863	1,329	1,033	4,493	4,367	2,005	2,362
	(%)	43.6	47.7	48.8	65.4	74.7	79.7	83.8	86.9	75.0	76.6	68.5	85.1
	(再掲)6.5以上	(人) -	11	14	25	52	104	201	174	-	581	206	375
	(%)	-	3.0	3.8	6.0	7.6	9.6	12.7	14.6	-	10.2	7.0	13.5

-

「インスリン注射または血糖を下げる薬」服薬の有無別：HbA1c 保健指導判定区分（5.6％）以上





「インスリン注射または血糖を下げる薬」服薬の有無別：HbA1c（男性）



男性		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
服薬あり	総数	-	-	19	23	56	112	251	204	-	674	219	455
	5.6未満 (人)	-	-	-	-	-	-	-	-	-	11	-	-
	(%)	-	-	-	-	-	-	-	-	-	1.6	-	-
	5.6以上6.0未満 (人)	-	-	-	-	-	-	-	-	-	24	-	-
	(%)	-	-	-	-	-	-	-	-	-	3.6	-	-
	6.0以上6.5未満 (人)	-	-	-	-	-	-	-	-	-	119	33	86
	(%)	-	-	-	-	-	-	-	-	-	17.7	15.1	18.9
	6.5以上8.0未満 (人)	-	-	-	-	-	-	149	134	-	402	119	283
	(%)	-	-	-	-	-	-	59.4	65.7	-	59.6	54.3	62.2
	8.0以上8.4未満 (人)	-	-	-	-	-	-	17	14	-	46	15	31
服薬なし	(%)	-	-	-	-	-	-	6.8	6.9	-	6.8	6.8	6.8
	8.4以上 (人)	-	-	-	-	-	-	23	12	-	72	37	35
	(%)	-	-	-	-	-	-	9.2	5.9	-	10.7	16.9	7.7
	(再掲)5.6以上 (人)	-	-	-	-	-	-	-	-	-	663	-	-
	(%)	-	-	-	-	-	-	-	-	-	98.4	-	-
	(再掲)6.5以上 (人)	-	-	-	18	43	91	189	160	-	520	171	349
	(%)	-	-	-	78.3	76.8	81.3	75.3	78.4	-	77.2	78.1	76.7
	総数	221	358	339	383	567	948	1,366	946	5,128	4,907	2,595	2,312
	5.6未満 (人)	104	160	129	125	168	219	286	175	1,366	1,262	801	461
	(%)	47.1	44.7	38.1	32.6	29.6	23.1	20.9	18.5	26.6	25.7	30.9	19.9
服薬なし	5.6以上6.0未満 (人)	104	150	150	168	246	422	572	415	2,227	2,123	1,136	987
	(%)	47.1	41.9	44.2	43.9	43.4	44.5	41.9	43.9	43.4	43.3	43.8	42.7
	6.0以上6.5未満 (人)	-	35	42	63	123	238	384	288	-	1,173	501	672
	(%)	-	9.8	12.4	16.4	21.7	25.1	28.1	30.4	-	23.9	19.3	29.1
	6.5以上8.0未満 (人)	-	-	-	-	-	56	-	-	-	290	116	174
	(%)	-	-	-	-	-	5.9	-	-	-	5.9	4.5	7.5
	8.0以上8.4未満 (人)	-	-	-	-	-	-	-	-	-	14	-	-
	(%)	-	-	-	-	-	-	-	-	-	0.3	-	-
	8.4以上 (人)	-	-	-	-	-	-	-	-	-	45	-	-
	(%)	-	-	-	-	-	-	-	-	-	0.9	-	-
服薬なし	(再掲)5.6以上 (人)	117	198	210	258	399	729	1,080	771	3,762	3,645	1,794	1,851
	(%)	52.9	55.3	61.9	67.4	70.4	76.9	79.1	81.5	73.4	74.3	69.1	80.1
	(再掲)6.5以上 (人)	-	13	18	27	30	69	124	68	350	349	157	192
	(%)	-	3.6	5.3	7.0	5.3	7.3	9.1	7.2	6.8	7.1	6.1	8.3




「インスリン注射または血糖を下げる薬」服薬の有無別：HbA1c（女性）



女性		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
服薬あり	総数	—	10	—	18	33	79	129	132	—	410	149	261
	5.6未満 (人)	—	—	—	—	—	—	—	—	—	—	—	—
	(%)	—	—	—	—	—	—	—	—	—	—	—	—
	5.6以上6.0未満 (人)	—	—	—	—	—	—	—	—	—	—	—	—
	(%)	—	—	—	—	—	—	—	—	—	—	—	—
	6.0以上6.5未満 (人)	—	—	—	—	—	—	—	—	—	—	—	—
	(%)	—	—	—	—	—	—	—	—	—	—	—	—
	6.5以上8.0未満 (人)	—	—	—	—	—	—	—	—	—	—	—	—
	(%)	—	—	—	—	—	—	—	—	—	—	—	—
	8.0以上8.4未満 (人)	—	—	—	—	—	—	—	—	—	—	—	—
	(%)	—	—	—	—	—	—	—	—	—	—	—	—
服薬なし	8.4以上 (人)	—	—	—	—	—	—	—	—	—	—	—	—
	(%)	—	—	—	—	—	—	—	—	—	—	—	—
	(再掲)5.6以上 (人)	—	—	—	—	—	—	—	—	—	—	—	—
	(%)	—	—	—	—	—	—	—	—	—	—	—	—
	(再掲)6.5以上 (人)	—	—	—	—	25	63	109	100	—	327	118	209
	(%)	—	—	—	—	75.8	79.7	84.5	75.8	—	79.8	79.2	80.1
	総数	287	359	364	398	652	1,004	1,456	1,057	5,577	5,290	2,777	2,513
	5.6未満 (人)	162	192	191	144	173	218	256	154	1,490	1,328	918	410
	(%)	56.4	53.5	52.5	36.2	26.5	21.7	17.6	14.6	26.7	25.1	33.1	16.3
	5.6以上6.0未満 (人)	103	131	138	174	316	483	657	482	2,484	2,381	1,242	1,139
	(%)	35.9	36.5	37.9	43.7	48.5	48.1	45.1	45.6	44.5	45.0	44.7	45.3
服薬なし	6.0以上6.5未満 (人)	—	—	—	70	136	262	451	347	—	1,327	529	798
	(%)	—	—	—	17.6	20.9	26.1	31.0	32.8	—	25.1	19.0	31.8
	6.5以上8.0未満 (人)	—	—	—	—	—	—	—	—	—	240	—	—
	(%)	—	—	—	—	—	—	—	—	—	4.5	—	—
	8.0以上8.4未満 (人)	—	—	—	—	—	—	—	—	—	—	—	—
	(%)	—	—	—	—	—	—	—	—	—	—	—	—
	8.4以上 (人)	—	—	—	—	—	—	—	—	—	—	—	—
	(%)	—	—	—	—	—	—	—	—	—	—	—	—
	(再掲)5.6以上 (人)	125	167	173	254	479	786	1,200	903	4,087	3,962	1,859	2,103
	(%)	43.6	46.5	47.5	63.8	73.5	78.3	82.4	85.4	73.3	74.9	66.9	83.7
服薬なし	(再掲)6.5以上 (人)	—	—	—	10	27	41	92	74	258	254	88	166
	(%)	—	—	—	2.5	4.1	4.1	6.3	7.0	4.6	4.8	3.2	6.6

-

脂質異常症有病者



		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	1,050	1,324	1,214	1,112	1,454	1,766	1,968	1,237	11,125	10,075	6,870	3,205
	脂質異常症有病者* (人)	611	890	799	781	959	1,141	1,316	789	7,286	6,675	4,570	2,105
	(%)	58.2	67.2	65.8	70.2	66.0	64.6	66.9	63.8	65.5	66.3	66.5	65.7
	高LDLコレステロール血症* (人)	459	631	609	567	738	893	1,035	641	5,573	5,114	3,438	1,676
	(%)	43.7	47.7	50.2	51.0	50.8	50.6	52.6	51.8	50.1	50.8	50.0	52.3
	服薬あり*3 (人)	28	70	108	133	235	296	424	330	1,624	1,596	842	754
女性	(%)	2.7	5.3	8.9	12.0	16.2	16.8	21.5	26.7	14.6	15.8	12.3	23.5
	治療率*4 (%)	6.1	11.1	17.7	23.5	31.8	33.1	41.0	51.5	29.1	31.2	24.5	45.0
	総数	846	1,073	978	1,024	1,282	1,533	1,781	1,223	9,740	8,894	5,890	3,004
	脂質異常症有病者* (人)	-	325	360	536	832	1,066	1,274	894	-	5,287	3,119	2,168
	(%)	-	30.3	36.8	52.3	64.9	69.5	71.5	73.1	-	59.4	53.0	72.2
	高LDLコレステロール血症* (人)	-	256	294	480	761	1,003	1,192	827	-	4,813	2,794	2,019
	(%)	-	23.9	30.1	46.9	59.4	65.4	66.9	67.6	-	54.1	47.4	67.2
	服薬あり*3 (人)	-	11	30	76	177	337	532	479	-	1,642	631	1,011
	(%)	-	1.0	3.1	7.4	13.8	22.0	29.9	39.2	-	18.5	10.7	33.7
	治療率*4 (%)	2.6	4.3	10.2	15.8	23.3	33.6	44.6	57.9	33.1	34.1	22.6	50.1

*1 脂質異常症有病者：中性脂肪150mg/dl以上、またはHDLコレステロール40mg/dl未満、またはLDLコレステロール140mg/dl以上、もしくはコレステロールを下げる薬を服薬する者

*2 高LDLコレステロール血症：LDLコレステロール140mg/dl以上、もしくはコレステロールを下げる薬を服薬する者

*3 服薬あり：コレステロールを下げる薬を服薬する者

*4 治療率：高LDLコレステロール血症のうち、コレステロールを下げる薬の服薬する者の割合

LDLコレステロール








表. LDLコレステロール 区分 (市町村国保+協会けんぽ) - 人数, 割合 -




		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	1,050	1,324	1,214	1,112	1,454	1,766	1,968	1,237	11,125	10,075	6,870	3,205
	100未満 (人)	140	197	184	158	266	325	340	231	1,841	1,701	1,130	571
	(%)	13.3	14.9	15.2	14.2	18.3	18.4	17.3	18.7	16.5	16.9	16.4	17.8
	100以上120未満 (人)	209	252	217	206	314	351	423	290	2,262	2,053	1,340	713
	(%)	19.9	19.0	17.9	18.5	21.6	19.9	21.5	23.4	20.3	20.4	19.5	22.2
	120以上140未満 (人)	258	287	277	267	317	406	499	323	2,634	2,376	1,554	822
	(%)	24.6	21.7	22.8	24.0	21.8	23.0	25.4	26.1	23.7	23.6	22.6	25.6
	140以上160未満 (人)	215	260	232	213	261	341	381	219	2,122	1,907	1,307	600
	(%)	20.5	19.6	19.1	19.2	18.0	19.3	19.4	17.7	19.1	18.9	19.0	18.7
	160以上180未満 (人)	127	170	151	138	167	201	203	118	1,275	1,148	827	321
	(%)	12.1	12.8	12.4	12.4	11.5	11.4	10.3	9.5	11.5	11.4	12.0	10.0
女性	180以上 (人)	101	158	153	130	129	142	122	56	991	890	712	178
	(%)	9.6	11.9	12.6	11.7	8.9	8.0	6.2	4.5	8.9	8.8	10.4	5.6
	(再掲)120以上 (人)	701	875	813	748	874	1,090	1,205	716	7,022	6,321	4,400	1,921
	(%)	66.8	66.1	67.0	67.3	60.1	61.7	61.2	57.9	63.1	62.7	64.0	59.9
	(再掲)140以上 (人)	443	588	536	481	557	684	706	393	4,388	3,945	2,846	1,099
	(%)	42.2	44.4	44.2	43.3	38.3	38.7	35.9	31.8	39.4	39.2	41.4	34.3
	総数	846	1,073	978	1,024	1,282	1,533	1,781	1,223	9,740	8,894	5,890	3,004
	100未満 (人)	276	312	225	128	114	135	172	154	1,516	1,240	914	326
	(%)	32.6	29.1	23.0	12.5	8.9	8.8	9.7	12.6	15.6	13.9	15.5	10.9
	100以上120未満 (人)	250	287	264	223	217	268	352	274	2,135	1,885	1,259	626
	(%)	29.6	26.7	27.0	21.8	16.9	17.5	19.8	22.4	21.9	21.2	21.4	20.8
	120以上140未満 (人)	171	226	216	246	312	362	437	329	2,299	2,128	1,362	766
	(%)	20.2	21.1	22.1	24.0	24.3	23.6	24.5	26.9	23.6	23.9	23.1	25.5
	140以上160未満 (人)	85	129	134	198	287	360	377	237	1,807	1,722	1,108	614
	(%)	10.0	12.0	13.7	19.3	22.4	23.5	21.2	19.4	18.6	19.4	18.8	20.4
	160以上180未満 (人)	35	67	92	129	200	214	234	131	1,102	1,067	702	365
	(%)	4.1	6.2	9.4	12.6	15.6	14.0	13.1	10.7	11.3	12.0	11.9	12.2
	180以上 (人)	29	52	47	100	152	194	209	98	881	852	545	307
	(%)	3.4	4.8	4.8	9.8	11.9	12.7	11.7	8.0	9.0	9.6	9.3	10.2
	(再掲)120以上 (人)	320	474	489	673	951	1,130	1,257	795	6,089	5,769	3,717	2,052
	(%)	37.8	44.2	50.0	65.7	74.2	73.7	70.6	65.0	62.5	64.9	63.1	68.3
	(再掲)140以上 (人)	149	248	273	427	639	768	820	466	3,790	3,641	2,355	1,286
	(%)	17.6	23.1	27.9	41.7	49.8	50.1	46.0	38.1	38.9	40.9	40.0	42.8

-

「コレステロールを下げる薬」の服薬の有無別：LDLコレステロール 保健指導判定区分（120mg/dl）以上（性年齢階級別，人数）






「コレステロールを下げる薬」の服薬の有無別：LDLコレステロール（男性）



男性		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲)40-74歳	(再掲)40-64歳	(再掲)65-74歳
服薬あり	総数	28	70	108	133	235	296	424	330	1,624	1,596	842	754
	100未満 (人)	—	20	27	30	64	78	113	74	—	406	219	187
	(%)	—	28.6	25.0	22.6	27.2	26.4	26.7	22.4	—	25.4	26.0	24.8
	100以上120未満 (人)	—	10	27	25	67	66	114	91	—	400	195	205
	(%)	—	14.3	25.0	18.8	28.5	22.3	26.9	27.6	—	25.1	23.2	27.2
	120以上140未満 (人)	—	13	19	31	50	65	102	83	—	363	178	185
	(%)	—	18.6	17.6	23.3	21.3	22.0	24.1	25.2	—	22.7	21.1	24.5
	140以上160未満 (人)	—	12	19	33	31	54	64	46	—	259	149	110
	(%)	—	17.1	17.6	24.8	13.2	18.2	15.1	13.9	—	16.2	17.7	14.6
	160以上180未満 (人)	—	—	—	—	13	20	—	—	—	114	62	52
	(%)	—	—	—	—	5.5	6.8	—	—	—	7.1	7.4	6.9
	180以上 (人)	—	—	—	—	10	13	—	—	—	54	39	15
	(%)	—	—	—	—	4.3	4.4	—	—	—	3.4	4.6	2.0
	(再掲)120以上 (人)	14	40	54	78	104	152	197	165	804	790	428	362
	(%)	50.0	57.1	50.0	58.6	44.3	51.4	46.5	50.0	49.5	49.5	50.8	48.0
	(再掲)140以上 (人)	—	27	35	47	54	87	95	82	—	427	250	177
	(%)	—	38.6	32.4	35.3	23.0	29.4	22.4	24.8	—	26.8	29.7	23.5
服薬なし	総数	1,022	1,254	1,106	979	1,219	1,470	1,544	907	9,501	8,479	6,028	2,451
	100未満 (人)	134	177	157	128	202	247	227	157	1,429	1,295	911	384
	(%)	13.1	14.1	14.2	13.1	16.6	16.8	14.7	17.3	15.0	15.3	15.1	15.7
	100以上120未満 (人)	201	242	190	181	247	285	309	199	1,854	1,653	1,145	508
	(%)	19.7	19.3	17.2	18.5	20.3	19.4	20.0	21.9	19.5	19.5	19.0	20.7
	120以上140未満 (人)	256	274	258	236	267	341	397	240	2,269	2,013	1,376	637
	(%)	25.0	21.9	23.3	24.1	21.9	23.2	25.7	26.5	23.9	23.7	22.8	26.0
	140以上160未満 (人)	210	248	213	180	230	287	317	173	1,858	1,648	1,158	490
	(%)	20.5	19.8	19.3	18.4	18.9	19.5	20.5	19.1	19.6	19.4	19.2	20.0
	160以上180未満 (人)	125	161	139	130	154	181	180	89	1,159	1,034	765	269
	(%)	12.2	12.8	12.6	13.3	12.6	12.3	11.7	9.8	12.2	12.2	12.7	11.0
	180以上 (人)	96	152	149	124	119	129	114	49	932	836	673	163
	(%)	9.4	12.1	13.5	12.7	9.8	8.8	7.4	5.4	9.8	9.9	11.2	6.7
	(再掲)120以上 (人)	687	835	759	670	770	938	1,008	551	6,218	5,531	3,972	1,559
	(%)	67.2	66.6	68.6	68.4	63.2	63.8	65.3	60.7	65.4	65.2	65.9	63.6
	(再掲)140以上 (人)	431	561	501	434	503	597	611	311	3,949	3,518	2,596	922
	(%)	42.2	44.7	45.3	44.3	41.3	40.6	39.6	34.3	41.6	41.5	43.1	37.6

「コレステロールを下げる薬」の服薬の有無別： LDLコレステロール（女性）



女性		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲)40-74歳	(再掲)40-64歳	(再掲)65-74歳
服薬あり	総数	-	11	30	76	177	337	532	479	-	1,642	631	1,011
	100未満 (人)	-	-	-	20	44	47	88	89	-	296	119	177
	(%)	-	-	-	26.3	24.9	13.9	16.5	18.6	-	18.0	18.9	17.5
	100以上120未満 (人)	-	-	-	19	31	96	151	129	-	442	162	280
	(%)	-	-	-	25.0	17.5	28.5	28.4	26.9	-	26.9	25.7	27.7
	120以上140未満 (人)	-	-	-	14	47	92	133	143	-	434	158	276
	(%)	-	-	-	18.4	26.6	27.3	25.0	29.9	-	26.4	25.0	27.3
	140以上160未満 (人)	-	-	-	14	28	50	88	68	-	252	96	156
	(%)	-	-	-	18.4	15.8	14.8	16.5	14.2	-	15.3	15.2	15.4
	160以上180未満 (人)	-	-	-	-	-	36	42	28	-	139	69	70
	(%)	-	-	-	-	-	10.7	7.9	5.8	-	8.5	10.9	6.9
服薬なし	180以上 (人)	-	-	-	-	-	16	30	22	-	79	27	52
	(%)	-	-	-	-	-	4.7	5.6	4.6	-	4.8	4.3	5.1
	(再掲)120以上 (人)	-	-	-	37	102	194	293	261	-	904	350	554
	(%)	-	-	-	48.7	57.6	57.6	55.1	54.5	-	55.1	55.5	54.8
	(再掲)140以上 (人)	-	-	-	23	55	102	160	118	-	470	192	278
	(%)	-	-	-	30.3	31.1	30.3	30.1	24.6	-	28.6	30.4	27.5
	総数	842	1,062	948	948	1,105	1,196	1,249	744	8,094	7,252	5,259	1,993
	100未満 (人)	275	310	219	108	70	88	84	65	1,219	944	795	149
	(%)	32.7	29.2	23.1	11.4	6.3	7.4	6.7	8.7	15.1	13.0	15.1	7.5
	100以上120未満 (人)	250	282	253	204	186	172	201	145	1,693	1,443	1,097	346

HDLコレステロール





表. HDLコレステロール 区分（市町村国保+協会けんぽ） - 人数，割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	1,050	1,324	1,214	1,112	1,454	1,766	1,968	1,237	11,125	10,075	6,870	3,205
	40以上 (人)	967	1,194	1,107	1,025	1,360	1,647	1,822	1,152	10,274	9,307	6,333	2,974
	(%)	92.1	90.2	91.2	92.2	93.5	93.3	92.6	93.1	92.4	92.4	92.2	92.8
	35以上40未満 (人)	64	95	74	64	68	82	98	60	605	541	383	158
	(%)	6.1	7.2	6.1	5.8	4.7	4.6	5.0	4.9	5.4	5.4	5.6	4.9
	35未満 (人)	19	35	33	23	26	37	48	25	246	227	154	73
女性	(%)	1.8	2.6	2.7	2.1	1.8	2.1	2.4	2.0	2.2	2.3	2.2	2.3
	(再掲)40未満 (人)	83	130	107	87	94	119	146	85	851	768	537	231
	(%)	7.9	9.8	8.8	7.8	6.5	6.7	7.4	6.9	7.6	7.6	7.8	7.2
	総数	846	1,073	978	1,024	1,282	1,533	1,781	1,223	9,740	8,894	5,890	3,004
	40以上 (人)	830	1,054	960	1,015	1,255	1,513	1,753	1,199	9,579	8,749	5,797	2,952
	(%)	98.1	98.2	98.2	99.1	97.9	98.7	98.4	98.0	98.3	98.4	98.4	98.3
女性	35以上40未満 (人)	-	-	-	-	-	-	-	-	-	115	76	39
	(%)	-	-	-	-	-	-	-	-	-	1.3	1.3	1.3
	35未満 (人)	-	-	-	-	-	-	-	-	-	30	17	13
	(%)	-	-	-	-	-	-	-	-	-	0.3	0.3	0.4
	(再掲)40未満 (人)	16	19	18	9	27	20	28	24	161	145	93	52
	(%)	1.9	1.8	1.8	0.9	2.1	1.3	1.6	2.0	1.7	1.6	1.6	1.7

中性脂肪





表. 中性脂肪 区分（市町村国保+協会けんぽ） - 人数，割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	1,050	1,324	1,214	1,112	1,454	1,766	1,968	1,237	11,125	10,075	6,870	3,205
	150未満 (人)	718	802	758	669	947	1,217	1,371	935	7,417	6,699	4,393	2,306
	(%)	68.4	60.6	62.4	60.2	65.1	68.9	69.7	75.6	66.7	66.5	63.9	72.0
	150以上300未満 (人)	258	381	329	339	389	445	503	247	2,891	2,633	1,883	750
	(%)	24.6	28.8	27.1	30.5	26.8	25.2	25.6	20.0	26.0	26.1	27.4	23.4
	300以上 (人)	74	141	127	104	118	104	94	55	817	743	594	149
女性	(%)	7.0	10.6	10.5	9.4	8.1	5.9	4.8	4.4	7.3	7.4	8.6	4.6
	(再掲)150以上 (人)	332	522	456	443	507	549	597	302	3,708	3,376	2,477	899
	(%)	31.6	39.4	37.6	39.8	34.9	31.1	30.3	24.4	33.3	33.5	36.1	28.0
	総数	846	1,073	978	1,024	1,282	1,533	1,781	1,223	9,740	8,894	5,890	3,004
	150未満 (人)	753	966	863	882	1,056	1,247	1,442	970	8,179	7,426	5,014	2,412
	(%)	89.0	90.0	88.2	86.1	82.4	81.3	81.0	79.3	84.0	83.5	85.1	80.3
	150以上300未満 (人)	79	87	97	127	193	258	313	231	1,385	1,306	762	544
	(%)	9.3	8.1	9.9	12.4	15.1	16.8	17.6	18.9	14.2	14.7	12.9	18.1
	300以上 (人)	14	20	18	15	33	28	26	22	176	162	114	48
	(%)	1.7	1.9	1.8	1.5	2.6	1.8	1.5	1.8	1.8	1.8	1.9	1.6
	(再掲)150以上 (人)	93	107	115	142	226	286	339	253	1,561	1,468	876	592
	(%)	11.0	10.0	11.8	13.9	17.6	18.7	19.0	20.7	16.0	16.5	14.9	19.7

GOT(AST)




表. GOT (AST) 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲)40-74歳	(再掲)40-64歳	(再掲)65-74歳
男性	総数	1,050	1,324	1,214	1,112	1,454	1,766	1,968	1,237	11,125	10,075	6,870	3,205
	30以下	(人) 836	1,028	965	897	1,151	1,449	1,619	1,052	8,997	8,161	5,490	2,671
		(%) 79.6	77.6	79.5	80.7	79.2	82.0	82.3	85.0	80.9	81.0	79.9	83.3
	31以上50以下	(人) 170	230	194	167	228	245	279	153	1,666	1,496	1,064	432
		(%) 16.2	17.4	16.0	15.0	15.7	13.9	14.2	12.4	15.0	14.8	15.5	13.5
	51以上	(人) 44	66	55	48	75	72	70	32	462	418	316	102
女性		(%) 4.2	5.0	4.5	4.3	5.2	4.1	3.6	2.6	4.2	4.1	4.6	3.2
	(再掲)31以上	(人) 214	296	249	215	303	317	349	185	2,128	1,914	1,380	534
		(%) 20.4	22.4	20.5	19.3	20.8	18.0	17.7	15.0	19.1	19.0	20.1	16.7
	総数	846	1,073	978	1,024	1,282	1,533	1,781	1,223	9,740	8,894	5,890	3,004
	30以下	(人) 803	1,024	928	907	1,134	1,359	1,552	1,070	8,777	7,974	5,352	2,622
		(%) 94.9	95.4	94.9	88.6	88.5	88.6	87.1	87.5	90.1	89.7	90.9	87.3

GPT(ALT)





表. GPT（ALT）区分（市町村国保+協会けんぽ） - 人数，割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	1,050	1,324	1,214	1,112	1,454	1,766	1,968	1,237	11,125	10,075	6,870	3,205
	30以下	(人) 606	772	743	710	1,052	1,367	1,602	1,061	7,913	7,307	4,644	2,663
		(%) 57.7	58.3	61.2	63.8	72.4	77.4	81.4	85.8	71.1	72.5	67.6	83.1
	31以上50以下	(人) 269	340	313	289	288	298	271	146	2,214	1,945	1,528	417
		(%) 25.6	25.7	25.8	26.0	19.8	16.9	13.8	11.8	19.9	19.3	22.2	13.0
	51以上	(人) 175	212	158	113	114	101	95	30	998	823	698	125
女性		(%) 16.7	16.0	13.0	10.2	7.8	5.7	4.8	2.4	9.0	8.2	10.2	3.9
	(再掲)31以上	(人) 444	552	471	402	402	399	366	176	3,212	2,768	2,226	542
		(%) 42.3	41.7	38.8	36.2	27.6	22.6	18.6	14.2	28.9	27.5	32.4	16.9
	総数	846	1,073	978	1,024	1,282	1,533	1,781	1,223	9,740	8,894	5,890	3,004
	30以下	(人) 754	993	880	884	1,076	1,319	1,526	1,093	8,525	7,771	5,152	2,619
		(%) 89.1	92.5	90.0	86.3	83.9	86.0	85.7	89.4	87.5	87.4	87.5	87.2
	31以上50以下	(人) 68	54	70	97	149	173	184	92	887	819	543	276
		(%) 8.0	5.0	7.2	9.5	11.6	11.3	10.3	7.5	9.1	9.2	9.2	9.2
	51以上	(人) 24	26	28	43	57	41	71	38	328	304	195	109
		(%) 2.8	2.4	2.9	4.2	4.4	2.7	4.0	3.1	3.4	3.4	3.3	3.6
	(再掲)31以上	(人) 92	80	98	140	206	214	255	130	1,215	1,123	738	385
		(%) 10.9	7.5	10.0	13.7	16.1	14.0	14.3	10.6	12.5	12.6	12.5	12.8

γ-GT(γ-GTP)





表. γ-GT (γ-GTP) 区分 (市町村国保+協会けんぽ) - 人数, 割合 -

		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	計	(再掲) 40-74歳	(再掲) 40-64歳	(再掲) 65-74歳
男性	総数	1,050	1,324	1,214	1,112	1,454	1,766	1,968	1,237	11,125	10,075	6,870	3,205
	50以下 (人)	653	751	691	645	880	1,198	1,489	1,002	7,309	6,656	4,165	2,491
	(%)	62.2	56.7	56.9	58.0	60.5	67.8	75.7	81.0	65.7	66.1	60.6	77.7
	51以上100以下 (人)	238	324	325	289	345	383	331	177	2,412	2,174	1,666	508
	(%)	22.7	24.5	26.8	26.0	23.7	21.7	16.8	14.3	21.7	21.6	24.3	15.9
	101以上 (人)	159	249	198	178	229	185	148	58	1,404	1,245	1,039	206
	(%)	15.1	18.8	16.3	16.0	15.7	10.5	7.5	4.7	12.6	12.4	15.1	6.4
	(再掲)51以上 (人)	397	573	523	467	574	568	479	235	3,816	3,419	2,705	714
女性	総数	846	1,073	978	1,024	1,282	1,533	1,781	1,223	9,740	8,894	5,890	3,004
	50以下 (人)	788	991	882	884	1,089	1,347	1,621	1,129	8,731	7,943	5,193	2,750
	(%)	93.1	92.4	90.2	86.3	84.9	87.9	91.0	92.3	89.6	89.3	88.2	91.5
	51以上100以下 (人)	40	58	80	98	148	146	118	71	759	719	530	189
	(%)	4.7	5.4	8.2	9.6	11.5	9.5	6.6	5.8	7.8	8.1	9.0	6.3
	101以上 (人)	18	24	16	42	45	40	42	23	250	232	167	65
	(%)	2.1	2.2	1.6	4.1	3.5	2.6	2.4	1.9	2.6	2.6	2.8	2.2
	(再掲)51以上 (人)	58	82	96	140	193	186	160	94	1,009	951	697	254
	(%)	6.9	7.6	9.8	13.7	15.1	12.1	9.0	7.7	10.4	10.7	11.8	8.5