

参考1-1 沖縄県(市町村国保+協会けんぽ)の健診有所見者の状況 [40-74歳]

- 第5回オープンデータ沖縄県を基準集団として標準化該当比を算出 -

				対沖縄県 (NDB沖縄県=100)							
		受診者(人)	該当者		期待数(人)	標準化 該当比	95%信頼区間		判定 区分		
			(人)	(%)			下限値	上限値			
男性	保健指導判定値	BMI	25以上	113,409	52,616	46.4	52,451	100.3	99.5	101.2	
		腹囲	85cm以上	113,406	67,422	59.5	66,740	101.0	100.3	101.8	▲
		収縮期血圧	130mmHg以上	113,411	46,698	41.2	46,631	100.1	99.2	101.1	
		拡張期血圧	85mmHg以上	113,411	29,076	25.6	29,935	97.1	96.0	98.3	▽
		中性脂肪	150mg/dl以上	113,409	36,448	32.1	35,846	101.7	100.6	102.7	▲
		HDLコレステロール	40mg/dl未満	113,409	9,142	8.1	8,921	102.5	100.4	104.6	▲
		LDLコレステロール	120mg/dl以上	113,402	58,177	51.3	58,477	99.5	98.7	100.3	
		空腹時血糖	100mg/dl以上	100,570	48,587	48.3	47,446	102.4	101.5	103.3	▲
		HbA1c	5.6%以上	67,044	37,562	56.0	36,922	101.7	100.7	102.8	▲
		GOT(AST)	31U/l以上	113,409	19,872	17.5	19,713	100.8	99.4	102.2	
	GPT(ALT)	31U/l以上	113,409	31,957	28.2	31,669	100.9	99.8	102.0		
	γGT(γGTP)	51U/l以上	113,409	36,483	32.2	35,786	101.9	100.9	103.0	▲	
	受診勧奨判定値	収縮期血圧	140mmHg以上	113,411	24,020	21.2	23,841	100.7	99.5	102.0	
		拡張期血圧	90mmHg以上	113,411	17,100	15.1	17,407	98.2	96.8	99.7	▽
		中性脂肪	300mg/dl以上	113,409	7,730	6.8	7,308	105.8	103.4	108.2	▲
		HDLコレステロール	35mg/dl未満	113,409	2,529	2.2	2,427	104.2	100.2	108.3	▲
		LDLコレステロール	140mg/dl以上	113,402	30,700	27.1	30,761	99.8	98.7	100.9	
		空腹時血糖	126mg/dl以上	100,570	10,318	10.3	10,007	103.1	101.1	105.1	▲
		HbA1c	6.5%以上	67,044	7,872	11.7	7,642	103.0	100.7	105.3	▲
		GOT(AST)	51U/l以上	113,409	4,145	3.7	4,004	103.5	100.4	106.7	▲
GPT(ALT)		51U/l以上	113,409	9,599	8.5	9,476	101.3	99.3	103.3		
γGT(γGTP)		101U/l以上	113,409	12,865	11.3	12,248	105.0	103.2	106.9	▲	
女性	保健指導判定値	BMI	25以上	111,391	35,534	31.9	35,194	101.0	99.9	102.0	
		腹囲	90cm以上	111,336	26,010	23.4	25,499	102.0	100.8	103.3	▲
		収縮期血圧	130mmHg以上	111,392	36,888	33.1	36,583	100.8	99.8	101.9	
		拡張期血圧	85mmHg以上	111,392	16,256	14.6	16,212	100.3	98.7	101.8	
		中性脂肪	150mg/dl以上	111,393	17,326	15.6	16,943	102.3	100.7	103.8	▲
		HDLコレステロール	40mg/dl未満	111,393	1,888	1.7	1,818	103.9	99.2	108.6	
		LDLコレステロール	120mg/dl以上	111,393	59,559	53.5	59,749	99.7	98.9	100.5	
		空腹時血糖	100mg/dl以上	97,802	24,765	25.3	24,590	100.7	99.5	102.0	
		HbA1c	5.6%以上	78,663	43,887	55.8	44,101	99.5	98.6	100.5	
		GOT(AST)	31U/l以上	111,393	10,087	9.1	9,987	101.0	99.0	103.0	
	GPT(ALT)	31U/l以上	111,392	12,942	11.6	13,007	99.5	97.8	101.2		
	γGT(γGTP)	51U/l以上	111,393	11,581	10.4	11,451	101.1	99.3	103.0		
	受診勧奨判定値	収縮期血圧	140mmHg以上	111,392	18,737	16.8	18,703	100.2	98.8	101.6	
		拡張期血圧	90mmHg以上	111,392	8,545	7.7	8,583	99.6	97.5	101.7	
		中性脂肪	300mg/dl以上	111,393	1,957	1.8	1,823	107.3	102.6	112.2	▲
		HDLコレステロール	35mg/dl未満	111,393	407	0.4	402	101.1	91.5	111.5	
		LDLコレステロール	140mg/dl以上	111,393	32,492	29.2	32,673	99.4	98.4	100.5	
		空腹時血糖	126mg/dl以上	97,802	4,140	4.2	4,086	101.3	98.3	104.5	
		HbA1c	6.5%以上	78,663	5,560	7.1	5,477	101.5	98.9	104.2	
		GOT(AST)	51U/l以上	111,393	1,844	1.7	1,798	102.6	97.9	107.3	
GPT(ALT)		51U/l以上	111,392	3,510	3.2	3,533	99.3	96.1	102.7		
γGT(γGTP)		101U/l以上	111,393	2,926	2.6	2,862	102.2	98.6	106.0		

判定区分 ▲:基準集団(第5回NDB沖縄県)と比べて、該当者出現率が有意に高い(標準化該当比>100 かつ 95%信頼区間下限値>100)
 ▽:基準集団(第5回NDB沖縄県)と比べて、該当者出現率が有意に低い(標準化該当比<100 かつ 95%信頼区間上限値<100)

参考1-2 沖縄県(市町村国保+協会けんぽ)の健診有所見者の状況 [40-64歳]

- 第5回オープンデータ沖縄県を基準集団として標準化該当比を算出 -

		受診者(人)	該当者		対沖縄県 (NDB沖縄県=100)						
			(人)	(%)	期待数(人)	標準化該当比	95%信頼区間		判定区分		
				下限値	上限値						
男性	保健指導判定値	BMI	25以上	80,945	38,123	47.1	37,897	100.6	99.6	101.6	
		腹囲	85cm以上	80,940	46,987	58.1	46,251	101.6	100.7	102.5	▲
		収縮期血圧	130mmHg以上	80,945	29,391	36.3	29,158	100.8	99.6	102.0	
		拡張期血圧	85mmHg以上	80,945	22,674	28.0	23,339	97.2	95.9	98.4	▽
		中性脂肪	150mg/dl以上	80,943	27,823	34.4	27,179	102.4	101.2	103.6	▲
		HDLコレステロール	40mg/dl未満	80,943	6,589	8.1	6,411	102.8	100.3	105.3	▲
		LDLコレステロール	120mg/dl以上	80,937	43,080	53.2	43,362	99.3	98.4	100.3	
		空腹時血糖	100mg/dl以上	73,804	34,498	46.7	33,330	103.5	102.4	104.6	▲
		HbA1c	5.6%以上	39,051	19,340	49.5	18,694	103.5	102.0	104.9	▲
		GOT(AST)	31U/l以上	80,943	15,036	18.6	14,821	101.4	99.8	103.1	
	GPT(ALT)	31U/l以上	80,943	26,329	32.5	25,978	101.4	100.1	102.6	▲	
	γGT(γGTP)	51U/l以上	80,943	29,579	36.5	28,844	102.5	101.4	103.7	▲	
	受診勧奨判定値	収縮期血圧	140mmHg以上	80,945	14,463	17.9	14,129	102.4	100.7	104.0	▲
		拡張期血圧	90mmHg以上	80,945	13,699	16.9	13,926	98.4	96.7	100.0	
		中性脂肪	300mg/dl以上	80,943	6,421	7.9	5,985	107.3	104.7	109.9	▲
		HDLコレステロール	35mg/dl未満	80,943	1,803	2.2	1,717	105.0	100.2	110.0	▲
		LDLコレステロール	140mg/dl以上	80,937	23,546	29.1	23,553	100.0	98.7	101.3	
		空腹時血糖	126mg/dl以上	73,804	6,681	9.1	6,352	105.2	102.7	107.7	▲
		HbA1c	6.5%以上	39,051	3,693	9.5	3,462	106.7	103.2	110.2	▲
		GOT(AST)	51U/l以上	80,943	3,254	4.0	3,110	104.6	101.1	108.3	▲
GPT(ALT)		51U/l以上	80,943	8,310	10.3	8,164	101.8	99.6	104.0		
γGT(γGTP)		101U/l以上	80,943	10,801	13.3	10,174	106.2	104.2	108.2	▲	
女性	保健指導判定値	BMI	25以上	75,311	22,195	29.5	21,894	101.4	100.0	102.7	▲
		腹囲	90cm以上	75,256	15,385	20.4	14,949	102.9	101.3	104.6	▲
		収縮期血圧	130mmHg以上	75,312	19,459	25.8	19,105	101.9	100.4	103.3	▲
		拡張期血圧	85mmHg以上	75,312	11,248	14.9	11,124	101.1	99.3	103.0	
		中性脂肪	150mg/dl以上	75,312	10,747	14.3	10,364	103.7	101.7	105.7	▲
		HDLコレステロール	40mg/dl未満	75,312	1,216	1.6	1,156	105.2	99.4	111.3	
		LDLコレステロール	120mg/dl以上	75,312	38,600	51.3	38,749	99.6	98.6	100.6	
		空腹時血糖	100mg/dl以上	67,374	14,835	22.0	14,637	101.4	99.7	103.0	
		HbA1c	5.6%以上	44,846	20,821	46.4	21,026	99.0	97.7	100.4	
		GOT(AST)	31U/l以上	75,312	6,316	8.4	6,201	101.9	99.4	104.4	
	GPT(ALT)	31U/l以上	75,311	9,009	12.0	9,038	99.7	97.6	101.8		
	γGT(γGTP)	51U/l以上	75,312	8,678	11.5	8,520	101.9	99.7	104.0		
	受診勧奨判定値	収縮期血圧	140mmHg以上	75,312	9,417	12.5	9,360	100.6	98.6	102.7	
		拡張期血圧	90mmHg以上	75,312	6,069	8.1	6,055	100.2	97.7	102.8	
		中性脂肪	300mg/dl以上	75,312	1,370	1.8	1,237	110.7	104.9	116.7	▲
		HDLコレステロール	35mg/dl未満	75,312	239	0.3	236	101.4	88.9	115.1	
		LDLコレステロール	140mg/dl以上	75,312	21,170	28.1	21,272	99.5	98.2	100.9	
		空腹時血糖	126mg/dl以上	67,374	2,194	3.3	2,140	102.5	98.3	106.9	
		HbA1c	6.5%以上	44,846	2,123	4.7	2,060	103.1	98.7	107.5	
		GOT(AST)	51U/l以上	75,312	1,229	1.6	1,179	104.2	98.5	110.2	
GPT(ALT)		51U/l以上	75,311	2,541	3.4	2,548	99.7	95.9	103.7		
γGT(γGTP)		101U/l以上	75,312	2,291	3.0	2,215	103.4	99.2	107.7		

判定区分 ▲:基準集団(第5回NDB沖縄県)と比べて、該当者出現率が有意に高い(標準化該当比>100 かつ 95%信頼区間下限値>100)
 ▽:基準集団(第5回NDB沖縄県)と比べて、該当者出現率が有意に低い(標準化該当比<100 かつ 95%信頼区間上限値<100)

参考1-3 沖縄県(市町村国保+協会けんぽ)の健診有所見者の状況 [65-74歳]

- 第5回オープンデータ沖縄県を基準集団として標準化該当比を算出 -

		対沖縄県 (NDB沖縄県=100)									
		受診者(人)	該当者		期待数(人)	標準化 該当比	95%信頼区間		判定 区分		
			(人)	(%)			下限値	上限値			
男性	保健指導 判定値	BMI	25以上	32,464	14,493	44.6	14,554	99.6	98.0	101.2	
		腹囲	85cm以上	32,466	20,435	62.9	20,490	99.7	98.4	101.1	
		収縮期血圧	130mmHg以上	32,466	17,307	53.3	17,473	99.1	97.6	100.5	
		拡張期血圧	85mmHg以上	32,466	6,402	19.7	6,597	97.0	94.7	99.5	▽
		中性脂肪	150mg/dl以上	32,466	8,625	26.6	8,667	99.5	97.4	101.6	
		HDLコレステロール	40mg/dl未満	32,466	2,553	7.9	2,511	101.7	97.8	105.7	
		LDLコレステロール	120mg/dl以上	32,465	15,097	46.5	15,115	99.9	98.3	101.5	
		空腹時血糖	100mg/dl以上	26,766	14,089	52.6	14,116	99.8	98.2	101.5	
		HbA1c	5.6%以上	27,993	18,222	65.1	18,228	100.0	98.5	101.4	
		GOT(AST)	31U/l以上	32,466	4,836	14.9	4,892	98.9	96.1	101.7	
	GPT(ALT)	31U/l以上	32,466	5,628	17.3	5,690	98.9	96.3	101.5		
	γGT(γGTP)	51U/l以上	32,466	6,904	21.3	6,942	99.5	97.1	101.8		
	受診勧奨 判定値	収縮期血圧	140mmHg以上	32,466	9,557	29.4	9,713	98.4	96.4	100.4	
		拡張期血圧	90mmHg以上	32,466	3,401	10.5	3,482	97.7	94.4	101.0	
		中性脂肪	300mg/dl以上	32,466	1,309	4.0	1,323	98.9	93.7	104.5	
		HDLコレステロール	35mg/dl未満	32,466	726	2.2	710	102.2	94.9	109.9	
		LDLコレステロール	140mg/dl以上	32,465	7,154	22.0	7,208	99.2	97.0	101.6	
		空腹時血糖	126mg/dl以上	26,766	3,637	13.6	3,655	99.5	96.3	102.8	
		HbA1c	6.5%以上	27,993	4,179	14.9	4,180	100.0	97.0	103.1	
		GOT(AST)	51U/l以上	32,466	891	2.7	894	99.7	93.3	106.5	
GPT(ALT)		51U/l以上	32,466	1,289	4.0	1,312	98.3	93.0	103.8		
γGT(γGTP)		101U/l以上	32,466	2,064	6.4	2,074	99.5	95.3	103.9		
女性	保健指導 判定値	BMI	25以上	36,080	13,339	37.0	13,300	100.3	98.6	102.0	
		腹囲	90cm以上	36,080	10,625	29.4	10,550	100.7	98.8	102.6	
		収縮期血圧	130mmHg以上	36,080	17,429	48.3	17,478	99.7	98.2	101.2	
		拡張期血圧	85mmHg以上	36,080	5,008	13.9	5,088	98.4	95.7	101.2	
		中性脂肪	150mg/dl以上	36,081	6,579	18.2	6,579	100.0	97.6	102.4	
		HDLコレステロール	40mg/dl未満	36,081	672	1.9	662	101.5	94.0	109.5	
		LDLコレステロール	120mg/dl以上	36,081	20,959	58.1	21,000	99.8	98.5	101.2	
		空腹時血糖	100mg/dl以上	30,428	9,930	32.6	9,953	99.8	97.8	101.8	
		HbA1c	5.6%以上	33,817	23,066	68.2	23,075	100.0	98.7	101.3	
		GOT(AST)	31U/l以上	36,081	3,771	10.5	3,786	99.6	96.4	102.8	
	GPT(ALT)	31U/l以上	36,081	3,933	10.9	3,970	99.1	96.0	102.2		
	γGT(γGTP)	51U/l以上	36,081	2,903	8.0	2,931	99.0	95.5	102.7		
	受診勧奨 判定値	収縮期血圧	140mmHg以上	36,080	9,320	25.8	9,343	99.8	97.7	101.8	
		拡張期血圧	90mmHg以上	36,080	2,476	6.9	2,528	97.9	94.1	101.9	
		中性脂肪	300mg/dl以上	36,081	587	1.6	586	100.2	92.2	108.6	
		HDLコレステロール	35mg/dl未満	36,081	168	0.5	167	100.8	86.1	117.2	
		LDLコレステロール	140mg/dl以上	36,081	11,322	31.4	11,401	99.3	97.5	101.1	
		空腹時血糖	126mg/dl以上	30,428	1,946	6.4	1,945	100.0	95.6	104.6	
		HbA1c	6.5%以上	33,817	3,437	10.2	3,417	100.6	97.3	104.0	
		GOT(AST)	51U/l以上	36,081	615	1.7	619	99.4	91.7	107.5	
GPT(ALT)		51U/l以上	36,081	969	2.7	985	98.4	92.3	104.7		
γGT(γGTP)		101U/l以上	36,081	635	1.8	647	98.2	90.7	106.1		

判定区分 ▲:基準集団(第5回NDB沖縄県)と比べて、該当者出現率が有意に高い(標準化該当比>100 かつ 95%信頼区間下限値>100)

▽:基準集団(第5回NDB沖縄県)と比べて、該当者出現率が有意に低い(標準化該当比<100 かつ 95%信頼区間上限値<100)